

- VB98
- VID98
- AUTORUN
Setup Information
1 KB
- INSTALL
HTML Document
49 KB
- README.T
HTML Document
7 KB
- READMEVB
HTML Document
207 KB
- READMEVI
HTML Document
43 KB
- SETUP
setup
Microsoft Corporation
- SETUPWIZ
Configuration Settings
2 KB
- V598PRO.MIF
MIF File
1 KB

- VC98
- ACMBOOT
MS-Setup Setup Exe
Microsoft Corporation
- EULA
Text Document
38 KB
- KEY
DAT File
1 KB
- README.RP
HTML Document
64 KB
- READMEVC
HTML Document
167 KB
- READMEVJ
HTML Document
65 KB
- SETUP
Configuration Settings
1 KB
- SMSINST

- VFP98
- ACMBOOT.LST
LST File
3 KB
- IE4CHECK
Configuration Settings
1 KB
- README.N
HTML Document
37 KB
- README.SS
HTML Document
29 KB
- README.VF
HTML Document
36 KB
- README.VS
HTML Document
16 KB
- SETUP.TDF
TDF File
1 KB
- CD1
Information
0 KB

ايقونه الاعداد

Type: Configuration Settings
Date Modified: 01/06/1998 02:00 ص
Size: 149 bytes

Visual Studio 6.0 Professional Edition



The Visual Studio 6.0 Professional Edition Setup program will walk you through installing the applications and components you'll need to accomplish your programming tasks.

Use the Next button to proceed to the next screen. If you want to change something in a previous screen, click the Back button. You may cancel the installation at any time by clicking the Exit button.

If you would like to view the Visual Studio 6.0 Professional Edition Readme file, click here.

[View Readme](#)



< Back

Next >

Exit

End User License Agreement



Be sure to carefully read and understand all of the rights and restrictions described in the EULA. You will be asked to review and either accept or not accept the terms of the EULA. This product will not set up on your computer unless or until you accept the terms of the EULA. For your future reference, you may print the text of the EULA from the eula.txt file of this product. You may also receive a copy of this EULA by contacting the Microsoft subsidiary serving your country, or write: Microsoft Sales Information Center/One Microsoft Way /Redmond, WA 98052-6399.

END-USER LICENSE AGREEMENT FOR MICROSOFT SOFTWARE

IMPORTANT-READ CAREFULLY علم على الموافقة
This Microsoft End-User License Agreement ("EULA") is a legal agreement between you (either an individual or a single entity) and Microsoft Corporation for the Microsoft software product(s) accompanying this EULA, which include(s) computer software and may include "online" or electronic documentation, associated media, and printed materials ("SOFTWARE PRODUCT"). By installing, copying, or otherwise using the SOFTWARE PRODUCT or any UPDATE (as defined below) you agree to be bound by the terms of this

Press the PAGE DOWN key to see more text...

ثم اضغط التالي

- I accept the agreement
- I don't accept the agreement

< Back

Next >

Exit

Product Number and User ID

Please enter your product's ID number:

اكتب السريال نمبر هنا

Please enter your name and your company's name

Your name:

وهنا اسمك

Your company's name:

وهنا اسم شركتك



< Back

Next >

Exit

Visual Studio 6.0 Professional Edition



Select Install Visual Studio 6.0 Professional Edition to define an integrated setup of products and server applications for this workstation.

Select Server Applications to skip over the setup of workstation tools and go directly to server installation options.

Custom - Server Setup Options

- Install Visual Studio 6.0 Professional Edition.
- Server Applications


التالى

< Back

Next >

Exit

Choose Common Install Folder



You can choose the location of the files that are common among Visual Studio 6.0 applications. The common files should be stored in a folder called Common.

اختار مكان التنصيب للملفات

If you need to change the default shown below, you may click the Browse button to explore your hard drive and choose a new location.

Choose a folder for common files:

C:\Program Files\Microsoft Visual Studio\Common

Browse...

The minimum space required for the common folder is 50 MB.

Drive C: has 1130 MB free.



ثم اضغط التالي

< Back

Next >

Exit



يقوم البرنامج بالاعداد ويطلب الانتظار

Starting Visual Studio 6.0 Setup, please wait...





Welcome to the Visual Studio 6.0 Professional installation program.

Setup cannot install system files or update shared files if the files are in use. Before continuing, close any open applications.

WARNING: This program is protected by copyright law and international treaties.

You may install Visual Studio 6.0 Professional on a single computer. Some Microsoft products are provided with additional rights, which are stated in the End User License Agreement included with your software.



Please take a moment to read the End User License Agreement now. It contains all of the terms and conditions that pertain to this software product. By choosing to continue, you indicate acceptance of these terms.

للمتابعة

للخروج من اعداد البرنامج

Continue

Exit Setup

Product ID:

82898-880-1928503-97443

This is your Microsoft product identification number. If you want to call Microsoft for technical support, you will be asked for this number.

هذه الرسالة تفيد بأنه إذا كنت تريد الاتصال بشركه
ميكرو سوفت سوف يسألونك عن هذا الرقم

For your records, please write down this number in the designated portion of your registration card. After the software has been installed, you can access the number by clicking the About... command on the Help menu.

اضغط بالموافقه



OK



Setup is searching for installed components...

جاری الإعداد

Visual Studio 6.0 Professional Setup

To start installation, click the large button. **لبداء الإعداد اضغط على ازر الكبير**



Custom

Setup will allow you to customize which components to install



Folder:

C:\Program Files\Microsoft Visual Studio

Change Folder...

Exit Setup



Welcome to the Visual Studio 6.0 Professional installation program.

Setup cannot install system files or update shared files if the files are in use. Before continuing, close any open applications.

WARNING: This program is protected by copyright law and international treaties.

You may install Visual Studio 6.0 Professional on a single computer. Some Microsoft products are provided with additional rights, which are stated in the End User License Agreement included with your software.



Please take a moment to read the End User License Agreement now. It contains all of the terms and conditions that pertain to this software product. By choosing to continue, you indicate acceptance of these terms.

للمتابعة

للخروج من اعداد البرنامج

Continue

Exit Setup

Product ID:

82898-880-1928503-97443

This is your Microsoft product identification number. If you want to call Microsoft for technical support, you will be asked for this number.

هذه الرسالة تفيد بأنه إذا كنت تريد الاتصال بشركه
ميكرو سوفت سوف يسألونك عن هذا الرقم

For your records, please write down this number in the designated portion of your registration card. After the software has been installed, you can access the number by clicking the About... command on the Help menu.

اضغط بالموافقه



OK



Setup is searching for installed components...

جاری الإعداد

Visual Studio 6.0 Professional Setup

To start installation, click the large button. **لبداء الإعداد اضغط على ازر الكبير**



Custom

Setup will allow you to customize which components to install



Folder:

C:\Program Files\Microsoft Visual Studio

Change Folder...

Exit Setup



In the Options list, select the items you want installed; clear the items you do not want installed.

A grayed box with a check indicates that only part of the component will be installed. To select all components in the Option list, click Select All.

من هنا يمكنك اضافته وازاله ما تريد من

Options:

البرنامج option:

<input checked="" type="checkbox"/>	Microsoft Visual Basic 6.0	46350 K
<input checked="" type="checkbox"/>	Microsoft Visual C++ 6.0	250882 K
<input checked="" type="checkbox"/>	Microsoft Visual FoxPro 6.0	67638 K
<input checked="" type="checkbox"/>	Microsoft Visual InterDev 6.0	43754 K
<input checked="" type="checkbox"/>	ActiveX	3446 K
<input checked="" type="checkbox"/>	Data Access	10043 K
<input checked="" type="checkbox"/>	Professional Tools	9784 K
<input type="checkbox"/>	Graphics	6041 K
<input checked="" type="checkbox"/>	Tools	4391 K

Installs Microsoft Visual Basic and all required components, including core ActiveX controls.

تغير الخصائص

Change Option...

اختير الكل Select All

Folder for Currently Selected Option:

C:\Program Files\Microsoft Visual Studio\VB98

تغير مكان مجلد الإعدادات

Change Folder...

Space required on C: 436288 K

Space available on C: 1158904 K

متابعة

الغاء



Continue

Cancel

Microsoft

Visual Studio



Visual Studio™ 6.0, Professional Edition is the complete suite for rapidly building business solutions that unleash the power of Windows® and the Web.

Features Include:

A complete Web development environment.

End-to-end debugging support.


Integrated Professional Visual Database Tools.

Productivity-boosting tools like IntelliSense technology.

A complete development suite for Windows.



جاری الاعداد وتحميل الملفات



Microsoft

Visual Studio



Visual Studio™ 6.0, Professional Edition is the complete suite for rapidly building business solutions that unleash the power of Windows® and the Web.

Features Include:

A complete Web development environment.

End-to-end debugging support.


Integrated Professional Visual Database Tools.

Productivity-boosting tools like IntelliSense technology.

A complete development suite for Windows.



جاری الاعداد وتحميل الملفات






Microsoft®
**Visual
Studio**

تقديم التحميل



Visual S
suite for
the pow
Features
A compl
End-to-e
Integrate
Productiv
A complete



ete
sh



You need to restart Windows to complete the installation.

انت تحتاج اعادة تشغيل الجهاز لاتمام عملية

Before you restart, close any open applications, including MS-DOS sessions, and save all current documents. Remove any floppy disks still inserted in a disk drive. Then, click the Restart Windows button.



If you choose to restart, the screen may go blank or flicker. Please be patient while Setup restarts your machine.

اعادة تشغيل الجهاز

خروج من الاعداد

Restart Windows

Exit Setup

Install MSDN



The Microsoft Developer Network Library contains all the documentation and samples for all of Visual Studio 6.0. To view your online documentation for Visual Studio 6.0 applications and components, you must install the MSDN Library.



To install the MSDN Library, insert the MSDN CD into your CD-ROM drive and click the Next button.

If you have a newer version of the MSDN Library CD, you may use it in place of the Visual Studio 6.0 MSDN CD.

Install MSDN

هنا يسالك عن تثبيت مكتبته msdn
اذا كانت لديك قم بتثبيتها

اضغط التالي

< Back

Next >

Exit



Installation Wizard for Visual Studio 6.0 Professional Edition



إذا قمت باختيار تثبيت تثبيت

Locate Microsoft Developer Network Disk 1

mdsn

Path:

اختار مكان المكتبة من على الجهاز

استعراض مكان الملفات

Browse...

OK

Cancel

InstallShield for Microsoft Visual C++ 6

نقوم الان باعداد برنامج C++



InstallShield Software License Agreement



Please read the following license agreement. Scroll down to see the rest of the agreement.

InstallShield Single Developer Unlimited Installation System License Agreement

IMPORTANT - READ CAREFULLY: This INSTALLSHIELD InstallShield Single Developer Unlimited Installation System License Agreement ("Agreement") is a legal agreement between you (either an individual or a single entity) and INSTALLSHIELD Software Corporation ("INSTALLSHIELD") for INSTALLSHIELD's BETA InstallShield computer software and associated media (collectively, the "Licensed Software"). By continuing to use the Licensed Software, you agree to be bound by the terms of this Agreement.

1. GRANT OF LICENSE EXTENSION

You may use the Licensed Software to create and distribute an unlimited

Do you accept all the terms of the preceding InstallShield License Agreement? To install InstallShield, you must click Yes to accept. If you choose No, Setup will exit.

< Back

Yes

No

Type your name below. You must also type the name of the company you work for.

Name:

amirelalam

اسمك

Company:

smart

الشركة



< Back

Next >

Cancel



Setup will install InstallShield for Microsoft Visual C++ 6 in the following folder.

To install to this folder, click Next.

To install to a different folder, click Browse and select another folder.

You can choose not to install InstallShield for Microsoft Visual C++ 6 by clicking Cancel to exit Setup.

Destination Folder

C:\... \InstallShield for Microsoft Visual C++ 6

Browse...

نضغط التالي لبدء اعداد

البرنامج

< Back

Next >

Cancel

Click the type of Setup you prefer, then click Next.

- Typical Program will be installed with the most common options. Recommended for most users.
- Compact Program will be installed with minimum required options.
- Custom You may choose the options you want to install. Recommended for advanced users.

اختار ما

يناسبك



التالي

< Back

Next >

Cancel



Setup is ready to begin installing InstallShield for Microsoft Visual C++ 6.

InstallShield for Microsoft Visual C++ 6 Setup will also:

- * Add a shortcut for InstallShield to the Start menu.
- * Add InstallShield to the Tools menu of Microsoft Visual C++ 6.



التالى

< Back

Next >

Cancel

Thank you for installing

InstallShield

for

Microsoft

Visual C++ 6

جاری الإعداد



Copying help files...

c:\... \installshield for microsoft visual c++ 6\program\debug.cnt

20 %

Cancel



Setup has finished installing InstallShield for Microsoft Visual C++ 6. We strongly recommend that you review the Readme.htm file for late-breaking developments and general information.

You can display Readme.htm by simply leaving the check box below checked and clicking the Finish button.

شیل علامه صح علشان عرض ملف

Yes, I want to view the Readme file.

Click Finish to complete InstallShield for Microsoft Visual C++ 6 Setup.

انتهاء

< Back

Finish

InstallShield for Microsoft Visual C++ 6

بقية البرامج المساعدة للـ C++





Please read the following license agreement. Scroll down to see the rest of the agreement.

InstallShield Single Developer Unlimited Installation System
License Agreement

IMPORTANT - READ CAREFULLY: This INSTALLSHIELD InstallShield Single Developer Unlimited Installation System License Agreement ("Agreement") is a legal agreement between you (either an individual or a single entity) and INSTALLSHIELD Software Corporation ("INSTALLSHIELD") for INSTALLSHIELD's BETA InstallShield computer software and associated media (collectively, the "Licensed Software"). By continuing to use the Licensed Software, you agree to be bound by the terms of this Agreement.

1. GRANT OF LICENSE EXTENSION

You may use the Licensed Software to create and distribute an unlimited

Do you accept all the terms of the preceding InstallShield License Agreement? To install InstallShield, you must click Yes to accept. If you choose No, Setup will exit.

< Back

Yes

No

Type your name below. You must also type the name of the company you work for.

Name:

amirelalam

اسمك

Company:

smart

الشركة



< Back

Next >

Cancel



Setup will install InstallShield for Microsoft Visual C++ 6 in the following folder.

To install to this folder, click Next.

To install to a different folder, click Browse and select another folder.

You can choose not to install InstallShield for Microsoft Visual C++ 6 by clicking Cancel to exit Setup.

Destination Folder

C:\... \InstallShield for Microsoft Visual C++ 6

Browse...

نضغط التالي لبدء اعداد

البرنامج

< Back

Next >

Cancel



Setup will install InstallShield for Microsoft Visual C++ 6 in the following folder.

To install to this folder, click Next.

To install to a different folder, click Browse and select another folder.

You can choose not to install InstallShield for Microsoft Visual C++ 6 by clicking Cancel to exit Setup.

Destination Folder

C:\... \InstallShield for Microsoft Visual C++ 6

Browse...

نضغط التالي لبدء اعداد

البرنامج

< Back

Next >

Cancel

Click the type of Setup you prefer, then click Next.

- Typical Program will be installed with the most common options. Recommended for most users.
- Compact Program will be installed with minimum required options.
- Custom You may choose the options you want to install. Recommended for advanced users.

اختار ما

يناسبك



التالي

< Back

Next >

Cancel



Setup is ready to begin installing InstallShield for Microsoft Visual C++ 6.

InstallShield for Microsoft Visual C++ 6 Setup will also:

- * Add a shortcut for InstallShield to the Start menu.
- * Add InstallShield to the Tools menu of Microsoft Visual C++ 6.




التالى

< Back

Next >

Cancel

Register Over the Web Now!



You can easily register your copy of Visual Studio 6.0 Professional Edition over the web by selecting the Register option and then clicking the Finish button.

When you register over the web, you will also be connected to the Visual Studio 6.0 Professional Edition Owner's Area where you can find current information on all the Visual Studio 6.0 Professional Edition products.

Register Now

Clicking the Finish button connects you to the registration web site and completes the installation process.

هذه رسالة للتسجيل

نحن لا نحتاجها



نضغط انهاء

< Back

Finish

Exit

- CYRIX NEW PROGRAMS !!
- Office-مستند جديد
- MULTI-YAHOO! GOLD
- Office-فتح مستند
- Accessories
- Administrative Tools
- CDSpace 4.0
- FlashGet
- Games
- Internet Download Manager
- K-Lite Codec Pack
- Microsoft Office Tools
- Norton AntiVirus
- Realtek Sound Manager
- SnagIt 8
- Startup
- WINAMP 5.8 PRO
- WinISO
- WinRAR
- Yahoo! Messenger
- Adobe ImageReady CS
- Adobe Photoshop CS
- Adobe Reader 7.0
- Internet Explorer
- Microsoft FrontPage
- Microsoft Word
- REGCLEAN.EXE
- REGOPT.EXE
- Remote Assistance
- SPY SWEEPER
- SPYBOT SD
- STARTUP MANAGER
- SUPER NOTEPAD 2
- SYSCLEAN.EXE
- Windows Media Player
- Windows Movie Maker
- XP LOGONUI


- AC3Filter
- DivX
- ffdshow
- XviD
- MSN Messenger 7.5
- Microsoft Visual Studio 6.0
- Microsoft Web Publishing
- InstallShield for Microsoft Visual C++ 6


- Microsoft Visual Studio 6.0 Tools
- Microsoft Visual Basic 6.0
- Microsoft Visual C++ 6.0
- Microsoft Visual FoxPro 6.0
- Microsoft Visual InterDev 6.0



All Programs

General

Member of Microsoft Visual Studio 



This product is registered to:
amirelzalam
smart

This program is protected by US and international
copyright laws as described in Help About.
Copyright © 1987-1998 Microsoft Corporation





Properties

Form Layout



General

هذه واجهه
الفيجوال باذن
الله سوف نتوقف
هنا للبدء في
شرح الواجهه
وبدايه الدروس
باذن الله

New Project

Microsoft Visual Basic

New Existing Recent

Standard EXE	ActiveX EXE	ActiveX DLL	ActiveX Control	VB Application Wizard
VB Wizard Manager	Data Project	IIS Application	Addin	ActiveX Document Dll

Don't show this dialog in the future

Open Cancel Help




Properties

Alphabetic Categorized

Form Layout




أدوات البرمجة هي مجموعة من البرامج الجاهزة المصنوعة خصيصا للمبرمجين لكي تستخدم في التصنيع كما في الشكل التالي:






Edit View Help

هذه القوائم



Project Explorer



tool box

Property window





ظہیرت ننا

ایکونہ

Project1 - Form1 (Form)

Form1

Properties - Form1

Form1 Form

Alphabetic

Categorized

(Name)	Form1
Appearance	1 - 3D
AutoRedraw	False
BackColor	<input type="checkbox"/> &H800000
BorderStyle	2 - Sizable
Caption	Form1
ClipControls	True
ControlBox	True
DrawMode	13 - Copy Pen
DrawStyle	0 - Solid
DrawWidth	1
Enabled	True
FillColor	<input type="checkbox"/> &H000000
FillStyle	1 - Transpare
Font	MS Sans Serif

Caption

Returns/sets the text displayed in an object's title bar or below an

الاسم
الموجود
في اعلى
البرنامج

Project1 - Form1 (Form)

ام الظلام بير

Properties - Form1

Form1 Form

Alphabetic Categorized

(Name)	Form1
Appearance	1 - 3D
AutoRedraw	False
BackColor	<input type="checkbox"/> &H800000
BorderStyle	2 - Sizable
Caption	ام الظلام بير
ClipControls	True
ControlBox	True
DrawMode	13 - Copy Pen
DrawStyle	0 - Solid
DrawWidth	1
Enabled	True
FillColor	<input checked="" type="checkbox"/> &H000000
FillStyle	1 - Transparent
Font	MS Sans Serif

Caption

Returns/sets the text displayed in an object's title bar or below an

قمنا بتغيرها الى
ام الظلام بير

فتح ملفات مخزنة لديك
وتنقح اختيار مشروع جديد
قائمة بأخر الملفات التي قمت بفتحها حسب التاريخ

New Existing Recent التاريخ





Open

Cancel


Help

Don't show this dialog in the future



Returns/sets the text displayed





Properties - Form1

Form1 Form

Alphabetic | Categorized

(Name)	Form1
Appearance	1 - 3D
AutoRedraw	False
BackColor	<input type="checkbox"/> &H800000
BorderStyle	2 - Sizable
Caption	Form1
ClipControls	True
ControlBox	True
DrawMode	13 - Copy Pen
DrawStyle	0 - Solid
DrawWidth	1
Enabled	True
FillColor	<input type="checkbox"/> &H000000
FillStyle	1 - Transpare
Font	MS Sans Serif

Caption
Returns/sets the text displayed in an object's title bar or below an




Properties - Form1


Form1 Form

Alphabetic | Categorized

(Name)	Form1
Appearance	1 - 3D
AutoRedraw	False
BackColor	<input type="checkbox"/> &H800000
BorderStyle	2 - Sizable
Caption	مشاهدين الاول
ClipControls	True
ControlBox	True
DrawMode	13 - Copy Per
DrawStyle	0 - Solid
DrawWidth	1
Enabled	True
FillColor	<input checked="" type="checkbox"/> &H000000
FillStyle	1 - Transpare
Font	MS Sans Serif

Caption
Returns/sets the text displayed in an object's title bar or below an





Form1 Form

Alphabetic | Categorized

BackColor	<input type="checkbox"/> &H800000
BorderStyle	2 - Sizable
Caption	شاهدين الاول
ClipControls	True
ControlBox	True
DrawMode	True
DrawStyle	False
DrawWidth	1
Enabled	True
FillColor	<input type="checkbox"/> &H000000
FillStyle	1 - Transpare
Font	MS Sans Serif
FontTranspare	True
ForeColor	<input type="checkbox"/> &H800000
HasDC	True

ControlBox

Returns a value indicating whether a Control-menu box is

غير موجوده



The image shows a screenshot of the Visual Studio IDE. At the top, the title bar reads "Project1 - Form1 (Form)". Below it, a Windows Form is displayed with the title "برنامج المشاغبين الاول" (The first mischievous program). The form contains two lines of Arabic text: "لعمل run لمشروع والتجربه" (To work on the project and the experiment) and "تغير القيم" (Change the values). A red arrow points from the top of the form to the Run button in the Visual Studio toolbar.

On the right side, the "Properties - Form1" window is open, showing the properties of the "Form1" object. The "Enabled" property is currently set to "False". A red arrow points from the text "تغير القيم" on the form to the "Enabled" property in the Properties window. Another red arrow points from the "Enabled" property to the "Enabled" section of the Properties window.

Form1 Form	
Alphabetic Categorized	
(Name)	Form1
Appearance	1 - 3D
AutoRedraw	False
BackColor	<input type="checkbox"/> &H800000
BorderStyle	2 - Sizable
Caption	مشاغبين الاول
ClipControls	True
ControlBox	True
DrawMode	13 - Copy Pe
DrawStyle	0 - Solid
DrawWidth	1
Enabled	False
FillColor	True
FillStyle	False
Font	MS Sans Serif

Enabled
Returns/sets a value that determines whether an object

برنامج المشاهدين الاول

لوحة الالوان وبها كل
الالون التي تريدها

الوان النظام
الجاهزه

Properties - Form1

Form1 Form

Alphabetic Categorized

(Name) Form1

Appearance 1 - 3D

AutoRedraw False

BackColor 0138

Palette System

Button Shadow

Disabled Text

Button Text

Inactive Title Bar Text

Button Highlight

Button Dark Shadow

Button Light Shadow

ToolTip Text


ToolTip

BackColor

Returns/sets the background color used to display text and

Define Color

فتتظهر لنا نافذه نختار منها اي لون



Color|Solid

Hue: 160 Red: 255

Sat: 0 Green: 255

Lum: 240 Blue: 255

Add Color

Close

Help

Form1 Form

Alphabetic | Categorized

(Name)	Form1
Appearance	1 - 3D
AutoRedraw	False
BackColor	□ #0138
BorderStyle	2 - Sizable
Caption	مشاغبين الاول
ClipControls	True
ControlBox	True
DrawMode	13 - Copy Pe
DrawStyle	0 - Solid
DrawWidth	1
Enabled	False
FillColor	■ &H000000
FillStyle	1 - Transpare
Font	MS Sans Serif

BackColor

Returns/sets the background color used to display text and

الاختيار الاول
None
وهو لحذف الاطار كما فى الشكل

Properties - Form1

Form1 Form

Alphabetic

Categorized

(Name)	Form1
Appearance	1 - 3D
AutoRedraw	False
BackColor	<input type="checkbox"/> &H800000
BorderStyle	0 - None
Caption	شاهين الاول
ClipControls	True
ControlBox	True
DrawMode	13 - Copy Pe
DrawStyle	0 - Solid
DrawWidth	1
Enabled	False
FillColor	<input checked="" type="checkbox"/> &H000000
FillStyle	1 - Transpare
Font	MS Sans Serif

BorderStyle

Returns/sets the border style for an object.



Properties - Form1



يقوم بإلغاء ايكونه
 التكبير والتصغير ويترك
 لك ايكونه الاغلاق مع
 عدم امكانيه عمل

rezis

للفورم

اي تكبير وتصغير

بالموس

Form1 Form

Alphabetic

Categorized

(Name)	Form1
Appearance	1 - 3D
AutoRedraw	False
BackColor	<input type="checkbox"/> &H800000
BorderStyle	1 - Fixed
Caption	شاغبين الاول
ClipControls	True
ControlBox	True
DrawMode	13 - Copy Pe
DrawStyle	0 - Solid
DrawWidth	1
Enabled	True
FillColor	<input type="checkbox"/> &H000000
FillStyle	1 - Transpare
Font	MS Sans Serif



بتشيط التكبير والتصغير
والاغلاق مع امكانيه اعاده
resiz(تحجيم)



Form1 Form

Alphabetic | Categorized

(Name)	Form1
Appearance	1 - 3D
AutoRedraw	False
BackColor	<input type="checkbox"/> &H800000
BorderStyle	2 - Sizable
Caption	شماغبين الاول
ClipControls	True
ControlBox	True
DrawMode	13 - Copy Pe
DrawStyle	0 - Solid
DrawWidth	1
Enabled	True
FillColor	<input checked="" type="checkbox"/> &H000000
FillStyle	1 - Transpare
Font	MS Sans Serif

BorderStyle
Returns/sets the border style for an object.

برنامج المشاغبين الاول



شكل الفورم عند تغير الحجم بالفأرة

برنامج المشاغبين الاول

يقوم بتصغير الشريط حتى
يصلح ان يكون نافذه داخل
برنامج مثل نافذه الخصائص

Properties - Form1

Form1 Form

Alphabetic Categorized

(Name)	Form1
Appearance	1 - 3D
AutoRedraw	False
BackColor	<input type="checkbox"/> &H800000138
BorderStyle	4 - Fixed Tool
Caption	ج المشاغبين الاول
ClipControls	True
ControlBox	True
DrawMode	13 - Copy Pen
DrawStyle	0 - Solid
DrawWidth	1
Enabled	True
FillColor	<input type="checkbox"/> &H000000008
FillStyle	1 - Transparent
Font	MS Sans Serif

BorderStyle

Returns/sets the border style for an object.

برنامج المشاهدين الاول

تغيير ايقونه البرنامج

Properties - Form1

Form1 Form

Alphabetic | Categorized

DrawStyle	0 - Solid
DrawWidth	1
Enabled	True
FillColor	■ &H000000008
FillStyle	1 - Transparent
Font	MS Sans Serif
FontTransparent	True
ForeColor	■ &H800000128
HasDC	True
Height	3795
HelpContextID	0
Icon	(Icon) ...
KeyPreview	False
Left	0
LinkMode	0 - None

Icon

Returns the icon displayed when a form is minimized at run time.

تقوم بالضغط على استعراض
 ونبحث داخل جهاز الكمبيوتر
 الخاص بنا على ايقونات ومرفق
 مع برنامج الفيجوال بيسك
 ايقونات لمن ليس لديه ايقونات
 على الجهاز كما هو موضح

Load Icon

Look in: Icons

- Arrow
- Comm
- Comp
- Dragd
- Eleme
- Flags

Desktop

- My Documents
- My Computer
- 3.5 Floppy (A:)
- Local Disk (C:)
- Program Files
- Microsoft Visual Studio
- Common
- Graphics
- Icons

File name



برنامج المشاهدين الاول

Properties - Form1

Load Icon

Look in: Writing



File name:

PENCIL06

ثم نضغط Open

Open

Files of type:

Icons (*.ico;*.cur)

Cancel

Help



ليظهر لنا في النهاية
الايكونه

برنامج المشاغبين الاول



false اذا قمنا باختيار القيمة
نجد ان الزر غير نشيط

Properties - Form1

Form1 Form

Alphabetic | Categorized

FontTransparent	True
ForeColor	■ &H800000128
HasDC	True
Height	3825
HelpContextID	0
Icon	(Icon)
KeyPreview	False
Left	0
LinkMode	0 - None
LinkTopic	Form1
MaxButton	False
MDICChild	False

برنامج المشاغبين الاول

Properties - Form1

true في حالة اختيار القيمة
نجد ان العنوان حرك من اليمين اليسار
الى اليمين

Form1 Form

Alphabetic | Categorized

LinkTopic	Form1
MaxButton	True
MDIChild	False
MinButton	True
MouseIcon	(Icon)
MousePointer	1 - Arrow
Moveable	True
NegotiateMenus	True
OLEDropMode	0 - None
Palette	(None)
PaletteMode	0 - Halftone
Picture	(Icon)
RightToLeft	True
ScaleHeight	True
ScaleLeft	False

لاخفاء الفورم اثناء
عملية التشغيل للبرنامج
ولكنه موجود

Form1 Form

Alphabetic | Categorized

Palette	(None)
PaletteMode	0 - Halftone
Picture	(Icon)
RightToLeft	True
ScaleHeight	3315
ScaleLeft	0
ScaleMode	1 - Twip
ScaleTop	0
ScaleWidth	5340
ShowInTaskbar	True
StartPosition	0 - Manual
Tag	
Top	0
Visible	True
WhatsThisButton	True
	False

Visible

Form1 Form

Alphabetic | Categorized

ForeColor  &H80000012&

HasDC True

Height 3825

HelpContextID اذا قمنا باختيار العنصر

Icon (Icon)

KeyPreview False

Left نلاحظ انه عند تسقي

LinkMode 0 - None

LinkTopic Form1

MaxButton True بالموس فوق الفورم

MDIChild False

MinButton True قد تحقق الغرض

MouseIcon (Icon)

MousePointer 0 - Up Arrow

Moveable 3 - I-Beam

4 - Icon

MousePointer 5 - Size

Returns/sets the t 6 - Size NE SW

displayed when ov 7 - Size N S

8 - Size NW SE

9 - Size W E



up Arrow

Load Icon



Look in: Writing

- BOOK01A
- BOOK06
- ERASE01
- NOTE02
- BOOK01B
- BOOKS01
- ERASE02
- NOTE03
- BOOK02
- BOOKS02
- FONT01
- NOTE04
- BOOK03
- BOOKS03
- FONT02
- NOTE05
- BOOK04
- BOOKS04
- LANDSCAP
- NOTE06
- BOOK05
- BOOKS05
- NOTE01
- NOTE07

File name: BOOK06



Files of type: Icons (*.ico;*.cur)

- Open
- Cancel
- Help

تم نذهب لاستعراض شكل
الطارد ويمكن ان نأخذ شكل
ايكونه

MaxButton	True
MDIChild	False
MinButton	True
MouseIcon	(Icon) ...
MousePointer	99 - Custom
Mnveahle	True

MouseIcon
نضغط هنا لاولا
Sets a custom mouse icon.



نضغط استعراض ولكن اذا اخذنا من
الايكونات ستكون بهذا الشكل



Picture

Returns/sets a graphic to be displayed in a control.



Look in: pr

- amirel zalam
- amirelzal am
- amirelalam
- DSC00033
- eb1b2f9eeb
- prince of thedarkness

نقوم باختيار صورة من جهاز الكمبيوتر الخاص بي وهذه هي النتيجة



File name: amirel zalam

Open

Files of type: All Picture Files

Cancel

Help



وهذه لعدم
ظهور
البرنامج
في القاسك
بار

Form1 Form

Alphabetic

Categorized

NegotiateMenus	True
OLEDropMode	0 - None
Palette	(None)
PaletteMode	0 - Halftone
Picture	(Bitmap)
RightToLeft	True
ScaleHeight	3120
ScaleLeft	0
ScaleMode	1 - Twip
ScaleTop	0
ScaleWidth	5340
ShowInTaskbar	True
StartupPosition	True
Tag	False
Tnn	n

ShowInTaskbar

Determines whether a Form or MDIForm object appears in the Windows 95 taskbar.



يدوي

منتصف شاشة البرنامج

منتصف الشاشة

افتراضي النافذة

Form1 Form

Alphabetic | Categorized

NegotiateMenus	True
OLEDropMode	0 - None
Palette	(None)
PaletteMode	0 - Halftone
Picture	(Bitmap)
RightToLeft	True
ScaleHeight	3120
ScaleLeft	0
ScaleMode	1 - Twip
ScaleTop	0
ScaleWidth	5340
ShowInTaskbar	True
StartPosition	0 - Manual
Tag	0 - Manual
Top	1 - CenterOwner
Visible	2 - CenterScreen
WhatsThisButton	3 - Windows Default
WhatsThisHelp	False

StartPosition

Returns or sets a value specifying the position of a Form when it first appears.

عاديه
مصغره في التاسك
بار
تظهر كبيره بحجم الشاشة

ScaleWidth	5340
ShowInTaskbar	True
StartPosition	0 - Manual
Tag	
Top	0
Visible	True
WhatsThisButton	False
WhatsThisHelp	False
Width	5460
WindowState	0 - Normal
WindowState	0 - Normal 1 - Minimized 2 - Maximized
Returns/sets the visual state of a form window at	


Project1 - Form1 (Form)

Form1



Command Buton

Command
Buton



Form1






يمكننا تغيير حجم المفتاح عن طريق الماوس كما هو موضح

Command1





نفس طريقة الفورم



Command1 CommandButton	
Alphabetic	Categorized
(Name)	Command1
Appearance	1 - 3D
BackColor	<input type="checkbox"/> &H8000000F&
Cancel	False
Caption	اخراج السى دى
CausesValidation	True
Default	False
DisabledPicture	(None)
DownPicture	(None)
DragIcon	(None)
DragMode	0 - Manual
Enabled	True
Font	MS Sans Serif
Height	1455
HelpContextID	0
Index	
Left	1560
MaskColor	<input type="checkbox"/> &H00C0C0C0&

Caption


Returns/sets the text displayed in an object's title bar or below an object's icon.



Properties - Command1

Command1 CommandButton

Alphabetic | Categorized

Index	
Left	1560
MaskColor	 &#H00C0C0C0&
MouseIcon	(None)
MousePointer	0 - Default
OLEDropMode	0 - None
Picture	(None)
RightToLeft	False
Style	0 - Standard
TabIndex	0
TabStop	True
Tag	
ToolTipText	اضغط هنا لاجراج الاسطوانه المدمجه
Top	840
UseMaskColor	False
Visible	True
WhatsThisHelpID	0
Width	1695

ToolTipText
Returns/sets the text displayed when the mouse is paused over the control.

لاحظ هنا ما قمنا بكتابته لن يظر الا بعد الضغط على تشغيل البرنامج
عمل
Play



ام الظلام بير Comman Button شرح



اضغط هنا لتشغيل



قم بالوقوف
على المفتاح
لتظهر لك
الرسالة
التي قمت
بكتابتها

اخراج السي دي

اضغط هنا لاخراج الاسطوانه المدمجه





False ونضغط لتشغيل البرنامج

Properties - Command1

Command1 CommandButton

Alphabetic | Categorized

(Name)	Command1
Appearance	1 - 3D
BackColor	<input type="checkbox"/> &H8000000F&
Cancel	False
Caption	اخراج السي دي
CausesValidation	True
Default	False
DisabledPicture	(None)
DownPicture	(None)
DragIcon	(None)
DragMode	0 - Manual
Enabled	True
Font	MS Sans Serif
Height	1455
HelpContextID	0
Index	
Left	1560

نجد هنا ان المفتاح
اصبح غير نشط

الخروج النسي دي

Properties - Command1

Command1 CommandButton

Alphabetic | Categorized

Height	1455
HelpContextID	0
Index	
Left	1560
MaskColor	8&H00C0C0C0&
MouseIcon	(None)
MousePointer	0 - Default
OLEDropMode	0 - None
Picture	(None)
RightToLeft	False
Style	0 - Standard
TabIndex	0 - Standard
TabStop	1 - Graphical
Tag	
ToolTipText	اضغط هنا لخراج الاسطوانه المدمجه
Top	840
UseMaskColor	False
Visible	True

Style

Returns/sets the appearance of the control, whether standard (standard Windows style) or graphical (with a

امر الظلام يبر Comman Button شوح

هذه القيمة للاختيار
الاساسى وهو العادى
للمفتاح كما ترى
اخراج النسي دى

هذه القيمة تنشط الخاصيه

Picture

لتمكنك من وضع صورته بالمفتاح

Properties - Command

Command1 CommandButton

Alphabetic | Categorized


Height	1455
HelpContextID	0
Index	
Left	1560
MaskColor	8&H00C0C000
MouseIcon	(None)
MousePointer	0 - Default
OLEDropMode	0 - None
Picture	(None) ...
RightToLeft	False
Style	0 - Standard

نضغط هنا اولاً
للاستعراض

اخراج المسمى دي

Load Picture

Look in: Win95



قمنا باختيار هذه الايكونه

File name: CDDRIVE

ثم نضغط هنا

Open

Files of type: All Picture Files

Cancel

Help

اضغط هنا لاجراج

ed in a CommandButton,
f Style is set to 1.

امم الظلام مير Comman Button شرح

بعد الاختيار اصبحت بهذا

الشكل



اخراج السي دي

Properties - Form1

Form1 Form

Alphabetic | Categorized

(Name)	Form1
Appearance	1 - 3D
AutoRedraw	False
BackColor	<input type="checkbox"/> &H8000000F&
BorderStyle	2 - Sizable
Caption	امم الظلام مير Comman Button شرح
ClipControls	True
ControlBox	True
DrawMode	13 - Copy Pen
DrawStyle	0 - Solid
DrawWidth	1
Enabled	True
FillColor	<input checked="" type="checkbox"/> &H00000000&
FillStyle	1 - Transparent
Font	MS Sans Serif
FontTransparent	True
ForeColor	<input checked="" type="checkbox"/> &H80000012&
HasDC	True



ادا قمنا باختیار القیمه
False

واختارنا صورہ من
Disabled Picture

Command1 CommandButton

Alphabetic | Categorized


Cancel	False
Caption	اخراج السی دی
CausesValidation	True
Default	False
DisabledPicture	(None)
DownPicture	(None)
DragIcon	(None)
DragMode	0 - Manual
Enabled	False
Font	True
Height	False
HelpContextID	0
Index	
Left	1560
MaskColor	&H00C0C0C0&

Load Picture



Look in: Icon1

00000103	00000109	00000115	00000121	00000127
00000104	00000110	00000116	00000122	00000128
00000105	00000111	00000117	00000123	00000129
00000106	00000112	00000118	00000124	00000130
00000107	00000113	00000119	00000125	00000131
00000108	00000114	00000120	00000126	00000132



Dimensions: 16 x 16
Type: ACDSee ICC
Size: 1.05 KB

قومنا بالاختيار
ونضغط موافق

File name:

Files of type:

All Picture Files

Open

Cancel

Help



الصوره تغيرت في
حاله الخمول



اخراج السي دي

Project1 - Form1 (Form)



Properties - Command1


Command1 CommandButton	
Alphabetic Categorized	
(Name)	Command1
Appearance	1 - 3D
BackColor	<input type="checkbox"/> &H8000000F&
Cancel	False
Caption	إخراج السي دي
CausesValidation	True
Default	False
DisabledPicture	(Bitmap)
DownPicture	(Bitmap) ...
DragIcon	(None)
DragMode	0 - Manual
Enabled	True
Font	MS Sans Serif
Height	1095
HelpContext	
DownPicture	
Returns/sets a graphic to be displayed when the button is in the down position, if	

نضغط هنا لاستعراض الملفات

نقوم باختيار الايكونه المناسبه للمشروع

Load Picture

Look in: Icon1



File name: 00000124

نضغط Open

Open

Files of type: All Picture Files


Cancel

Help



نقوم بتشغيل
البرنامج ثم
نقوم بالضغط
على المفتاح
لتظهر لنا
الايكونه





فيظهر لنا في
المفتاح

ثم نختار اللون
المناسب

Command1 CommandButton

Alphabetic | Categorized

(Name)	Command1
Appearance	1 - 3D
BackColor	Blue [00FF00008]
CanD	
Capt	
Caus	
Defa	
Disab	
Down	
Drag	
Drag	
Enab	
Font	
Height	1093
HelpContextID	0

Palette | System

BackColor

Returns/sets the background color used to display text and graphics in an object.

Font



Font:

Akhbar MT

Akhbar MT
 Albertus
 Albertus Extra Bold
 Albertus Medium
 Al-Mothnna
 Andalus
 Antique Olive

Font style:

Bold Italic

Regular
 Italic
 Bold
 Bold Italic

Size:

26

22
 24
 26
 28
 36
 48
 72

OK

Cancel

Effects

Strikeout
 Underline

Sample

AaBb هوز.

نختار من خصائص

الخط ما يتاوي

المشروع
 Arabic


Command1 CommandButton

Alphabetic | Categorized

BackColor	&H00FF0000&
Cancel	False
Caption	إخراج السي دي
CausesValidation	True
Default	False
DisabledPicture	(Bitmap)
DownPicture	(Icon)
DragIcon	(None)
DragMode	0 - Manual
Enabled	True
Font	Akhbar MT
Height	1695
HelpContextID	0
Index	
Left	960

نقوم بالضغط هنا
 فتظهر لنا هذه النافذة

Returns a Font object.



Command1 CommandButton

Alphabetic | Categorized


(Name)	Command1
Appearance	1 - 3D
BackColor	Blue �&
Cancel	False
Caption	مشاغب التعليميه
CausesValidation	True
Default	False
DisabledPicture	(Bitmap)
DownPicture	(Icon)
DragIcon	(None)
DragMode	0 - Manual
Enabled	True
Font	PT Bold Dusky ...
Height	2535
HelpContextID	0

Font

Returns a Font object.



تقوم بالنقر مرتين على
Command Button
فتظهر لنا شاشة كتابة الكود



ام-الظلام بير

Project1 - Form1 (Form)

كتابه اول كود للمشاهدين

اسم الاده التي سوف تقوم
ببرمجتها

امه الظلام بير

اسم الحدث

Project1 - Form1 (Code)

Command1

Click

```
Private Sub Command1_Click()  
End Sub
```

هنا يكتب الكود



Command1

Click

```
Private Sub Command1_Click()  
form1.  
End
```

- ActiveControl
- Appearance
- AutoRedraw
- BackColor
- BorderStyle
- Caption
- Circle



اسم الحدث

اسم الاداه التي تقوم
بالبرمجه فيهاتظهر تلقائيا عند كتابه
الكود



Command1

Click

```
Private Sub Command1_Click()  
Form1.Caption = "مشاغب التعلیمیه"  
End Sub
```

المشغول بايكونه فوق المفتاح

عند نزول المفتاح

عند صعود المفتاح لاعلى

عند الضغط على الماوس

عند صعود الماوس

Click الضغط على المفتاح

DragDrop السحب واللقاء

DragOver

GotFocus عندما يكون المفتاح محدد

KeyDown

KeyPress عندتك الضغط

KeyUp

LostFocus المفتاح المحدد

MouseDown

MouseMove عند تحريك الماوس

MouseUp

Command1

Click

```
Private Sub Command1_Click()  
Form1.Caption = "منتديات مشاغب التعليميه"  
End Sub
```

شكل الكود

كتابه اول كود للمشاغبين

نضغط هنا

امه الظلام يير



لاحظ هنا

ام- الظلام بير



اهـ الظلام بير

تضيف مفتاح جديد

ثم تضغط دبل
كليك على المفتاح



Command1

Click

```
Private Sub Command1_Click()  
  
End Sub
```

- Click
- DragDrop
- DragOver
- GotFocus
- KeyDown
- KeyPress
- KeyUp
- LostFocus
- MouseDown
- MouseMove**
- MouseUp
- OLECompleteDrag

نختار الحدث
Mouse Move



Command1

MouseMove

```
Private Sub Command1_MouseMove(Button As Integer, Shift As Integer  
|  
Command2.Caption = "مشاغب"  
  
End Sub
```

اسم الاداء

دائماً يجب ان تكون
الاسماء داخل علامات

الحدث موف

ام- الخلام بير

مشاغب

فقط قم بتحرك الماوس فوق المفتاح دون
الضغط عليه لتجد ان المفتاح رقم ٢ قد تغير
عنوانه الى مشاغب



command 2



command 3



command 1





ونجعل خاصيه

**Visible
true**

Properties - Command2 [X]

Command2 CommandButton [v]

Alphabetic | Categorized

MousePointer	0 - Default	[^]
OLEDropMode	0 - None	
Picture	(None)	
RightToLeft	True	
Style	0 - Standard	
TabIndex	1	
TabStop	True	
Tag		
ToolTipText		
Top	720	
UseMaskColor	False	
Visible	True	[v]
WhatsThisHelp	0	
Width	1215	





Project1 - Form1 (Code)

Command2

MouseMove

```
Private Sub Command2_MouseMove(Button As In
Command2.Visible = False
Command3.Visible = True
End Sub
```



Project1 - Form1 (Code)

Command3

MouseMove

```
Private Sub Command3_MouseMove(Button As In
Command3.Visible = False
Command2.Visible = True
End Sub
```

يجب ان تلاحظوا ان الكتايه في
mouse Move الحدث

General



ادہ النص
Text Box

LinkTopic	
Locked	False
MaxLength	0
MouseIcon	(None)
MousePointer	0 - Default
Multiline	False
OLEDragMode	0 - Manual
OLEDropMode	0 - None
PasswordChar	
RightToLeft	False
ScrollBars	0 - None
TabIndex	0
TabStop	True
Tag	
Text	Text1
ToolTipText	
Top	840
Visible	True
Width	315
WindowState	0

تثبيت عدد الأحرف


لائحة عدد السطور

تغيير الإطار

ظهور شريط التمرير

الكتابة في صندوق النص

لتفعيل وإغلاق خاصية الكتابة



Properties - Text1

Text1 TextBox

Alphabetic | Categorized

Locked	False
MaxLength	0
MouseIcon	(None)
MousePointer	0 - Default
MultiLine	False
OLEDragMode	0 - Manual
OLEDropMode	0 - None
PasswordChar	x
RightToLeft	False
ScrollBars	0 - None
TabIndex	0
TabStop	True
Tag	
Text	Text1
ToolTipText	

ای رمز سوف نختاره هنا
سوف يظهر للمستخدم أثناء
الكتابة



Form1

Text1

يجب ان تكون خاصية
MultiLine
 قيمتها
True

Properties - Text1

Text1 TextBox

Alphabetic | Categorized

Locked	False
MaxLength	0
MouseIcon	(None)
MousePointer	0 - Default
MultiLine	True
OLEDragMode	0 - Manual
OLEDropMode	0 - None
PasswordChar	X
RightToLeft	False
ScrollBars	3 - Both
TabIndex	None
TabStop	1 - Horizontal
Tag	2 - Vertical
Text	3 - Both
ToolTipText	(Text)

بدون Scroll Bar

Scroll Bar أفقى

Scroll Bar رأسى

الإثنين معا

ScrollBars

Returns/sets a value indicating whether an object has vertical or horizontal scroll bars.

Project1 - Form1 (Form)

مثال على صندوق النص

Properties - Text1

Text1 TextBox

Alphabetic | Categorized

Locked	False
MaxLength	0
MouseIcon	(None)
MousePointer	0 - Default
MultiLine	False
OLEDragMode	0 - Manual
OLEDropMode	0 - None
PasswordChar	
RightToLeft	False
ScrollBars	0 - None
TabIndex	0
TabStop	True
Tag	
Text	
ToolTipText	

Text
Returns/sets the text contained in the control.

نقوم بإفراغ خانته النص

مثال على صندوق النص

Text2

Text3

موافق

ونسماه موافق

Properties - Command1

Command1 CommandButton

Alphabetic | Categorized

(Name)	Command1
Appearance	1 - 3D
BackColor	<input type="checkbox"/> &H8000000F&
Cancel	False
Caption	موافق
CausesValidation	True
Default	False
DisabledPicture	(None)
DownPicture	(None)
DragIcon	(None)
DragMode	0 - Manual
Enabled	True
Font	MS Sans Serif
Height	735
HelpContextID	0

Caption

Returns/sets the text displayed in an object's title bar or below an object's icon.

مثال على صندوق النص



موافق

Project1 - Form1 (Code)



Command1

Click

```
Private Sub Command1_Click()  
Text3.Text = Text1.Text + Text2.Text  
End Sub
```

مثال على صندوق النص

موافق

النص

Command1

Click

```
Private Sub Command1_Click()
    Text3.Text = Text1.Text + Text2.Text
End Sub
```

Properties - Text3

Text3 TextBox

Alphabetic | Categorized

OLEDropMode 0 - None

PasswordChar

RightToLeft False

ScrollBars 0 - None

TabIndex 2

TabStop True

Tag

Text

خاتمه النص

Text

Returns/sets the text contained in the control.



مثال على صندوق النص



مجدي

محمد

موافق

بعد كتابه النص اضغط
موافق

مثال على صندوق النص



مجدي

محمد

مجدي محمد

موافق



125


350

125350

موافق

المفروض المجموع ٤٧٥

تستنتج اذن من الكود انه يقوم بجمع
الخانات بجوار البعض




Project1 - Form1 (Code)

Command1

Click

```
Private Sub Command1_Click()  
Text3.Text = Val(Text1.Text) + Val(Text2.Text)  
End Sub
```



Project1 - Form1 (Code)

Command1

Click

```
Private Sub Command1_Click()  
Text3.Text = Val(Text1.Text) + Val(Text2.Text)  
End Sub
```

مثال على صندوق النص





125

350

475

موافق



متديات مشاغب

متديات مشاغب

متديات مشاغب

نلاحظ ان الجميع هنا قد تغيرو
بمجرد الضغط على المفتاح بما فيهم
المفتاح

Text1

Label1

Text2

Label2

Text3

Label3

Text4

Label4

Command1





العدد الاول

العدد الثاني

العدد الثالث

الناتج

المتوسط
الحسابي

خروج من
البرنامج

X

العدد الاول

Y

العدد الثاني

Z

العدد الثالث

M

الناتج

المتوسط
الحسابي

خروج من
البرنامج

العدد الاول

العدد الثاني

العدد الثالث

النتيجة

اسم صندوق الإدوات

الجديد

يبدل من

Text Box

اصبح

المتوسط الحسابي

X

خروج من البرنامج

Properties - x

x TextBox

Alphabetic

Categorized

(Name)	x
Alignment	0 - Left Justif
Appearance	1 - 3D
BackColor	<input type="checkbox"/> &H800000
BorderStyle	1 - Fixed Sing
CausesValidati	True
DataField	
DataFormat	
DataMember	
DataSource	
DragIcon	(None)
DragMode	0 - Manual
Enabled	True
Font	MS Sans Seri

(Name)


Returns the name used in code to identify an object.

Project1 - Form1 (Code)

Command1

Click

```
Private Sub Command1_Click()  
m.Text = (Val(x) + Val(y) + Val(z)) / 3  
End Sub
```



المتوسط
الحسابي

خروج من
البرنامج



400

العدد الاول

200

العدد الثانى

300

العدد الثالث


300

الناتج

المتوسط
الحسابي

خروج من
البرنامج

لاحظوا ان كل هذا فى الحدث كليك ويمكن ان نغير ارجاع المتوسط الحسابى منتديات مشاغب
على حسب رغبتك



The screenshot shows a Visual Studio Code window titled "Project1 - Form1 (Code)". The window contains a code editor with the following code:

```
Command2 Click  
  
Private Sub Command2_Click()  
End  
End Sub
```

A red arrow points from the Arabic text above to the "Click" event in the code editor. The background of the code editor features a faint watermark of the University of Al-Qadisiyah logo.

المتوسط
الحسابى

خروج من
البرنامج

General



abl

PictureBox

Project1

Form1

صندوق

الصورة



Project1 - Form1 (F)

picture Box

Load Picture

Look in: VB98

- Template
- Wizards

File name:

Files of type: All Picture Files

Open Cancel Help

ثم نختار الصورة

نضغط هنا
للاستعراض

Negotiate	False
OLEDragMode	0 - Manual
OLEDropMode	0 - None
Picture	(None)
RightToLeft	False
ScaleHeight	1875
ScaleLeft	0
ScaleMode	1 - Twip
ScaleTop	0

Picture
Returns/sets a graphic to be displayed in a control.

picture Box

المشاغب
AbSbA.CoM

لضبط الحجم
المناسب

Properties - Picture1

Picture1 PictureBox

Alphabetic

Categorized

(Name)	Picture1
Align	0 - None
Appearance	1 - 3D
AutoRedraw	False
AutoSize	False
BackColor	<input type="checkbox"/> &H8000000F&
BorderStyle	1 - Fixed Single
CausesValidation	True
ClipControls	True
DataField	
DataFormat	
DataMember	
DataSource	
DragIcon	(None)

Picture

Returns/sets a graphic to be displayed in a control.

picture Box



نختار القيمة

true

للاحتواء المناسب

Properties - Picture 1

Picture1 PictureBox

Alphabetic

Categorized

(Name)	Picture1
Align	0 - None
Appearance	1 - 3D
AutoRedraw	False
AutoSize	True
BackColor	<input type="checkbox"/> &H8000000F&
BorderStyle	1 - Fixed Single
CausesValidation	True
ClipControls	True
DataField	
DataFormat	
DataMember	
DataSource	
DragIcon	(None)

AutoSize

Determines whether a control is automatically resized to display its entire contents.

picture Box



Command1

Command2

Command3

Command4



حمل الصورة

امسح الصورة

انسخ الصورة

انسخ من
صندوق النص

عنوان الصورة

Project1 - Form1 (Code)

Command1

Click

```
Private Sub Command1_Click()  
    Picture1.Picture = LoadPicture("c:/absba_logo.gif")  
  
End Sub
```

حمل الصورة

امسح الصورة

امسح الصورة

صندوق النص

عنوان الصورة



حمل الصورة

امسح الصورة

انسخ الصورة

انسخ من
صندوق النص

عنوان الصورة



حمل الصورة

امسح الصورة

انسخ الصورة

انسخ من
صندوق النص


عنوان الصورة

c:\absba_logo.gif

General



**Image
Box**



Properties - Image1

Image1 Image

Alphabetic | Categorized


DragMode	0 - Manual
Enabled	True
Height	3960
Index	
Left	240
MouseIcon	(None)
MousePointer	0 - Default
OLEDragMode	0 - Manual
OLEDropMode	0 - None
Picture	(Bitmap) ...
Stretch	False
Tag	
ToolTipText	
Top	360

Picture

Returns/sets a graphic to be displayed in a control.

نقوم اولاً بتحميل
صوره من الجهاز

لاحظ هنا الفرق بين الصورة
والصندوق



Properties - Image1

Image1 Image

Alphabetic Categorized

true بعد اختيار القيمة من خاصية Stretch انظر الى حجم الصورة قد اتخذ الصندوق

DragMode	0 - Manual
Enabled	True
Height	3960
Index	
Left	240
MouseIcon	(None)
MousePointer	0 - Default
OLEDragMode	0 - Manual
OLEDropMode	0 - None
Picture	(Bitmap)
Stretch	True
Tag	True
ToolTipText	False
Top	360

Stretch

Returns/sets a value that determines whether a graphic resizes to fit the size of an Image control.



Properties - Image1

Image1 Image

Alphabetic | Categorized

DataFormat	
DataMember	
DataSource	
DragIcon	(None)
DragMode	0 - Manual
Enabled	True
Height	1200
Index	
Left	240
MouseIcon	(None)
MousePointer	0 - Default
OLEDragMode	0 - Manual
OLEDropMode	0 - None
Picture	(Bitmap)

Picture
Returns/sets a graphic to be displayed in a control.



General

Navigation icons: mouse cursor, empty box, left/right arrows, document icon, OLE icon.

Background icons: landscape, checkmark, eye, alarm clock, slash, landscape, folder, document, list.

Text and symbols: 'A', 'ab|', 'xv', empty box, empty box, empty box, empty box.

A red arrow points to the icon representing a list or table structure.

گو میو یوکس

Combo Box تدریب علی



Combo1



Text1

Command1

Command2

Command3

Combo Box تدريب على



نضغط الآن دبل كليك على مفتاح

Combo1

Text1

ادخال الاسماء

ادخال الاسماء

نقل الاسم

مسح

Combo Box تدريب على



Combo1

Text1

ادخال الاسماء

نقل الاسم

مسح

Project1 - Form1 (Code)



Command1

Click

```
Private Sub Command1_Click()
    Combo1.AddItem "منتديات مشاغب"
    Combo1.AddItem "ام الظلام عر"
    Combo1.AddItem "جوهر الفرد"
    Combo1.AddItem "nec2000"
End Sub
```



Combo Box تدريب على



Combo1

Text1

ادخال الاسماء

نقل الاسم

مسح

Project1 - Form1 (Code)



Command1

Click

```
Private Sub Command1_Click()
    Combo1.AddItem "منتديات مشاغب"
    Combo1.AddItem "ام الظلام عر"
    Combo1.AddItem "جوهر الفرد"
    Combo1.AddItem "nec2000"
End Sub
```



Combo Box تدريب علي

Combo1

Text1

ادخال الاسماء

نقل الاسم

مسح

Project1 - Form1 (Code)

Command2

Click

```
Private Sub Command2_Click()
    Text1.Text = Combo1.Text
End Sub
```

Combo Box تدريب علي



Combo1

Text1

ادخال الاسماء

نقل الاسم

مسح

Project1 - Form1 (Code)



Command2

Click

```
Private Sub Command2_Click()
    Text1.Text = Combo1.Text
End Sub
```


Combo Box تدریب علی

Combo1

Text1

ادخال الاسماء

نقل الاسم

مسح

Project1 - Form1 (Code)

Command3

Click

```
Private Sub Command3_Click()
    Combo1.Clear
    Text1.Text = ""

End Sub
```

Combo Box تدریب علی

Combo1

Text1

ادخال الاسماء

نقل الاسم

مسح

Command3

Click

```
Private Sub Command3_Click()
    Combo1.Clear
    Text1.Text = ""

End Sub
```

Form1



Frame1

Text1

Command1

Combo1

Text2

Command2

Command3

Command5

Text3

Command4

Combo Box التمرين الثاني على



الإله الحاسبه

Text1

اجمع

Combo1

Text2

اطرح

اضرب

Text3

اقسم

اذهب



التمرين الثاني على

الاله الحاسبه

اجمع

اطرح

اضرب

اقسم

اذهب

Combo1 ComboBox

Alphabetic | Categorized

Height	315
HelpContextID	0
Index	
IntegralHeight	True
ItemData	(List)
Left	3240
List	(List)
Locked	جمع
MouseIcon	طرح
MousePointer	ضرب
OLEDragMode	قسم
OLEDropMode	
RightToLeft	
Sorted	False
Style	0 - Dropdown Coml
TabIndex	7
TabStop	True

نقوم بكتابه ما سوف يظهر في الكومبو بوكس هنا

Combo Box التمرين الثاني على

الإله الحاسبه

اجمع
اطرح
اضرب
اقسم

اذهب

كود الجمع

Project1 - Form1 (Code)

Command1 Click

```
Private Sub Command1_Click()  
Text3.Text = Val(Text1.Text) + Val(Text2.Text)  
End Sub
```

Combo Box التمرين الثاني على

الآلة الحاسبة

اجمع

اطرح

اضرب

اقسم

كود الطرح اذهب

Project1 - Form1 (Code)

Command2

Click

```
Private Sub Command2_Click()  
Text3.Text = Val(Text1.Text) - Val(Text2.Text)  
End Sub
```

التمرين الثاني على Combo Box

الالة الحاسبه

اجمع

اطرح

اضرب

اقسم

كود الضرب اذهب

Project1 - Form1 (Code)

Command3

Click

```
Private Sub Command3_Click()  
Text3.Text = Val(Text1.Text) * Val(Text2.Text)  
End Sub
```


التمرين الثاني على Combo Box

الآلة الحاسبة

اجمع

اطرح

اضرب

اقسم

كود القسمة اذهب

Project1 - Form1 (Code)

Command4

Click

```
Private Sub Command4_Click()  
Text3.Text = Val(Text1.Text) / Val(Text2.Text)  
  
End Sub
```



الإله الحاسبه

خليهم كده



Combo Box التمرين الثاني على

الآلة الحاسبه

اقدم

اذهب

ركزو هنا شويه

Project1 - Form1 (Code)

Command5

Click

```
Private Sub Command5_Click()  
If Combo1.Text = "مع" Then  
    Command1.Visible = True  
    Command2.Visible = False  
    Command3.Visible = False  
    Command4.Visible = False  
End If  
End Sub
```

```
Private Sub Command1_Click()  
Text3.Text = Val(Text1.Text) + Val(Text2.Text)  
End Sub
```

```
Private Sub Command2_Click()  
Text3.Text = Val(Text1.Text) - Val(Text2.Text)  
  
End Sub
```

```
Private Sub Command3_Click()  
Text3.Text = Val(Text1.Text) * Val(Text2.Text)  
  
End Sub
```

```
Private Sub Command4_Click()  
Text3.Text = Val(Text1.Text) / Val(Text2.Text)  
  
End Sub
```

```
Private Sub Command5_Click()  
If Combo1.Text = "جمع" Then  
    Command1.Visible = True  
    Command2.Visible = False  
    Command3.Visible = False  
    Command4.Visible = False  
    Frame1.Caption = "برنامج الجمع"  
End If
```

باقي الكود

كده خلصنا مفتاح الجمع

بعد كده مفتاح الطرح

```
If Combo1.Text = "طرح" Then  اذا كان كومبو بوكس يساوى طرح اذن  
    Command1.Visible = False  اخفاء كومند ١  
    Command2.Visible = True  اظهار كومند ٢  
    Command3.Visible = False  اخفاء كومند ٣  
    Command4.Visible = False  اخفاء كومند ٤  
    Frame1.Caption = "غير عنوان الاطار الى برنامج الطرح"  
End If  اهايه قاعده اف
```

```
If Combo1.Text = "ضرب" Then  
    Command1.Visible = False  
    Command2.Visible = False  
    Command3.Visible = True  
    Command4.Visible = False  
    Frame1.Caption = "برنامج الضرب"  
End If
```

```
If Combo1.Text = "قسمه" Then  
    Command1.Visible = False  
    Command2.Visible = False  
    Command3.Visible = False  
    Command4.Visible = True  
    Frame1.Caption = "برنامج الضرب"  
End If
```

```
End Sub
```

الآلة الحاسبية

التمرين الثاني على Combo Box

الآلة الحاسبية

اجمع

اطرح

اضرب

اقسم

اذهب

Properties - Combo1

Combo1 ComboBox

Alphabetic

Categorized

Enabled	True
Font	MS Sans Serif
ForeColor	■ &H80000008&
Height	315
HelpContextID	0
Index	
IntegralHeight	True
ItemData	(List)
Left	3240
List	(List)
Locked	جمع
MouseIcon	طرح
MousePointer	ضرب
OLEDragMode	قسمه
OLEDropMode	خروج
RightToLeft	
Sorted	False
Style	0 - Dropdown Coml

الآن دوركم في عمل كود للخروج من المشروع

غير عنوان الاطار الى برنامج الطرح "برنامج الطرح"
اهايه قاعده اف
End If
If Combo1.Text = "ضرب" Then
 Command1.Visible = False
 Command2.Visible = False
 Command3.Visible = True
 Command4.Visible = False
 Frame1.Caption = "برنامج الضرب"
End If

If Combo1.Text = "قسمه" Then
 Command1.Visible = False
 Command2.Visible = False
 Command3.Visible = False
 Command4.Visible = True
 Frame1.Caption = "برنامج القسمة"
End If

If Combo1.Text = "خروج" Then
 End
End If

الرجاء اختيار احد العناصر الموجوده

End Sub


هذا هو شكل الكود الخاص به

Combo Box التمرين الثاني على



الاله الحاسبه

اخترنا هنا قيمه غير موجوده في الكود فظهرت لنا الرساله



اذهب



Project1



الرجاء اختيار احد العناصر الموجوده

OK

```
ible = False  
ible = False  
ible = True
```



```
Command4.Visible = False  
Frame1.Caption = "برنامج الضرب"  
End If
```

```
If Combo1.Text = "قسمه" Then  
Command1.Visible = False  
Command2.Visible = False  
Command3.Visible = False  
Command4.Visible = True
```




```
Private Sub Command1_Click()
Text3.Text = Val(Text1.Text) + Val(Text2.Text)
End Sub
```

```
Private Sub Command2_Click()
Text3.Text = Val(Text1.Text) - Val(Text2.Text)

End Sub
```

```
Private Sub Command3_Click()
Text3.Text = Val(Text1.Text) * Val(Text2.Text)

End Sub
```

```
Private Sub Command4_Click()
Text3.Text = Val(Text1.Text) / Val(Text2.Text)

End Sub
```

```
Private Sub Command5_Click()
If Combo1.Text = "جمع" Then
    Command1.Visible = True
    Command2.Visible = False
    Command3.Visible = False
    Command4.Visible = False
    Frame1.Caption = "برنامج الجمع"
End If
```

بعد تحقق النتيجة مع الفيچوال المفروض انه يتوقف ولكننا لم ننهي الكود بل تركناه لينزل ويحقق الشرط الذي يليه

باقي الكود

كده خالصنا مفتاح الجمع

بعد كده مفتاح الطرح

```
If Combo1.Text = "طرح" Then
    Command1.Visible = False
    Command2.Visible = True
    Command3.Visible = False
    Command4.Visible = False
```

اذا كان كومبو بوكس يساوي طرح اذن
 ١ اخفاء كومند
 ٢ اظهار كومند
 ٣ اخفاء كومند
 ٤ اخفاء كومند

```
Frame1.Caption = "برنامج الطرح"
End If
```

غير عنوان الاطار الى برنامج الطرح
 اهاييه قاعده اف

```
If Combo1.Text = "ضرب" Then
    Command1.Visible = False
    Command2.Visible = False
    Command3.Visible = True
    Command4.Visible = False
    Frame1.Caption = "برنامج الضرب"
End If
```

```
If Combo1.Text = "قسمه" Then
    Command1.Visible = False
    Command2.Visible = False
    Command3.Visible = False
    Command4.Visible = True
    Frame1.Caption = "برنامج القسمه"
End If
```

```
If Combo1.Text = "خروج" Then
    End
End If
```

الرجاء اختيار احد العناصر الموجوده

```
End Sub
```

```
Private Sub Commands_Click()  
If Combo1.Text = "جمع" Then  
    Command1.Visible = True  
    Command2.Visible = False  
    Command3.Visible = False  
    Command4.Visible = False  
    Frame1.Caption = "برنامج الجمع"  
End If
```

```
Exit Sub
```

اكتب هذه العبارة في نهاية
الكود حتى
وهي اذا تحقق الشرط
الخروج

باقي الكود

```
' كده خلصنا مفتاح الجمع  
' بعد كده مفتاح الطرح  
If Combo1.Text = "طرح" Then  
    Command1.Visible = False ' اخفاء كومند ١  
    Command2.Visible = True ' اظهار كومند ٢  
    Command3.Visible = False ' اخفاء كومند ٣  
    Command4.Visible = False ' اخفاء كومند ٤  
    Frame1.Caption = "برنامج الطرح"  
End If  
If Combo1.Text = "ضرب" Then  
    Command1.Visible = False
```

ولا يكمل الباقي

```
Private Sub Command1_Click()
Text3.Text = Val(Text1.Text) + Val(Text2.Text)
End Sub
```

```
Private Sub Command2_Click()
Text3.Text = Val(Text1.Text) - Val(Text2.Text)

End Sub
```

```
Private Sub Command3_Click()
Text3.Text = Val(Text1.Text) * Val(Text2.Text)

End Sub
```

```
Private Sub Command4_Click()
Text3.Text = Val(Text1.Text) / Val(Text2.Text)

End Sub
```

```
Private Sub Command5_Click()
If Combo1.Text = "جمع" Then
    Command1.Visible = True
    Command2.Visible = False
    Command3.Visible = False
    Command4.Visible = False
    Frame1.Caption = "برنامج الجمع"
Exit Sub
End If
```

باقي الكود

الكود الصحيح

```
كده خالصنا مفتاح الجمع
بعد كده مفتاح الطرح
If Combo1.Text = "طرح" Then
    Command1.Visible = False
    Command2.Visible = True
    Command3.Visible = False
    Command4.Visible = False
    Frame1.Caption = "برنامج الطرح"
Exit Sub
End If
```

اذا كان كومبو بوكس يساوي طرح اذن
 ١ اخفاء كومند ١
 ٢ اظهار كومند ٢
 ٣ اخفاء كومند ٣
 ٤ اخفاء كومند ٤
 غير عنوان الاطار الى برنامج الطرح

```
If Combo1.Text = "ضرب" Then
    Command1.Visible = False
    Command2.Visible = False
    Command3.Visible = True
    Command4.Visible = False
    Frame1.Caption = "برنامج الضرب"
Exit Sub
End If
```

```
If Combo1.Text = "قسمة" Then
    Command1.Visible = False
    Command2.Visible = False
    Command3.Visible = False
    Command4.Visible = True
    Frame1.Caption = "برنامج القسمة"
Exit Sub
End If
```

```
If Combo1.Text = "خروج" Then
End

End If
```

MsgBox "من فضلك اختار عنصر"

```
End Sub
```

MsgBox

الرسالة الاولى

Project1 - Form1 (Code)

Command1

Click

```
Private Sub Command1_Click()
```

```
MsgBox "الرسالة الاولى", 1, "الكود الاول لصندوق الحوار"
```

```
End Sub
```

File
Debug
MsgBox



الرسالة الاولى

الكود الاول لصندوق الحوار



الرسالة الاولى

OK

Cancel

الرسالة الرابعة

الرسالة الخامسة


الرسالة السادسة

الرسالة السابعة

Command1

Click

```
Private Sub Command1_Click()  
MsgBox "الرسالة الاولى", vbOKCancel, "الكود الاول لصندوق الحوار"  
End Sub
```






General



List Box



كما تعلمنا من قبل

DragIcon	(None)
DragMode	0 - Manual
Enabled	True
Font	MS Sans Serif
ForeColor	■ &H80000008&
Height	315
HelpContextID	0
Index	
IntegralHeight	True
ItemData	(List)
Left	1920
List	(List)
Locked	مصر
MouseIcon	العراق
MousePointer	فلسطين
OlFDragMode	1

List
Returns/sets the list control's list portion.

Form1



▼ مصر
العراق ▲

1 ▼

- القاهرة
- الاسكندريه
- اسوان
- العريش


العراق	▲
فلسطين	▼

	▼
العريش	▲
القدس	
غزه	
رفح	
بيت لحم	
بغداد	
كربلاء	
البصرة	▼

قام بجمع
المدن مع
بعضهم

```
Private Sub Form_Load()  
List1.AddItem "مصر"  
List1.AddItem "العراق"  
List1.AddItem "فلسطين"  
  
End Sub
```

```
Private Sub List1_Click()  
  
Select Case List1.ListIndex  
Case 0  
Combo1.Clear  
Combo1.Clear  
Combo1.AddItem "البحر الأحمر"  
Combo1.AddItem "الأسكندرية"  
Combo1.AddItem "أسوان"  
Combo1.AddItem "العريش"  
  
Case 1  
Combo1.Clear  
Combo1.AddItem "بغداد"  
Combo1.AddItem "كربلاء"  
Combo1.AddItem "البصرة"  
  
Case 2  
Combo1.Clear  
Combo1.AddItem "القدس"  
Combo1.AddItem "غزة"  
Combo1.AddItem "رفح"  
Combo1.AddItem "بيت لحم"  
End Select  
End Sub
```



- مصر
- العراق
- فلسطين

[] ▾




Project1 - Form1 (Form)




Form1



DriveListBox




وهو يقرأ
البارتيشنات
الموجودة في الجهاز
تلقائيا



Project1 - Form1 (Form)



Form1



وهو لعرض ملفات من
drive list box

Form1



- C:\
- Program Files
- Microsoft Visual S
- VB98**
- Template
- Wizards



c:

Project1 - Form1 (Code)



Drive1

Change

```
Private Sub Drive1_Change()  
Dir1.Path = Drive1.Drive  
  
End Sub
```





- setupfile
- vvvvvvvvvvvvv
- win vista
- ت طريق الإسلام
- يات شباب نجد
- ة - المنتدى
- العب
- mp3 برامج لل

d:




Form1

ADDSCCUS.I
AnimatedGif.c
BIBLIO.MDB
C2.EXE
CVPACK.EXE
DATAVIEW.I

FileList Box



مستعرض الصور



- ADDSCCUS.DI
- AnimatedGif.oc
- BIBLIO.MDB
- C2.EXE
- CVPACK.EXE
- DATAVIEW.DL
- KewlButtonz.oc
- LINK.EXE
- MSDIS110.DLL
- MSPDB60.DLL
- NWIND.MDB



c:

خروج

Dir1  Change 

```
Private Sub Command1_Click()  
End  
End Sub
```

```
Private Sub Dir1_Change()  
File1.Path = Dir1.Path  
End Sub
```

```
Private Sub Drive1_Change()  
Dir1.Path = Drive1.Drive  
End Sub
```

```
Private Sub File1_Click()
```

```
Picture1.Picture = LoadPicture(Dir1.Path & "..\" & File1.FileName
```

```
End Sub
```

```
Private Sub Picture1_Click()
```

```
End Sub
```

ایه ده



d:\

- pr
- Adobe
- Copper
- Downk
- Favorit
- Freedo
- ftp
- IMVU t

1.jpg
amirel zalam.jpg
amirelzal am.jpg
amirelzalam.jpg
DSC00033.JPG
prince of thedarkne

d:

خروج



Form1



ابداء

Project1 - Form1 (Code)



Command1

Click

```
Private Sub Command1_Click()  
Text1.Text = Time$()  
End Sub
```





Form1



ابداء

18:27:18

Form1

ابداء

Project1 - Form1 (Code)

Command1

Click

```
Private Sub Command1_Click()  
    Text1.Text = Time$()  
    Text2.Text = Now()  
  
End Sub
```



ابداء

18:37:49

02/05/2007 06:37:49 م



Project1 - Form1 (Code)



Command1

Click

```
Private Sub Command1_Click()  
Text1.Text = Time$()  
Text2.Text = Now()  
Text3.Text = Year(Now())  
End Sub
```





ابداء

18:54:03

02/05/2007 06:54:03 م

2007

السنه



Project1 - Form1 (Code)



Command1

Click

```
Private Sub Command1_Click()  
Text1.Text = Time$()  
Text2.Text = Now()  
Text3.Text = Year(Now())  
Text4.Text = Month(Now())  
End Sub
```



السنة الشهر

Project1 - Form1 (Code)

Command1

Click

```
Private Sub Command1_Click()  
Text1.Text = Time$()  
Text2.Text = Now()  
Text3.Text = Year(Now())  
Text4.Text = Month(Now())  
Text5.Text = Day(Now())  
  
End Sub
```

السنة

الشهر



Project1 - Form1 (Code)



Command1

Click

```
Private Sub Command1_Click()  
Text1.Text = Time$()  
Text2.Text = Now()  
Text3.Text = Year(Now())  
Text4.Text = Month(Now())  
Text5.Text = Day(Now())  
Text6.Text = Hour(Now())  
  
End Sub
```



Form1



ابداء

الوقت

التاريخ

الدسنة

الساعة

الشهر

الدقيقة

اليوم

Project1 - Form1 (Code)

Command1

Click

```
Private Sub Command1_Click()  
Text1.Text = Time$()  
Text2.Text = Now()  
Text3.Text = Year(Now())  
Text4.Text = Month(Now())  
Text5.Text = Day(Now())  
Text6.Text = Hour(Now())  
Text7.Text = Minute(Now())  
Text7.Text = Minute(Now())  
Text8.Text = Second(Now())  
End Sub
```

Project1 - Form1 (Code)

Command1

Click

```
Private Sub Command1_Click()  
Text1.Text = Time$()  
Text2.Text = Now()  
Text3.Text = Year(Now())  
Text4.Text = Month(Now())  
Text5.Text = Day(Now())  
Text6.Text = Hour(Now())  
Text7.Text = Minute(Now())  
Text7.Text = Minute(Now())  
Text8.Text = Second(Now())  
End Sub
```



ابداء

21:56:54

الوقت

02/05/2007 09:56:54 م

التاريخ

2007

السنة

21

الساعة

5

الشهر

56

الدقيقة

2

اليوم

54

الثانية



الوقت

التاريخ

السنه

الساعه

الشهر

الدقيقه

اليوم

الثانيه



(General)

(Declarations)

```
Private Sub Timer1_Timer()  
Text1.Text = Time$()  
Text2.Text = Now()  
Text3.Text = Year(Now())  
Text4.Text = Month(Now())  
Text5.Text = Day(Now())  
Text6.Text = Hour(Now())  
Text7.Text = Minute(Now())  
Text7.Text = Minute(Now())  
Text8.Text = Second(Now())  
End Sub
```

Project1 - Form1

second



السنة

الشهر

اليوم

Timer1 Timer

Alphabetic

Categorized

(Name) Timer1

Enabled True

Index

Interval 1000

Left 240

Tag

Top 120

قمنا بتغييرها الى الف

Project1 - Form1 (Form)



Form1



ام-الظلام جبر



ونتديات مشاغب



Project1 - Form1 (Code)



Timer1

Timer

```
Private Sub Timer1_Timer()  
  
Label1.Left = Label1.Left - 100  
  
If Label1.Left <= 0 Then  
Label1.Left = Form1.Width  
End If
```

```
Label2.Left = Label2.Left + 100
```

```
If Label2.Left > Form1.Width Then
```

```
Label1.Left = -Label2.Height
```

```
End If
```

Timer1

Timer

```
Private Sub Timer1_Timer()  
  
Label1.Left = Label1.Left - 100  
  
If Label1.Left <= 0 Then  
Label1.Left = Form1.Width  
End If  
  
Label2.Left = Label2.Left + 100  
  
If Label2.Left > Form1.Width Then  
Label2.Left = -Label2.Height  
  
End If  
  
End Sub
```

Form1



اهـ الظلام بير

منتديات مشاغب

Form1





Project1 - Form1 (Code)



Timer1


Timer

```
Private Sub Form_Load()  
Timer1.Interval = 100  
End Sub
```

```
Private Sub Timer1_Timer()  
Label1.Left = Rnd * Form1.Width  
Label1.Top = Rnd * Form1.Height  
Label2.Left = Rnd * Form1.Width  
Label2.Top = Rnd * Form1.Height  
Label3.Left = Rnd * Form1.Width  
Label3.Top = Rnd * Form1.Height  
Label4.Left = Rnd * Form1.Width  
Label4.Top = Rnd * Form1.Height  
End Sub
```



Form1



Form1


A numeric spinner control consisting of a text box containing the number '0' and two arrow buttons (left and right) for navigating between values.

Alphabetic

Categorized

(Name)	HScroll1
CausesValidation	True
DragIcon	(None)
DragMode	0 - Manual
Enabled	True
Height	255
HelpContextID	0
Index	
LargeChange	5
Left	2640
Max	50
Min	0
MouseIcon	(None)
MousePointer	0 - Default
RightToLeft	True
SmallChange	1
TabIndex	1
TabStop	True
Tag	
Top	960
Value	0
Visible	True
WhatsThisHelpID	0
Width	735

أكبر قيمة لتحرك الشريط

أقصى قيمة للشريط

أقل قيمة للشريط

أقل قيمة لتحرك الشريط

Timer1

Timer

```
Private Sub Timer1_Timer()  
On Error Resume Next  
Dim a  
Dim b  
a = Rnd * Form1.Width  
b = Rnd * Form1.Height  
Form1.DrawWidth = Text1  
Form1.PSet (b, a), QBColor(Rnd * 15)  
Form1.Circle (b, a), QBColor(Rnd * 15)  
End Sub
```

هذا الكود معناه في حاله الخطاء
اذهب الى التالي



Form1



Frame1



Project1 - Form1 (Code)

Form

MouseDown

```
Private Sub Form_Load()  
HScroll1.LargeChange = 5  
HScroll1.Min = 1  
HScroll1.Max = 15  
HScroll1.Value = 1  
Timer1.Interval = 100  
End Sub  
  
Private Sub Form_MouseDown(Button As Integer,  
Frame1.BackColor = QBColor(Rnd * 15)  
Form1.BackColor = QBColor(Rnd * 15)  
Picture1.BackColor = QBColor(Rnd * 15)  
End Sub  
  
Private Sub HScroll1_Change()  
Frame1.BackColor = QBColor(Rnd * 15)  
Form1.BackColor = QBColor(Rnd * 15)  
Picture1.BackColor = QBColor(Rnd * 15)  
End Sub  
  
Private Sub Timer1_Timer()  
Picture1.Top = Rnd * Form1.Height  
Picture1.Left = Rnd * Form1.Width  
Frame1.Top = Rnd * Form1.Height  
Frame1.Left = Rnd * Form1.Width  
End Sub
```


Form1



Frame1

Label1



Form1

صندوق اختيار



Project1 - Form1 (Code)



Timer1

Timer

```
Private Sub Timer1_Timer()  
Form1.Left = Form1.Left + 50  
End Sub
```



Project1 - Form1 (Code)



Timer2

Timer

```
Private Sub Timer2_Timer()  
Form1.Left = Form1.Left - 50  
  
End Sub
```



Project1 - Form1 (Code)




Check1

Click

```
Private Sub Check1_Click()  
If Check1.Value = 1 Then  
Timer1.Enabled = True  
Timer2.Enabled = False  
End If  
If Check1.Value = 0 Then  
Timer1.Enabled = False  
Timer2.Enabled = True  
End If
```

General



Check Button

صورة رقم واحد

صورة رقم اثنين

صورة رقم ثلاثة

انظر كيف اصبغ الشكل

Option1 OptionButton

Alphabetic | Categorized

OLEDropMode 0 - None

Picture (None)

RightToLeft False

Style - Graphical

TabIndex 0 - Standard

TabStop 1 - Graphical

Tag

ToolTipText

Top 240

UseMaskColor False

Value False

Visible True

WhatsThisHelpID 0

Width 1455

Style

Returns/sets the appearance of the

DragMode	0 - Manual	⬆
Enabled	True	
Height	2400	
Index	من هنا	
Left	2640	
MouseIcon	(None)	
MousePointer	0 - Default	
OLEDragMode	0 - Manual	
OLEDropMode	0 - None	
Picture	(Bitmap) ...	
Stretch	True	
Tag		
ToolTipText		
Top	480	⬇

Option1

Click

```
Private Sub Option1_Click()  
Image1.Visible = True  
Image2.Visible = False  
Image3.Visible = False  
End Sub
```



Option2



Click

```
Private Sub Option2_Click()  
Image1.Visible = False  
Image2.Visible = True  
Image3.Visible = False  
End Sub
```

Option3



Click

```
Private Sub Option3_Click()  
Image1.Visible = False  
Image2.Visible = False  
Image3.Visible = True  
End Sub
```



صورة رقم واحد


صورة رقم اثنين



صورة رقم ثلاثة




صورة رقم واحد

- صورة رقم اثنين
- صورة رقم ثلاثة





Project1 - Form1 (Form)




Shape1 Shape

Alphabetic | Categorized

(Name)	Shape1
BackColor	<input type="checkbox"/> &H800000005&
BackStyle	0 - Transparent
BorderColor	<input checked="" type="checkbox"/> &H800000008&
BorderStyle	1 - Solid
BorderWidth	1
DrawMode	13 - Copy Pen
FillColor	<input checked="" type="checkbox"/> &H000000000&
FillStyle	1 - Transparent
Height	2175
Index	
Left	480
Shape	0 - Rectangle
Tag	

Shape

Project1 - Form1 (Form)



Shape1 Shape


Alphabetic | Categorized

(Name)	Shape1
BackColor	<input type="checkbox"/> &H800000005&
BackStyle	0 - Transparent
BorderColor	<input checked="" type="checkbox"/> &H800000008&
BorderStyle	1 - Solid
BorderWidth	1
DrawMode	13 - Copy Pen
FillColor	<input checked="" type="checkbox"/> &H000000000&
FillStyle	1 - Transparent
Height	2175
Index	
Left	480
Shape	0 - Rectangle
Tag	

Shape

Project1 - Form1 (Form)

Form1



Shape1 Shape

Alphabetic

Categorized

(Name)	Shape1
BackColor	<input type="checkbox"/> &H800000005&
BackStyle	0 - Transparent
BorderColor	<input checked="" type="checkbox"/> &H800000008&
BorderStyle	1 - Solid
BorderWidth	1
DrawMode	13 - Copy Pen
FillColor	<input checked="" type="checkbox"/> &H000000000&
FillStyle	1 - Transparent
Height	2175
Index	
Left	480
Shape	1 - Square
Tag	0 - Rectangle
-	1 - Square

Shape

Returns/sets a

Form Layout

- 2 - Oval
- 3 - Circle
- 4 - Rounded Recta
- 5 - Rounded Squar

Project1 - Form1 (Form)

Form1

شکل بیضی‌اوی

Shape1 Shape

Alphabetic Categorized


(Name)	Shape1
BackColor	&H80000005&
BackStyle	0 - Transparent
BorderColor	&H80000008&
BorderStyle	1 - Solid
BorderWidth	1
DrawMode	13 - Copy Pen
FillColor	&H00000000&
FillStyle	1 - Transparent
Height	2175
Index	
Left	480
Shape	2 - Oval
Tag	0 - Rectangle 1 - Square 2 - Oval 3 - Circle 4 - Rounded Recta 5 - Rounded Squar

Shape

Returns/sets a

Form Layout

Project1 - Form1 (Form)



Shape1 Shape

Alphabetic

Categorized

(Name)	Shape1
BackColor	&H800000005&
BackStyle	0 - Transparent
BorderColor	&H800000008&
BorderStyle	1 - Solid
BorderWidth	1
DrawMode	13 - Copy Pen
FillColor	&H00000000&
FillStyle	1 - Transparent
Height	2175
Index	
Left	480
Shape	3 - Circle
Tag	
_-	


Shape
Returns/sets a

- 0 - Rectangle
- 1 - Square
- 2 - Oval
- 3 - Circle
- 4 - Rounded Recta
- 5 - Rounded Squar

Form Layout

Project1 - Form1 (Form)

Form1



Properties - Shape1

Shape1 Shape

Alphabetic | Categorized

(Name) Shape1

BackColor &H80000005&

BackStyle 0 - Transparent

BorderColor &H80000008&

BorderStyle 1 - Solid

BorderWidth 1

DrawMode 13 - Copy Pen

FillColor &H00000000&

FillStyle 1 - Transparent

Height 2175

Index

Left 480

Shape **ded Rectangle**

Tag 0 - Rectangle

1 - Square

2 - Oval

3 - Circle

4 **Rounded Recta**

5 - Rounded Squar

Shape

Returns/sets a

Form Layout

Properties - Shape1


Shape1 Shape

Alphabetic | Categorized

(Name)	Shape1
BackColor	<input type="checkbox"/> &H80000005&
BackStyle	0 - Transparent
BorderColor	<input checked="" type="checkbox"/> &H80000008&
BorderStyle	1 - Solid
BorderWidth	1
DrawMode	13 - Copy Pen
FillColor	<input checked="" type="checkbox"/> &H00000000&
FillStyle	1 - Transparent
Height	1695
Index	
Left	1200
Shape	<input checked="" type="checkbox"/> - Rounded Sc
Tag	

Project1 - Form1 (Form)

Form1



Shape

Properties - Shape1

Shape1 Shape

Alphabetic | Categorized

(Name)	Shape1
BackColor	<input type="checkbox"/> &H80000005&
BackStyle	0 - Transparent
BorderColor	<input checked="" type="checkbox"/> &H80000008&
BorderStyle	1 - Solid
BorderWidth	1
DrawMode	13 - Copy Pen
FillColor	<input checked="" type="checkbox"/> &H00000000&
FillStyle	0 - Solid
Height	0 - Solid
Index	1 - Transparent
Left	2 - Horizontal Line
Shape	3 - Vertical Line
Tag	4 - Upward Diagon
	5 - Downward Diag
	6 - Cross
	7 - Diagonal Cross

FillStyle

Project1 - Form1 (Form)

Form1



Project1 - Form1 (Form)

Form1



Shape1 Shape

Alphabetic

Categorized

(Name)	Shape1
BackColor	<input type="checkbox"/> &H80000005&
BackStyle	0 - Transparent
BorderColor	<input checked="" type="checkbox"/> &H80000008&
BorderStyle	1 - Solid
BorderWidth	1
DrawMode	13 - Copy Pen
FillColor	<input checked="" type="checkbox"/> &H00000000&
FillStyle	Horizontal Line
Height	0 - Solid
Index	1 - Transparent
Left	2 - Horizontal Line
Shape	3 - Vertical Line
Tag	4 - Upward Diagon
	5 - Downward Diag
	6 - Cross
	7 - Diagonal Cross

FillStyle

Project1 - Form1 (Form)

Form1



Properties - Shape1

Shape1 Shape

Alphabetic

Categorized

(Name)	Shape1
BackColor	<input type="checkbox"/> &H800000005&
BackStyle	0 - Transparent
BorderColor	<input checked="" type="checkbox"/> &H800000008&
BorderStyle	1 - Solid
BorderWidth	1
DrawMode	13 - Copy Pen
FillColor	<input checked="" type="checkbox"/> &H00000000&
FillStyle	2 - Vertical Line
Height	2175
Index	
Left	480
Shape	5 - Rounded Squar
Tag	

FillStyle

Project1 - Form1 (Form)

Form1



Properties - Shape1

Shape1 Shape

Alphabetic


Categorized

(Name)	Shape1
BackColor	<input type="checkbox"/> &H80000005&
BackStyle	0 - Transparent
BorderColor	<input type="checkbox"/> &H80000008&
BorderStyle	1 - Solid
BorderWidth	1
DrawMode	13 - Copy Pen
FillColor	<input type="checkbox"/> &H00000000&
FillStyle	Upward Diagonal
Height	0 - Solid
Index	1 - Transparent
Left	2 - Horizontal Line
Shape	3 - Vertical Line
Tag	4 - Upward Diagonal
-	5 - Downward Diagonal
-	6 - Cross
-	7 - Diagonal Cross

FillStyle

Properties - Shape1

Project1 - Form1 (Form)



Shape1 Shape

Alphabetic Categorized

(Name)	Shape1
BackColor	<input type="checkbox"/> &H80000005&
BackStyle	0 - Transparent
BorderColor	<input checked="" type="checkbox"/> &H80000008&
BorderStyle	1 - Solid
BorderWidth	1
DrawMode	13 - Copy Pen
FillColor	<input checked="" type="checkbox"/> &H00000000&
FillStyle	ward Diagona
Height	0 - Solid
Index	1 - Transparent
Left	2 - Horizontal Line
Shape	3 - Vertical Line
Tag	4 - Upward Diagon
	5 - Downward Diac
	6 - Cross
	7 - Diagonal Cross

FillStyle

Properties - Shape 1

Shape1 Shape

Alphabetic


Categorized

(Name)	Shape1
BackColor	<input type="checkbox"/> &H800000005&
BackStyle	0 - Transparent
BorderColor	<input checked="" type="checkbox"/> &H800000008&
BorderStyle	1 - Solid
BorderWidth	1
DrawMode	13 - Copy Pen
FillColor	<input checked="" type="checkbox"/> &H000000008&
FillStyle	6 - Cross
Height	2175
Index	
Left	480
Shape	5 - Rounded Squar
Tag	...

FillStyle

Project1 - Form1 (Form)

Form1



Project1 - Form1 (Form)

Form1



Properties - Shape1

Shape1 Shape

Alphabetic

Categorized

(Name)	Shape1
BackColor	<input type="checkbox"/> &H800000005&
BackStyle	0 - Transparent
BorderColor	<input checked="" type="checkbox"/> &H800000008&
BorderStyle	1 - Solid
BorderWidth	1
DrawMode	13 - Copy Pen
FillColor	<input checked="" type="checkbox"/> &H000000000&
FillStyle	Diagonal Cross
Height	0 - Solid
Index	1 - Transparent
Left	2 - Horizontal Line
Shape	3 - Vertical Line
Tag	4 - Upward Diagon
	5 - Downward Diag
	6 - Cross

FillStyle


7 - Diagonal Cross

Project1 - Form1 (Form)

سمك حافته

Form1

الشباب




Properties - Shape1

Shape1 Shape

Alphabetic | Categorized

BorderColor	■ &H000000FF&
BorderStyle	5 - Dash-Dot-Dot
BorderWidth	20
DrawMode	1 - Blackness
FillColor	■ &H000000FF&
FillStyle	7 - Diagonal Cross
Height	2175
Index	
Left	480
Shape	5 - Rounded Square
Tag	
Top	366
Visible	True
Width	3495



Project1 - Form1 (Form)

Form1

Label1

مثل هذا

Project1 - Form1 (Code)

Form

Load

```
Private Sub Form_Load()  
Label1.Caption = "سبحان الله ومجده سبحان الله العظيم منتديات مشاغب"  
Timer1.Interval = 100  
Timer2.Interval = 200  
Timer3.Interval = 300  
End Sub
```



Project1 - Form1 (Code)



Timer1

Timer



```
Private Sub Timer1_Timer()  
Shape1.Shape = 2  
Shape1.FillColor = vbRed  
Shape1.BorderColor = vbRed  
Shape1.BackColor = vbGreen  
Label1.ForeColor = vbBlack  
End Sub
```



```
Private Sub Timer2_Timer()  
Shape1.Shape = 4  
Shape1.FillColor = vbGreen  
Shape1.BorderColor = vbBlue  
Shape1.BackColor = vbRed  
Label1.ForeColor = vbBlue  
End Sub
```

```
Private Sub Timer3_Timer()  
Shape1.Shape = 5  
Shape1.FillColor = vgreen  
Shape1.BorderColor = vbBlue  
Shape1.BackColor = vbBlue  
Label1.ForeColor = vbBlack  
End Sub
```



سبحان الله وبحمده سبحان
الله العظيم منتديات مشاعب



General



abl



تفتح من قائمه
tools



Menu Editor



Caption: file

OK

Name: m1

Cancel

Index:

Shortcut: (None)

HelpContextID: 0

NegotatePosition: 0 - None

Checked

Enabled

Visible

WindowList



Next

Insert

Delete

file



ثم اضغط Next



Menu Editor



Caption: | اصبح فارغ

OK

Name: اصبح فارغ

Cancel

Index:

Shortcut: (None) ▾

HelpContextID: 0

NegotiatePosition: 0 - None ▾

Checked

Enabled

Visible

WindowList



Next

Insert

Delete

File

تحرك الى
اسفل

Menu Editor



Caption:

OK

Name:

Cancel

Index:

Shortcut:

HelpContextID:

NegotiatePosition:

Checked

Enabled

Visible

WindowList



Next

Insert

Delete

- File
- view

Menu Editor



Caption:

OK

Name:

Cancel

Index:

Shortcut:

HelpContextID:

NegotiatePosition:

Checked

Enabled

Visible

WindowList



Next

Insert

Delete

File
view
tools

Menu Editor



Caption:

Name:

Index:

Shortcut:

HelpContextID:

NegotiatePosition:

Checked

Enabled

Visible

WindowList



- File
- view
- tools
- Open File**
- New File

بعد ما علمنا عليها ندوس هنا
لغايه ما تطلع فوق

Menu Editor



Caption:

Name:

Index: Shortcut:

HelpContextID: NegotiatePosition:

Checked Enabled Visible WindowList



- File
- Open File**
- view
- tools
- New File



تبقی کده

Menu Editor



Caption: Open File

OK

Name: m4

دوس هنا

Cancel

Index:

Shortcut: (None)

HelpContextID: 0

NegotiatePosition: 0 - None

Checked

Enabled

Visible

WindowList



Next

Insert

Delete

File

... Open File

view

tools

New File

لاحظ هنا

Menu Editor



Caption:

Name:

Index: Shortcut:

HelpContextID: NegotiatePosition:

Checked Enabled Visible WindowList

- File
- ...Open File
- ...New File
- view
- tools

لو عايزين نشيلها من القائمة الحاليه

Menu Editor



Caption: Open File

OK

Name: m4

Cancel

Index:

Shortcut: (None)

HelpContextID: 0

Negotiate

Checked

Enabled

Visible



Next

Insert

File

...Open File

...New File

view

tools

Ctrl+N

Ctrl+O

Ctrl+P

Ctrl+Q

Ctrl+R

Ctrl+S

Ctrl+T

Ctrl+U

Ctrl+V

Ctrl+W

Ctrl+X

Ctrl+Y

ده الاختصار ليها على الكيبورد

Menu Editor



Caption: &File

OK

Name: m1

Cancel

Index:

Shortcut: (None)

HelpContextID: 0

NegotiatePosition: 0 - None

Checked

Enabled

Visible

WindowList



Next

Insert

Delete

&File

... Open File


Ctrl+O

... New File

view

tools

ده الاختصار اللي
احنا اختارنه



كل قائمه من دول لو نلاحظ
هاتلاقى تحيها خط الخط ده
اختصار على الكيبورد

Menu Editor



Caption: OK

Name: Cancel

Index: Shortcut: ▾

HelpContextID: NegotiatePosition: ▾

Checked Enabled Visible WindowList

← → ↑ ↓ Next Insert Delete

- &File
-Open File Ctrl+O
-New File
- view
- tools

نعمل زی کده

Form1



File view tools



شایفین هنا
کل حرف تحتیه
خط

Form1



File view tools

Open File Ctrl+O

New File



Menu Editor



Caption: &view

OK

Name: m2

Cancel

Index:

Shortcut: (None)

HelpContextID: 0

NegotiatePosition: 0 - None

Checked

Enabled

Visible

WindowList



Next

Insert

Delete

&File
···· Open File
···· New File

&view
&tools

Ctrl+O
Ctrl+N

توقف هنا

وندوس ادخال

Menu Editor



Caption: E&xit

OK

Name: m6

Cancel

Index:

Shortcut: Ctrl+F4

HelpContextID: 0

NegotiatePosition: 0 - None

Checked

Enabled

Visible

WindowList



Next

Insert

Delete

&File

····Open File

Ctrl+O

····New File

Ctrl+N

····E&xit

Ctrl+F4

&view

&tools

Project1 (Project1)

- Forms
 - Form1 (Form1)

View Object
View Code
Properties

- Form
- MDI Form
- Module
- Class Module
- User Control
- Property Page
- User Document
- WebClass
- Data Report
- DHTML Page
- Data Environment
- Add File...

Add

- Save Form1
- Save Form1 As...
- Remove Form1

Print...

Dockable


Hide

Publish Component...


	Form1
Controls	True
Box	True
DrawMode	13 - Copy Pen
DrawStyle	0 - Solid

Project1 - Microsoft Visual Basic [design]

File Edit View Project Format Debug Run Quer



General




- Add Form
- Add MDI Form
- Add Module
- Add Class Module
- Add User Control
- Add Property Page
- Add User Document
- Add WebClass
- Add Data Report
- Add DHTML Page
- Add Data Environment
- Add File... Ctrl+D
- Remove Form1
- References...
- Components... Ctrl+T
- Project1 Properties...

Add Form



New | Existing

نختار هنا



ثم نضغط فتح



Don't show this dialog in the future

Project1 - Form1 (Code)




m4

Click

```
Private Sub m4_Click()  
Form2.Show  
End Sub
```

ده الاسم اللي احنا اختارناه



Project1 - Form1 (Code)



m6

Click

```
Private Sub m6_Click()  
MsgBox "رسالة الخروج", vbYesNo, "هل حقا تود الخروج"  
  
End Sub
```



Form1



ادوات عرض ملف

Project1 - Form1 (Form)



Properties - Form1

Form1 Form

Alphabetic | Categorized

MDIChild	False
MinButton	True
MouseIcon	(None)
MousePointer	0 - Default
Moveable	True
NegotiateMenus	True
OLEDropMode	0 - None
Palette	(None)
PaletteMode	0 - Halftone
Picture	(None)
RightToLeft	True
ScaleHeight	True
ScaleLeft	False
ScaleMode	1 - Twin

RightToLeft

Form1



Command1

Command2

Project1 - Form1 (Code)

Command1

Click

```
Private Sub Command1_Click()  
Dim x As String  
x = "منتديات مشاغب"  
MsgBox x
```



Form1



Command1

Command2

Project1



منتديات مشاغب

OK

Project1 - Form1 (Code)



Command2

Click

```
Private Sub Command1_Click()  
Dim x As String  
x = "منتديات مشاغب"  
MsgBox x  
End Sub
```

```
Private Sub Command2_Click()  
MsgBox x  
End Sub
```



Form1



Command1

Command2

End Sub

Project1



OK

Form1



Text1

Command1

Command2

Project1 - Form1 (Code)



Command2

Click

```
Private Sub Command2_Click()  
    x = Text2.Text  
    MsgBox x  
End Sub
```



Project1 - Form1 (Code)

Command2

Click

```
Private Sub Command2_Click()  
x = Text2.Text  
MsgBox x  
End Sub
```

Form1

امم الظلام بير

Command1

Command2

Project1

امم الظلام بير

OK

Project1 - Form1 (Form)



Form1



Label1

Label2

Text1

Label3

Label4

Label5

Command1

Label6

Label7

Label8

Label9

Label10



8

BRAMJNET

bramjnet

bramjnet

bramjnet

bramjnet

امم الخلام مير

mjnet

Label7

Label8

Label9

Label10



524

524.2125638

قم بالتحويل

قامت الداله بحذف ما بعد العلامه
العشريه



25

قم بالتحويل

5

$$5 \times 5 = 25$$

Form1



20500

الوزن بالجرام

تحويل الوزن
بالكيلو

20.5

الوزن بالكيلو

تحويل الوزن
بالجرام

Form

Load

```
Const x = 1000  
Option Explicit
```

```
Private Sub Command1_Click()  
Text2.Text = Val(Text1.Text) / x  
End Sub
```

```
Private Sub Command2_Click()  
Text1.Text = Val(Text2.Text) * x  
End Sub
```

```
Private Sub Form_Load()  
Text1.Text = ""  
Text2.Text = ""  
Label1.Caption = "الوزن بالكيلو"  
Label2.Caption = "الوزن بالجرام"  
Command1.Caption = "تحويل الوزن بالكيلو"  
Command2.Caption = "تحويل الوزن بالجرام"  
End Sub
```



```
Private Sub Form_Load()
```

```
    r(0) = "الموظف الاول"
```

```
    r(1) = "الموظف الثاني"
```

```
    r(2) = "الموظف الثالث"
```

```
    r(3) = "الموظف الرابع"
```

```
    r(4) = "الموظف الخامس"
```

```
    r(0 To 4) As String
```

```
Dim r(4) As String
Option Explicit
```

```
Private Sub Command1_Click()
Text1.Text = r(0)
Text2.Text = r(1)
Text3.Text = r(2)
Text4.Text = r(3)
Text5.Text = r(4)

End Sub
```

```
Private Sub Command2_Click()
Text1.Text = ""
Text2.Text = ""
Text3.Text = ""
Text4.Text = ""
Text5.Text = ""

End Sub
```

البرنامج وقف هنا



```
Private Sub Form_Load()
r(0) = "الموظف الاول"
r(1) = "الموظف الثاني"
```



```
Private Sub Form_Load()
```

```
  r(
```

```
    r(4 To 8) As String
```

Project1 - Form1 (Code)



Command1

Click

```
Dim x() As Double  
Option Explicit
```

```
Private Sub Command1_Click()  
ReDim x(2) As Double  
x(0) = 10  
x(1) = 20  
x(2) = 30  
End Sub  
|
```





Command2

Click

```
Private Sub Command1_Click()
```

```
ReDim x(2) As Double
```

```
x(0) = 10
```

```
x(1) = 20
```

```
x(2) = 30
```

```
End Sub
```

```
Private Sub Command2_Click()
```

```
ReDim Preserve x(3) As Double
```

```
x(3) = 40
```

```
End Sub
```

	K	J	I	H	G	F	E	D	C	B	A	
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												

The image shows an Excel spreadsheet with columns K through A and rows 1 through 20. A red arrow points vertically downwards from cell H1 to cell H8. A blue arrow points horizontally to the left from cell A8 to cell H8. Cell H8 is highlighted in red. The area from H1 to H8 is highlighted in light green. Cell A1 is highlighted in light green.

Project1 - Form1 (Form)

Form1

Text3	Text2	Text1	اسماء العمال
Text6	Text5	Text4	عدد ايام الغياب
Text9	Text8	Text7	المتبقي من الشهر

اعرض الاسماء انهاء

Project1 - Form1 (Code)

Form

Load

```

Dim x(2, 2) As String
Option Explicit

Private Sub Command1_Click()
Text1.Text = x(0, 0)
Text2.Text = x(1, 0)
Text3.Text = x(2, 0)
Text4.Text = x(0, 1)
Text5.Text = x(1, 1)
Text6.Text = x(2, 1)
Text7.Text = x(0, 2)
Text8.Text = x(1, 2)
Text9.Text = x(2, 2)
End Sub

Private Sub Command2_Click()
End
End Sub

Private Sub Form_Load()
x(0, 0) = "ام الظلام -ع"
x(0, 1) = 15
x(0, 2) = 15
x(1, 0) = "absba"
x(1, 1) = 10
x(1, 2) = 20
x(2, 0) = "vip600"
x(2, 1) = 8
x(2, 2) = 22
End Sub

```


Form1

vip600	absba	امه الظلام بين	اسماء العمال
8	10	15	عدد ايام الغياب
22	20	15	المتبقى من الشهر

اعرض الاسماء

انهاء

Form

Load

```
Dim x(2, 2) As String
Option Explicit
```

```
Private Sub Command1_Click()
Text1.Text = x(0, 0)
Text2.Text = x(1, 0)
Text3.Text = x(2, 0)
Text4.Text = x(0, 1)
Text5.Text = x(1, 1)
Text6.Text = x(2, 1)
Text7.Text = x(0, 2)
Text8.Text = x(1, 2)
Text9.Text = x(2, 2)
End Sub
```

```
Private Sub Command2_Click()
End
End Sub
```

```
Private Sub Form_Load()
x(0, 0) = "امه الظلام بين"
x(0, 1) = 15
x(0, 2) = 15
x(1, 0) = "absba"
x(1, 1) = 10
x(1, 2) = 20
x(2, 0) = "vip600"
x(2, 1) = 8
x(2, 2) = 22
End Sub
```

Project1 - Form1 (Form)



Form1



print

Form1



Project1



absba

OK

Cancel

Form1



Project1



absba

Abort

Retry

Ignore

print



Project1



absba

Yes

No

Cancel

print

