

## Electromagnetic Reverberation Chambers

# Electromagnetic Reverberation Chambers

Bernard Démoulin  
Philippe Besnier

*Series Editor*  
*Pierre-Noël Favennec*

ISTE

 WILEY

First published 2011 in Great Britain and the United States by ISTE Ltd and John Wiley & Sons, Inc.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms and licenses issued by the CLA. Enquiries concerning reproduction outside these terms should be sent to the publishers at the undermentioned address:

ISTE Ltd  
27-37 St George's Road  
London SW19 4EU  
UK

[www.iste.co.uk](http://www.iste.co.uk)

John Wiley & Sons, Inc.  
111 River Street  
Hoboken, NJ 07030  
USA

[www.wiley.com](http://www.wiley.com)

© ISTE Ltd 2011

The rights of Bernard Démoulin and Philippe Besnier to be identified as the authors of this work have been asserted by them in accordance with the Copyright, Designs and Patents Act 1988.

---

Library of Congress Cataloging-in-Publication Data

Demoulin, Bernard.

Electromagnetic reverberation chambers / Bernard Demoulin, Philippe Besnier. -- 1st ed.  
p. cm.

Includes bibliographical references and index.

ISBN 978-1-84821-293-0 (hardback)

1. Electromagnetic waves--Measurement. 2. Wave guides. I. Besnier, Philippe. II. Title.

QC661.D454 2011

621.3--dc23

2011021210

---

British Library Cataloguing-in-Publication Data

A CIP record for this book is available from the British Library

ISBN 978-1-84821-293-0

---

Printed and bound in Great Britain by CPI Antony Rowe, Chippenham and Eastbourne.



## Table of Contents

<b>Preface</b> . . . . .	xiii
<b>Foreword.</b> . . . . . Paolo CORONA	xv
<b>Introduction</b> . . . . .	xix
<b>Chapter 1. Position of the Reverberation Chambers in Common Electromagnetic Tests.</b> . . . . .	1
1.1. Introduction. . . . .	1
1.2. Electromagnetic fields and plane waves . . . . .	2
1.2.1. Definition and properties of plane waves. . . . .	3
1.2.2. General plane wave representation. . . . .	7
1.2.3. Assimilation of the far-field to a local plane wave . . . . .	8
1.2.4. Induction phenomena produced by plane waves. . . . .	9
1.3. Electromagnetic tests in confined areas . . . . .	13
1.3.1. Emission of a small rectangular loop . . . . .	14
1.3.2. Tests carried out in a TEM cell. . . . .	16
1.3.3. Measurements carried out in an anechoic shielded chamber . . . . .	22
1.3.4. Position of the reverberation chambers in tests carried out in a confined space. . . . .	23
1.4. Discussion . . . . .	26
1.4.1. On the use of the plane wave concepts . . . . .	26
1.4.2. On the uncertainty margin of the measurements carried out in a reverberation chamber. . . . .	27
1.5. Bibliography . . . . .	28

<b>Chapter 2. Main Physical Features of Electromagnetic Cavities.</b> . . . . .	29
2.1. Introduction. . . . .	29
2.2. Reduction of the modes in a 1D cavity. . . . .	30
2.2.1. Description of the 1D cavity . . . . .	30
2.2.2. Solutions of the 1D waves equation . . . . .	31
2.2.3. Eigenmodes computation . . . . .	33
2.2.4. Comparison of a cavity to a network of LC resonators. . . . .	35
2.2.5. Contribution of the quality factor to the cavity . . . . .	38
2.2.6. Optimal coupling of the energy on an eigenmode. . . . .	41
2.2.7. Deviation of the modal frequencies produced by an obstacle. . . . .	42
2.2.8. Implementation of mode stirring . . . . .	44
2.3. Physical features of an empty rectangular cavity. . . . .	44
2.3.1. Geometrical description of the reverberation chamber . . . . .	44
2.3.2. Calculation of the eigenmodes' frequencies . . . . .	45
2.3.3. The first eigenmode . . . . .	48
2.3.4. Higher order modes . . . . .	49
2.3.5. Mode spacing and mode density . . . . .	52
2.3.6. Quality factor of the 3D cavity . . . . .	54
2.3.7. Regarding the excitation conditions of the cavity . . . . .	59
2.3.8. Plane wave spectrum. . . . .	64
2.3.9. Influence of the energy losses on the plane wave spectrum . . . . .	67
2.4. The 3D cavity operating in stirred modes . . . . .	69
2.4.1. Role given to mode stirring . . . . .	69
2.4.2. Mechanical mode stirring . . . . .	70
2.4.3. Experimental proof of the modal excursion . . . . .	74
2.5. Discussion . . . . .	77
2.5.1. On the geometry of reverberation chambers . . . . .	77
2.5.2. On the use of the RLC resonators . . . . .	78
2.5.3. On the contribution of the modal interferences . . . . .	79
2.6. Bibliography . . . . .	80
<b>Chapter 3. Statistical Behavior of Stirred Waves in an Oversized Cavity.</b> . . . . .	83
3.1. Introduction. . . . .	83
3.2. Descriptions of the ideal random electromagnetic field . . . . .	84
3.2.1. The electromagnetic field assumed as a random variable . . . . .	84
3.2.2. Statement of the postulate of an ideal random field. . . . .	87
3.2.3. Presentation conventions of the random variables. . . . .	88
3.2.4. $\chi^2$ probability distribution . . . . .	90
3.2.5. Probability density function of the absolute field amplitude. . . . .	91
3.2.6. Probability density function of the power variable . . . . .	92

3.3. Simulation of the properties of an ideal random field . . . . .	93
3.3.1. Construction of the plane wave spectrum. . . . .	94
3.3.2. Construction of the interferences by random trials . . . . .	98
3.3.3. Use of the central limit theorem . . . . .	101
3.4. Contribution of the statistical tests . . . . .	104
3.4.1. Role given to the size N of the statistical sampling . . . . .	104
3.4.2. Assessment of the experimental data to the probability distributions . . . . .	108
3.4.3. Estimate of the variances and means . . . . .	112
3.4.4. Kolmogorov–Smirnov test . . . . .	115
3.5. Balance of power in a reverberation chamber. . . . .	121
3.5.1. Review of the main features of antennas . . . . .	121
3.5.2. Receiving antenna immersed in an ideal random field . . . . .	123
3.5.3. Measurement of the power radiated by a device in a reverberation chamber . . . . .	128
3.6. Discussion . . . . .	130
3.6.1. On the hypothesis of the ideal random field . . . . .	130
3.6.2. On the simulation of the disordered field by plane waves trials . . . . .	131
3.7. Bibliography . . . . .	132
<b>Chapter 4. Impact of the Physical and Technological Parameters of a Reverberation Chamber . . . . .</b>	<b>135</b>
4.1. Introduction. . . . .	135
4.2. Main parameters for reverberation chamber design . . . . .	136
4.2.1. List of the main building parameters . . . . .	136
4.2.2. Impact of the geometrical and physical parameters of the chamber . . . . .	137
4.2.3. Factors influencing the quality factor of a chamber. . . . .	140
4.2.4. Space correlation of an ideal random electromagnetic field distribution . . . . .	149
4.3. The usual techniques of mode stirring . . . . .	153
4.3.1. Mechanical mode stirring . . . . .	153
4.3.2. Frequency agitation of the modes or electronic stirring . . . . .	157
4.3.3. Stirring by switching the transmitting antennas . . . . .	161
4.3.4. Mode stirring by dimensional modulation of the chamber. . . . .	162
4.4. The characterization of reverberation chambers . . . . .	164
4.4.1. Aims of the characterization of reverberation chambers . . . . .	164
4.4.2. Characterization of the efficiency of mode stirring . . . . .	165
4.4.3. Test of the stationary random electromagnetic field distribution . . . . .	169
4.4.4. Measurements of the quality factor . . . . .	177

4.4.5. Localization of the lowest usable frequency of the chamber . . . . .	184
4.5. Discussion . . . . .	188
4.5.1. Regarding the law of large numbers . . . . .	188
4.5.2. On the impact of the volume of the large devices under test. . . . .	188
4.6. Bibliography . . . . .	190
<b>Chapter 5. Radiated Immunity Tests in a Reverberation Chamber . . . . .</b>	<b>193</b>
5.1. Introduction. . . . .	193
5.2. The calibration process . . . . .	194
5.2.1. Measurement methods of the statistical uniformity of the field distribution . . . . .	195
5.3. Examples of calibration results . . . . .	206
5.4. Implementing of the immunity test for a piece of equipment . . . . .	210
5.4.1. The loading effect of the device under test. . . . .	211
5.4.2. Incidence on the statistical uniformity of the field . . . . .	215
5.4.3. Observation of possible malfunctioning of the device under test. . . . .	216
5.4.4. An example of immunity tests . . . . .	216
5.5. Immunity test in reverberation and anechoic chambers . . . . .	220
5.5.1. The conventional approach of illumination in an anechoic chamber . . . . .	221
5.5.2. Illumination in a reverberation chamber . . . . .	223
5.6. Rectangular components of the electric field and the total electric field . . . . .	226
5.7. Discussion . . . . .	228
5.7.1. The limits of statistical uniformity from one standard to another . . . . .	228
5.7.2. The choice of the number of stirrer positions from one standard to another . . . . .	229
5.7.3. The nature of immunity tests in reverberation chambers. . . . .	229
5.8. Bibliography . . . . .	230
<b>Chapter 6. Emissivity Tests in Reverberation Chambers . . . . .</b>	<b>233</b>
6.1. Introduction. . . . .	233
6.2. A few notions on electromagnetic radiation and antennas . . . . .	234
6.2.1. Origin of electromagnetic radiation . . . . .	234
6.2.2. Properties of the electromagnetic field at a distance from the radiation source . . . . .	234
6.2.3. Intensity and directivity of the electromagnetic radiation . . . . .	236
6.2.4. Polarization and partial directivities . . . . .	238
6.2.5. Efficiency and gain of an antenna . . . . .	239

6.2.6. Effective area of an antenna . . . . .	242
6.2.7. Transmission balance between two antennas – Friis expression . . . . .	243
6.2.8. Formulation and properties of the radiation in a spherical graph . . . . .	243
6.3. Measurement of the total radiated power in free space . . . . .	249
6.3.1. Definitions . . . . .	249
6.3.2. Conventional measurement methods of the total radiated power . . . . .	251
6.4. Measurement of the unintentional emission of a device under test . . . . .	252
6.4.1. Calibration and evaluation of the total radiated power in reverberation chambers. . . . .	256
6.5. Measurement examples of the total radiated power . . . . .	262
6.5.1. The calibration phase. . . . .	263
6.5.2. The measurement phase of the device under test . . . . .	266
6.6. Total radiated power and radiated emissivity . . . . .	269
6.7. Measurement of the efficiency and of the diversity gain of the antennas . . . . .	272
6.7.1. Measurement of the antenna efficiency . . . . .	272
6.7.2. Measurement of the diversity gain of the antennas . . . . .	274
6.8. Discussion . . . . .	275
6.8.1. On the measurement of the radiated emissivity of a device in a reverberation chamber . . . . .	275
6.8.2. On the measurements of radiofrequency devices in a reverberation chamber . . . . .	276
6.9. Bibliography . . . . .	276
<b>Chapter 7. Measurement of the Shielding Effectiveness . . . . .</b>	<b>279</b>
7.1. Introduction. . . . .	279
7.2. Definitions of the shielding effectiveness . . . . .	280
7.2.1. Shielding effectiveness of cables and connectors . . . . .	281
7.2.2. Attenuation of the shielded enclosures . . . . .	284
7.2.3. Shielding effectiveness of the materials. . . . .	285
7.3. Measurement of the effectiveness of shielded cables and connectors in reverberation chambers . . . . .	287
7.3.1. Electromagnetic coupling on wires placed in a reverberation chamber . . . . .	287
7.3.2. The effective area of a cable or a shielded connector . . . . .	291
7.3.3. Relationship between the reference power and the current induced on a device under test . . . . .	295



7.3.4. Conversion of the shielding attenuation into a transfer impedance . . . . .	297
7.3.5. Examples of the measurements of the shielding effectiveness of the connectors. . . . .	298
7.4. Measurement of the attenuation of the shielded enclosures. . . . .	302
7.4.1. Expected electromagnetic coupling mechanisms . . . . .	302
7.4.2. Example of attenuations measured on a shielded enclosure . . . . .	303
7.5. Measurement of the shielding effectiveness of the materials. . . . .	307
7.5.1. On the size of the devices under test with respect to the wavelength . . . . .	307
7.5.2. Examples of attenuation measurements carried out on a material. . . . .	311
7.6. Discussion . . . . .	316
7.6.1. The accuracy of the measurement of the shielding attenuation of the materials . . . . .	316
7.6.2. The recorded curves of shielding attenuation . . . . .	318
7.7. Bibliography . . . . .	318
<b>Chapter 8. Mode Stirring Reverberation Chamber: A Research Tool . . . . .</b>	<b>321</b>
8.1. Introduction. . . . .	321
8.2. A non-ideal random electromagnetic field . . . . .	324
8.2.1. An estimate of the statistics of a rectangular component of an electric field in an effective reverberation chamber. . . . .	325
8.2.2. Resorting to a replacement distribution: the Weibull distribution . . . . .	332
8.3. Studying the correlation of a set of measurements . . . . .	336
8.3.1. Outline of the link between correlation and statistical uncertainty. . . . .	336
8.3.2. Measurement of the correlation . . . . .	337
8.3.3. Study of the linear correlation during experimental estimates. . . . .	338
8.3.4. Statistical distribution of the coefficient of linear correlation . . . . .	339
8.3.5. Approximation of a normal distribution for the estimate of the first order correlation function. . . . .	342
8.3.6. Residual correlation and impact on the reproducibility of the measurements in reverberation chambers . . . . .	345
8.4. Quantization of the scattered and coherent fields in a reverberation chamber . . . . .	349
8.4.1. Coherent residual field in a reverberation chamber and the Rice statistics . . . . .	349
8.4.2. Goodness-of-fit test of a Rice distribution in a reverberation chamber . . . . .	351

8.4.3. Example of evaluation of a Rice channel in a reverberation chamber . . . . .	353
8.5. Discussion . . . . .	356
8.6. Bibliography . . . . .	358
<b>APPENDICES . . . . .</b>	<b>361</b>
<b>Appendix 1. Notion of Probability . . . . .</b>	<b>363</b>
A1.1. The random variable concept . . . . .	363
A1.2. Probability concept from intuition . . . . .	363
A1.3. Probability density function (pdf). . . . .	364
A1.4. Computation of moments . . . . .	365
A1.4.1. Computation of the moment of the $x$ random variable . . . . .	365
A1.4.2. Computation of the moment of the $x$ squared random variable. . . . .	366
A1.5. Centered and normalized variables . . . . .	366
A1.5.1. Centered variables . . . . .	366
A1.5.2. Normalized variables . . . . .	366
A1.6. Computation of the variance and standard deviation . . . . .	367
A1.6.1. Definition of the variance . . . . .	367
A1.6.2. Definition of the standard deviation . . . . .	367
A1.7. Probability distributions . . . . .	367
A1.7.1. Uniform probability distribution . . . . .	368
A1.7.2. Normal probability distribution . . . . .	368
A1.8. The cumulative distribution function (cdf) . . . . .	369
A1.9. The ergodism notion . . . . .	369
A1.9.1. Intuitive definition of the ergodic property. . . . .	369
A1.9.2. Use of ergodism to the calculation of the autocorrelation function . . . . .	370
A1.10. Features of the random stationary variables . . . . .	372
A1.11. The characteristic function . . . . .	373
A1.12. Summary of the main probability distributions . . . . .	375
A1.12.1. Uniform distribution . . . . .	375
A1.12.2. Normal distribution. . . . .	375
A1.12.3. Chi-squared distribution . . . . .	376
A1.12.4. Weibull distribution . . . . .	376
A1.12.5. Exponential distribution . . . . .	377
A1.12.6. Rayleigh distribution . . . . .	377
A1.13. Tables of numerical values of the normal distribution integrals. . . . .	378
A1.13.1. Calculation of the integral . . . . .	378

A1.13.2. Solution to the integral equation . . . . .	378
A1.14. Bibliography . . . . .	379
<b>Appendix 2. Formulas of the Quality Factor of a Rectangular Cavity . . . . .</b>	<b>381</b>
A2.1. Quality factor of the $TM_{mnp}$ mode . . . . .	381
A2.2. Calculation of the average $\tilde{Q}$ quality factor . . . . .	382
A2.3. Bibliography . . . . .	384
<b>Appendix 3. Total Field and Total Power Variables . . . . .</b>	<b>385</b>
A3.1. Total field variables . . . . .	385
A3.2. $\chi^2$ variable attached to the total field . . . . .	386
A3.3. Total field probability density function . . . . .	386
A3.3.1. The pdf related to the total “ $e_t$ ” normalized field variable. . . . .	386
A3.3.2. The pdf related to the absolute amplitude of the total field “ $E_t$ ”. . . . .	387
A3.4. Calculation of the mean of the total field . . . . .	387
A3.4.1. Mean of the normalized “ $e_t$ ” amplitude. . . . .	387
A3.4.2. Mean of the absolute “ $E_t$ ” amplitude . . . . .	387
A3.5. The pdf of the total power . . . . .	388
A3.5.1. Variables of total power “ $p_t$ ” variable. . . . .	388
A3.5.2. Computation of the pdf related to the total power. . . . .	388
A3.5.3. The pdf of the normalized total power variable “ $p_{tr}$ ” . . . . .	388
A3.5.4. Computation of the pdf of the total normalized power . . . . .	389
A3.6. Calculation of the mean total powers . . . . .	389
A3.6.1. Mean of the total normalized power “ $p_{tr}$ ” . . . . .	389
A3.6.2. Mean of the total power “ $p_t$ ” . . . . .	389
<b>Appendix 4. Calculation of the Variances of <math>v_\phi, v_\eta, v_\theta</math> . . . . .</b>	<b>391</b>
A4.1. Variance of the $v_\phi$ and $v_\eta$ variables . . . . .	391
A4.2. Variance of the $v_\theta$ variable . . . . .	392
<b>Appendix 5. Electric Dipole Formulas . . . . .</b>	<b>395</b>
A5.1. Complete formulas of the electric dipole . . . . .	395
A5.2. Near-field formulas of the electric dipole . . . . .	397
A5.3. Far-field formulas of the electric dipole . . . . .	397
A5.4. Bibliography . . . . .	398
<b>Index . . . . .</b>	<b>399</b>

## Preface

The idea for this book was conceived as the result of a meeting on this fascinating topic. We did not feel like the most legitimate people to discuss this question; some aspects of it could be detailed in a very learned way by many of our colleagues who are experts in this domain. We have here a unique opportunity to praise the many engineers and researchers who efficiently contribute in France, in Europe and in the entire world to enriching the knowledge and know-how on reverberation chambers.

This book has greatly benefited from the contributions of Daniël De Zutter, Professor at Ghent University (Belgium), and Alain Reineix, CNRS (French National Center for Scientific Research) Research Director at the Xlim laboratory. They had the significant responsibility of carefully proofreading the manuscript. Their remarks have helped us to shed light on and clarified numerous questions that arose during reading, for the benefit of all readers. We thank them deeply for their help.

We would also like to thank M. Paolo Corona, Professor at Parthenope University of Naples (Italy), for honoring us by writing the foreword of this book and for providing some unknown testimonies of the history of reverberation chambers.

## Foreword

The authors of this book have done me the honor of entrusting me with this foreword, and above all of mentioning my activities in the field of the mode-stirred chambers at the Academic Naval Institute of Naples (currently Parthenope University of Naples). Somehow, I have on this matter the benefit of age, which allows me to give some little-known indications about a period of time when there were very few people studying reverberation chambers. It is particularly pleasant to see that nowadays this subject finds a place in numerous sessions, during conferences and other international meetings.

As is so often the case, activity comes from a very specific and almost always anecdotal motivation. This was the case for reverberation chambers. At the beginning of the 1970s, microwaves started to spread in Italy and there were some worries about them. In 1974-1975, we were consulted about the methods of measuring electromagnetic radiation. At this time, we were working on the extraction principle of the signals drowned out by noise, as well as on the possibility of using this technique in the field of electromagnetic waves. The idea to make electromagnetic radiation become incoherent via agitation of the walls or, more easily, with the rotation of the metal surfaces was then almost natural.

At the same time, in the United States, we were studying the inefficiency of the MIL-STD norms, for the evaluation of shielding effectiveness. The method used a compact resonant cavity, where it was possible to make the tuning frequency vary, thanks to the use of metal inserts, diving more or less strongly in the cavity. The technique consisting of using the same method, in order to no longer obtain the resonance but to carry out an average evaluation on several positions of these metal inserts, was also natural. The idea then was to no longer use a cavity, but a shielded chamber instead. The team was formed of McDonnell Douglas (Saint-Louis), the US Navy Dahlgren Laboratory, and Boulder NBS (currently NIST).

The first article with an international impact (1976) brought American and English researchers to visit us in Naples, and at a meeting of information exchange (1977) at Litton, Minneapolis, officiated by D. Robertson (GeorgiaTech). We confronted the two points of view, that differ on the mode stirring question, whether it was done step-by-step or continuously. This debate is still relevant nowadays, because mode stirring requires a specific sampling of the measurements. I will not dwell on this question as it is well discussed in this book. Let us thus come back to the development of the first works on this subject.

In 1979, I installed the first mode-stirred chamber at NBS/NIST, by modifying an old shielded chamber. But we should not forget that some chambers were already in operation in the United States at McDonnell, US Navy Dahlgren, Litton and in some other places. The basic principles were all already determined, but we had to convince the experts of the strong potential of this method. At the beginning of the 1980s, NBS/NIST made a big effort and M. Crawford developed a systematic experimental activity, covering a wide range of frequencies. The results of these experiments were published in the *Technical Notes* of NBS, and nowadays mark the transit from a pioneer activity to a real emergence of the subject. The first already considered statistic formulations will improve, the practical use will spread, and the international standards will take it into account. At the same time, the subject was being developed in Europe. After the pioneer work done in Italy, we could find the study of reverberation chambers in France, the United Kingdom, the Netherlands and then in Germany. Continuing this description would certainly be beyond the scope of this foreword, because this book by B. Démoulin and P. Besnier does not limit itself to the study of the current state of the matter, but also presents the main episodes of its development.

In any case, we can find two lines of study: electromagnetic field statistics, often limited to an analysis evaluation without support of physical modeling, and the practical use, above all in reference to the international standards. Despite the fact that it is an activity that started more than 30 years ago, we find very few things about it in the literature. We can find chapters in the general texts of electromagnetism and of electromagnetic compatibility, and, to my knowledge, only one book recently and exclusively devoted to the subject, but its remains quite abstract. Evidently, we can try to summarize a quite voluminous bibliography. However, this is a difficult exercise, especially because of the progressive nature of the research results accumulated over time. This book by B. Démoulin and P. Besnier is the perfect aid to help us, being very complete from the theoretical point of view, as well as from the practical point of view. Above all, it aims at extracting from the numerous bibliographical entries, the essential principles necessary for the use of reverberation chambers. The measurement methods resulting from reverberation chambers are indeed simple in principle, and the use of reverberation chambers is not difficult. This book manages to convince us of that fact, without

however forgetting to give the reader the basic operating principles and the restrictions of use. The authors did not yield to the temptation of exploiting their scientific activity in the field, although it is ample and of a high level. They position themselves with readers who have a basic knowledge in electromagnetism, in order to give complete knowledge of what underlies the functioning of reverberation chambers. Consequently, readers are progressively brought to the level of the state of the art: this is a very difficult exercise that the authors have achieved perfectly, thanks to their knowledge and their activity in the domain.

I have mostly talked about the use of the book, and not its qualities. There are good reasons for that fact. First, this book is perfect and complete, but I particularly appreciated it from the point of view of the mission it has taken upon itself. This book satisfies the need for a single reference, at a homogeneous level, that could be used by anybody who does not have the chance to follow the development of the exploitation method of mode stirred chambers. This will encourage more frequent use of this test system and the development of new applications, a subject that the book will also discuss. We have to be grateful to the authors for wanting to write a book that aids understanding and better situates the subject in the literature, without flaunting their knowledge or the originality of their activity, which is spread throughout the book. This is a sacrifice for the researcher, especially if we consider that the research groups of Lille and Rennes have given and still give the important contribution of burning issues to the theoretical and experimental exploitation of mode stirred chambers.

Professor Paolo CORONA  
Parthenope University of Naples  
July 2011

## Introduction

Before introducing the motivation and the content of this book, we will carry out a brief retrospective of the advent of reverberation chambers in electromagnetism.

The first experiments recounting the confinement of electromagnetic waves in a reverberation chamber probably date back to 1976. We will find the details of these experiments in a publication by P. Corona from the Naval Academic Institute of Naples (Italy). The objective of these precursory works was above all the measurement of the radio source emissions. It was then demonstrated that the wave confinement led to a direct evaluation of the total power radiated by the object. At this moment there are two competing theories: one considers that the electromagnetic power in the chamber is mainly governed by the resonance mechanisms and the second considers the emission as the radiation of the blackbody, imported from the statistic thermodynamics [COR 76a, COR 76b, COR 02].

Together with the research led and carried out by P. Corona, reverberation chambers were already being developed in the United States. Around 1980, we may mention the building of a chamber at the National Institute of Standard and Technologies (formerly called the National Bureau of Standards), where the theory of the stirred modes was founded, borrowed from the statistical analyses. We find this approach in many publications, notably written by M. Crawford, G. Koepke, T. Lehman. The physical-statistical analysis was then continued by works published 20 years later by D.A. Hill, J. Ladbury, L. Arnaut, L. Jansson, M. Bäckström and by many other scientists working on and increasingly discussing this subject [ARN 02, CRA 74, CRA 86, HIL 94, JAN 99, LEH 91, LEH 97].

Reverberation chambers have been designed in this context and devoted to the measurements of the electromagnetic compatibility. Indeed, as of this time, the demand turns first to the measurements of the attenuation of the connectors and



cable shields. The concerned frequencies are then extended from hundreds of MHz to tens of GHz. Knowing that the reduction of the wavelength comes with a decrease in the antenna size, it was decided to favor the confinement techniques in the reverberant environment. We could add the advantage of producing oversized cavities compared to the wavelength to these primary properties. We thus managed to generate fields of random amplitude, amplitudes coordinated by a mode stirring. Contrary to measurements in free space, the method gave, to the objects under test, insensitivity to the criteria of directivity and wave polarization. These factors, combined with the emergence of high amplitude fields, stimulated by resonances, will immediately extend the reverberation chambers to immunity and susceptibility tests [WAR 96].

At the same time and with the efforts of M. Hatfield of the Naval Surface Warfare Center in the United States, test methods using a reverberation chamber enter the international standards with texts currently recognized by the International Electrotechnical Commission (IEC) and the aeronautics standardization [HAT 00].

Nowadays, the use of reverberation chambers, in France as well as in other European countries, intensifies with the need for the tests, but also in order to extend their scope in a very significant scientific research effort. In France, we can count several chambers distributed in some universities and other installations devoted to military activities, the automobile industry and aeronautics, without forgetting their interest for the study of the expected biological effects of radio waves. The use of reverberation chambers also concerns applications other than electromagnetic compatibility, since they simulate the propagation environments generating multiple reflections and, because of that fact, are very disruptive for modern telecommunication techniques [LIE 04].

To this day, there are many articles produced by the scientific community on the subject of reverberation chamber, and thus this book does not have the objective being added as a contribution to these high level works. The authors preferred a conventional physical approach, hoping it will help engineers, technicians or beginner students to understand the basics.

The eight chapters of this book, by a gradual description, bring the reader from the analysis of the mode stirring and the properties of field distribution, to the applications illustrated by measurement examples found in various installations.

The book is made up of three topics that we will briefly summarize.

Chapters 1, 2, 3 and 4 discuss the physics of the chamber's operation. From the analysis of other test means, we can show that a test in reverberation chamber integrates measurement errors. We will try to quantize their amplitude and stationary

behavior. Resorting to the 1D model will facilitate an understanding of the generation of eigenmodes, whose identity will then be specified for a rectangular chamber. The concepts of the modal cells and of the plane wave spectrum will be used to introduce the principle of mode stirring, and then indirectly (Chapter 3) the link that we can establish between the disordered distribution of the fields and the estimate of the error margins of their average amplitudes. This part will largely use the results and demonstrations from the articles published by D.A. Hill [HIL 94]. The statistical tests concluding Chapter 3 will supply the tools able to confront the experiment on idealized field or power distributions stated by the probability density function of Rayleigh distribution or exponential distribution, respectively. Chapter 4 is mainly devoted to the characterization of the chambers, tackling the evaluation of the mode stirring procedures, as well as a few demonstrations relative to the application of statistical theories, in preparation for the calibration of the field's amplitude.

Chapters 5, 6 and 7 discuss the questions of the chambers' use. Their aim is not to do a detailed description of the standard documents. On the contrary, the authors wanted to extract from the official methodology the protocols forming the strongest links with the physical and theoretical analyses undertaken in the previous chapters. These in-depth explanations of the phenomena will be followed by results of experiments carried out on electronic equipments or on components tested in several reverberation chambers installed in France. This is how we will find, in Chapter 5, immunity and susceptibility tests performed on electronic on-board car equipment. Chapter 6, devoted to the emission measurements, will be illustrated by an experiment coming from a radiation constituted of spectrum lines spreading on more than 1 GHz. The analysis will insist on the confrontation of measurements done on chambers of different volumes. Chapter 7 exclusively turned on the shield effectiveness, discusses the problem of the evaluation of the attenuations brought by shielded cables or connectors, by shielded enclosures, and then by materials offering a certain opacity to the radio waves. This chapter will be illustrated by results of experiments successively practiced on a coaxial test tube, comprising a small aperture on a shielded box, with a slit and on a polymer conductor material, deposited against a plane substratum in fiberglass.

To conclude this book, Chapter 8 begins the link with some recent research works accomplished on the reverberation chamber. This part is not exhaustive and the authors propose a discussion on the physical limits of some approaches described in the previous chapters. It is obvious that for purely didactic reasons, the phenomena have often been reduced to ideal situations. Such is the case for field distribution, whose reality is found between the purely periodic model of the standing waves and the perfect disorder established on the hypothesis of the maximal entropy. We will find in this last chapter the results of the measurements, proving that a reverberation chamber does not rigorously follow the model of the

disordered field, notably when we get close to the minimal frequency of use of the chamber. This analysis will lead to the probability density function of Weibull. In this part of the book, the subject of the capture of statistically independent field or power data, will also be taken and improved by the search for a correlation estimator more appropriate to the context of the reverberation chamber.

In the presentation of the text, the authors have deliberately repeated formulas that they judge important, or in other cases, some demonstrations. We notably find this process at the end of Chapter 3, where we have the calculations leading to the determination of the radiated power by an object tested in reverberation chamber. This reasoning will partially be repeated, and then detailed in Chapter 6, which is entirely devoted to the emission measurements. We think that this practice limits the constant returns to the zones anterior to the text and that it facilitates in the same time the merger of the different chapters.

Knowing that the reverberation chambers are still prone to in-depth studies, the authors have replaced the conventional conclusions of Chapter 8 with open discussions on questions mainly related to the physical functioning.

To complete the main text, five appendices detail physical concepts or auxiliary calculations. Moreover, after each chapter, the reader will find bibliographical references.

## Bibliography

- [ARN 02] ARNAUD L.R., “Compound exponential distributions for undermoded reverberation chambers”, *IEEE Transactions on Electromagnetic Compatibility*, vol. 44, no. 3, p. 442-457, August 2002.
- [COR 76a] CORONA P., LATMIRAL G., “Valutazione ed impiego normativo della camera reverberante de l’Istituto Universitario Navale”, *Atti Riunione Nazionale di Elettromagnetismo Applicato*, L’Aquila, Rome, p. 103-108, 1976.
- [COR 76b] CORONA P., LATMIRAL G., PAOLINI E., PICCIOLI L., “Use of a reverberating enclosure for measurements of radiated power in the microwave ranges”, *IEEE Transactions on Electromagnetic Compatibility*, vol. 18, no. 2, p. 54-59, May 1976.
- [COR 02] CORONA P., LADBURY J., LATMIRAL G., “Reverberation chamber research then and now: a review of early work and comparison with current understanding”, *IEEE Transactions on Electromagnetic Compatibility*, vol. 44, no. 1, p. 87-94, February 2002.
- [CRA 74] CRAWFORD M.L., “Generation of standard EM fields using TEM transmission cells”, *IEEE Transactions on Electromagnetic Compatibility*, vol. 16, no. 4, p. 189-195, November 1974.

- [CRA 86] CRAWFORD M.L., KOEPKE G.H., Design, evaluation and use of a reverberation chamber for performing electromagnetic susceptibility vulnerability measurements, NBS Technical Note, April 1986.
- [HAT 00] HATFIELD M.O., “A calibration procedure for reverberation chambers”, *IEEE International Symposium on EMC*, p. 621-626, August 2000.
- [HIL 94] HILL D.A, MA M.T., ONDREJKA A.R., RIDDLE R.F., CRAWFORD M.L., JOHNK R.T., “Aperture excitation of electrically large Lossy cavity”, *IEEE Transactions on Electromagnetic Compatibility*, vol. 36, no. 3, p. 169-178, August 1994.
- [JAN 99] JANSSON L., BACKSTROM M. “Directivity of equipment and its effect on testing in mode stirred and anechoic chamber”, *Proceedings of the IEEE International Symposium on EMS*, p. 17-22, 1999.
- [LEH 91] LEHMAN T.H., MILLER E.K., “The elementary statistical properties of electromagnetic field in complex cavities”, *Antennas and Propagation, ICAP 91, 17<sup>th</sup> International Conference on IEEE*, p. 938- 941, 1991.
- [LEH 97] LEHMAN T.H., FREYER G.J., CRAWFORD M.L., HATFIELD M.O., “Recent developments relevant to implementation of a hybrid TEM cell/reverberation chamber HIRF test facility”, *Proceedings of the 19<sup>th</sup> Digital Avionics Systems Conference, AIAA/IEEE*, p. 4.2-26 – 4.2-30, 1997.
- [LIE 04] LIENARD M., DEGAUQUE P., “Simulation of dual array multipath channels using mode stirred reverberation chamber”, *Electronics letters*, vol. 40, no. 10, p. 578-580, May 2004.
- [WAR 96] WARIN D., Exploitation de l’environnement électromagnétique généré dans une chambre réverbérante à brassage de modes pour l’évaluation du seuil de dysfonctionnement de circuits intégrés, Thesis, Lille University, 1996.