

Summary & Practice Sheets Grade 8

Thermal Energy
Elements and Chemical Bonds
Chemical Reactions and Equations
Electricity and Magnetism



Temperature: the average kinetic energy of the particles

Heat: the transfer of energy from hot to cold

Thermal Energy: the sum of kinetic and potential energy of the particles

Thermal energy can be transferred by

conduction

energy is transferred by direct contact



convection

energy is transferred by the motion of particles



radiation


energy is transferred by waves





thermal conductor

material that allows heat energy to be transferred



thermal insulator

material that does not allow heat energy to be transferred

Chapter 1 – Thermal Energy


rue/False hether the statement is true or false.
Potential energy is the energy of motion.
Thermal energy is the temperature of the particles in a material.
Temperature is a measure of the average kinetic energy of all the particles in an object.
Heat is the movement of kinetic energy from a warmer object to a cooler object.
The tool that is used for measuring temperature is called a ammeter.
The temperature at which all particle movement stops is 373 K.
ultiple Choice echoice that best completes the statement or answers the question.
Which of the following objects has kinetic energy?
 a. a bicycle parked at the top of a hill b. leaves on the ground beneath a tree c. a football rolling across a field d. a sunny windowsill
Which increases the kinetic energy of the particles in a bowl of soup?
 a. dividing the soup in half b. putting the soup in the refrigerator c. heating the soup for one minute on the stove d. decreasing the distance between the particles that make up the soup
What do convection and conduction have in common?
 a. they can both transfer thermal energy from one material to another. b. they can both occur in solids, liquids, and gases. c. they both produce currents d. they both involve the movement of particles

10. Why is radiation the only way heat is transferred from the Sun to the Earth?



- because particles cannot move in the
- b. because particles cannot move on earth d. because it is the only kind of heat
- c. because it is the only kind of heat transfer that can occur in a vacuum
- transfer that can occur over a large distance

11. Which is the transfer of thermal energy by the motion of heated particles in a gas or liquid from one part of a material to another?



- conduction
- b. radiation

- c. convection
- d. collision
- Which is an increase in the size of a substance when the temperature is increased? 12.
 - a. diffusion

thermal contraction

b. thermal expansion

- d. specific heat
- Which energy conversion typically occurs in a heating appliance?
 - a. chemical energy to thermal energy
- thermal energy to chemical energy
- b. electric energy to thermal energy
- d. thermal energy to mechanical energy
- Which of the following statements about thermal energy transfer is true?
 - When heat is transferred by conduction, particles collide but remain in the same location.
- c. The Sun is the only source of radiation.
- b. Convection takes place most easily in d. Convection does not occur naturally. solids.

Part C- Matching
Match each term with its correct description

	 a. thermal energy b. temperature c. heat d. radiation e conduction f. convection 	g. h. i.	thermostat thermal contraction specific heat
15.	The average kinetic energy of the particles that	mak	te up a material.
16.	The sum of the kinetic energy and the potential	ene	rgy of the particles that make up a material.
17.	The movement of thermal energy from a warme	er ob	eject to a cooler object.
18.	The amount of thermal energy required to incre	ase 1	the temperature of 1kg of a material by 1° C.
19.	A decrease in a material's volume when the tem	per	ature decreases.
20.	The transfer of thermal energy by the movemen	tof	particles from one part of a material to another.
21.	The transfer of thermal energy between materia	ls b	y the collisions of particles.
22.	The transfer of thermal energy from one materia	al to	another by electromagnetic waves.
23.	A device that regulates the temperature of a syst	tem.	
	cort Answer correct answer for each of the following ques 24. Explain how thermal energy and temper		
	25. Identify one material that is a good there insulator.	mal	conductor and one material that is a good thermal
	26. What is a thermostat? List three appliar	ices	that are equipped with thermostats.
	27. How does a refrigerator keep food cold	?	
	28. What are the energy transformations in	a ca	r engine?

Part E- Organizing

Complete the table by writing each phrase or statement under the correct heading. Each phrase or statement is used only once. Some examples have been done for you.

- All matter radiates thermal energy.
- involves the movement of thermal energy in a liquid
- occurs in fluids
- the transfer of thermal energy between materials because of collisions between the particles
- the transfer of thermal energy from one material to another by electromagnetic waves
- When particles with different kinetic energies collide, the particles with higher kinetic energy transfer energy to particles with lower kinetic energy

Radiation	Conduction	Convection
Meaning:	Meaning:	Meaning: The transfer of thermal energy by the movement of particles from one part of a material to another.
A car receives thermal energy from the sun through this.	Continues until the thermal energy of all particles in contact is equal.	

ATOMS: the unit of matter



first shell holds a maximum of 2


electrons

third shell holds a maximum of 8 electrons

second shell holds a maximum of 8 electrons

valence electron


is an outermost electron



COMPOUNDS


covalent

two or more nonmetals share valence electrons




ionic

metal transfers
valence electrons
to a nonmetal



metallic


metals share pooled valence electrons




Representing Compounds



dot diagram



ball and stick model




structural model





space filling model

PRACTICE-COMPOUNDS

Label the following compounds with the correct model.









CHARGING TIME!





Electrons have a negative charge.



Protons have a positive charge.





protons = electrons NEUTRAL

$$5 + (-5) = 0$$





protons > electrons
POSITIVELY CHARGED

$$6 + (-5) = 1$$





protons < electrons
NEGATIVELY CHARGED

$$4 + (-5) = -1$$

PRACTICE-CALCULATING CHARGE

$$1.4 - 10 =$$

$$3.9 + (-10) =$$

$$4.13 + (-10) =$$

$$6.10 + (-10) =$$

7. Magnesium has 12 protons and 12 electrons. What will its charge be when it loses 2 electrons?

Chapter 2 – Elements and Chemical Bonds

		rue/False hether the statement is true or false.									
	1.	Chemical bonds that form between atoms involve electrons.									
	2.	The atomic number of an element equals the number of neutrons in an atom of that element.									
	3.	The exact position of electrons of an atom cannot be determined.									
	4.	A compound is a substance that is composed of two or more different kinds of molecules.									
***************************************	5.	A polar molecule has a slight positive end and a slight negative end because of the unequal sharing of electrons									
<u></u>	6.	An ionic bond forms when a nonmetal a electrons to a metal atom.	atom tra	ansfers one or more valence							
	7.	An atom with seven valence electrons valence stable.	vould n	nost likely lose an electron							
	8.	The shiny appearance of metals is caused by valence electrons on the surface.									
		ultiple Choice choice that best completes the statement or	answert	s the question.							
	9.	Which is a property of covalent compou	ınds?								
		a. poor conductorb. good conductor	c. d.	high melting point always solid at room temperature							
	10.	How many valence electrons should an	atom h	ave to be stable?							
		a. 2 c. 8 d. 7									
	11.	An ionic bond forms when	_ '								
		a. a metal and nonmetal atom share electrons.b. a metal gains an electron and a nonmetal loses an electron.	c. d.	a metal loses an electron and a nonmetal gains an electron. a metal atom combines with a nonmetal atom to become one atom.							

 12.	In the chemical formula H ₂ O, how many atoms of oxygen are represented?				
	a. oneb. fourc. twod. zero				
 13.	Which compound is an example of a polar	mol	ecule?		
	a. H ₂ b. H ₂ O		CO ₂ CH ₄		
 14.	A double covalent bond is formed when		<i>:</i>		
	a. two atoms share one pair of valence electronsb. two atoms share bonds with four other atoms		two atoms share two pairs of valence electrons two atoms share three pairs of valence electrons		
 15.	Which part of an atom participates in chem	ical	bonding?		
	a. protonb. neutronc. electrond. nucleus				
 16.	What does an electron dot diagram show?				
	a. the number of valence electronsb. the strength of electron energy fields	c. d.	the spacing arrangement of electrons the mass of the electrons		
 17.	What makes an atom more stable when it is	s foi	rming an ionic bond?		
	a. losing an electronb. gaining an electron	c. d.	gaining or losing an electron the atom is not stable in an ionic bond		
 18.	Which type of bond joins nonmetal atoms to no	onm	etal atoms?		
	a. ionicb. metallic.	c. d.	covalent synthetic.		
 19.	A metallic bond forms when valence electr atom that has become a	ons	move freely around a metal		
	a. ionicb. metallic	c. d.	covalent catalyst		
 20.	Which type of covalent bond is the strongest?a. triple covalent bondb. double covalent bond	c. d.	single covalent bond they are all equally strong		

Part C- Matching
Match each term with its correct description

	a. b. c. d.	ionic bond chemical bond	e. f. g.	polar molecule ion electron dot diagram
2	1. a	bond between positively and negatively charg	ed a	toms
22	2. a	force that holds atoms together		
23	3. a	chemical bond formed when positively charge	ed at	oms share their electrons
24	4. ar	atom that is no longer electrically neutral		
2:	5. ha	as a slight positive end and a slight negative en	nd b	ecause of unequal sharing of electrons
20	6. th	e part of an atom that participates in chemical	bor	nding
	e corr	t Answer ect answer for each of the following questions escribe how metallic bonds form.	7.	
28	8. C	reate an electron dot diagram for an atom	of c	oxygen, atomic number 8, group 16.
29		rite a chemical formula to represent the corbon atom with single bonds to four indiv	-	•
30). W	That is a characteristic of most nonpolar compa	ound	ds?
31	1. Tl	ne atoms of noble gases do NOT bond easily v	with	other atoms because their valence electrons are

Balancing Chemical Reactions



NOT BALANCED CHEMICAL REACTION

 $N_2 + H_2 \rightarrow NH_3$

Reactants

2 nitrogen (N) atoms 2 hydrogen (H) atoms **Product**

1 nitrogen (N) atom 3 hydrogen (H) atoms


Step 1: Count the number of atoms on each side of the equation. a. If the numbers are not equal, then the equation is not balanced.

Step 2: Add coefficients to the chemical formulas to balance the equation.

Step 3: Continue to add coefficients as needed until the equation is balanced.

Step 4: Write the balanced equation.

BALANCED CHEMICAL REACTION




PRACTICE-BALANCING

Balance the following chemical reactions.

$$Xe + F_2 \longrightarrow XeF_6$$

$$CaO + C \longrightarrow CaC_2 + CO$$

Types of Chemical Reactions



PRACTICE-TYPES OF CHEMICAL REACTIONS

Classify each type of chemical reaction.

$$Xe + F_2 \longrightarrow XeF_6$$

$$CaO + C \longrightarrow CaC_2 + CO$$

Chapter 3 – Understanding Chemical Reactions

	rue/False hether the statement is true or false.									
 1.	Inhibitors are used to speed up chemical reactions in the body.									
 2.	When a chemical equation contains the same number of atoms on both sides, the equation is balanced.									
 3.	Catalysts slow down chemical reactions.									
 4.	Exothermic reactions release energy.									
 5.	A double-displacement reaction has only one reactant									
 6.	Nitrogen is always present in combustion reactions.									
	ultiple Choice choice that best completes the statement or answers the question.									
 7.	How can you know for sure that a chemical reaction has occurred?									
	a. Check the temperature of the starting c. Look for a change in state. and ending substances.									
	 b. Compare the chemical properties of the starting and ending substances. d. Look for bubbling of the starting substances. 									
 8.	The chemical equation below is unbalanced. $Zn + HCl \rightarrow ZnCl_2 + H_2$									
	Which is the correct balanced chemical equation?									
	a. $Zn+ H_2Cl_2 \rightarrow ZnCl_2 + H_2$ b. $Zn+ HCl \rightarrow ZnCl + H$ c. $2Zn+ 2HCl \rightarrow ZnCl_2 + H_2$ d. $Zn+2 HCl \rightarrow 2ZnCl_2 + H_2$									
 9.	Which is an example of a chemical change?									
	 a. a ball of clay is split in two b. a piece of wood is splintered c. a coin rusts d. salt and pepper are mixed 									
 10.	Chopping a piece of wood and burning it demonstrates									
	 a. a chemical change followed by a physical change b. a physical change followed by a chemical change c. an endothermic reaction followed by an exothermic reaction d. chemical energy converted into mechanical energy 									

***************************************	11.	What kind of reaction is shown in the form	ula	$2AgCl + Pb \rightarrow PbCl_2 + 2Ag?$
		a. synthesis reactionb. replacement reaction		decomposition reaction gaseous reaction
***************************************	12.	Sodium and chlorine join together to form a	sod	ium chloride, a new compound. This is an example of
		a. synthesis reactionb. compound reaction		replacement reaction decomposition reaction
	13.	How do the reactants and products compare	e in	a chemical reaction?
		a. The reactants have more mass.b. The products have more mass.c. The products are much simpler substant.d. The reactants and products have different		
	14.	When iron combines with oxygen gas and	forn	ns rust, the total mass of the products?
		a. depends on the reaction conditionsb. is less than the mass of the reactants		is the same as the mass of the reactants is greater than the mass of the reactants
	15.	Potassium nitrate forms potassium oxide, n		
		4KNO ₃ → 2 This reaction is classified as a	K2€ 	$0 + 2N_2 + 3O_2$
		a. combustion reactionb. decomposition reaction		single-replacement reaction synthesis reaction
************	16.	Which of the following must occur before new	bor	ds can form during a chemical reaction?
		a. The atoms in the reactants are destroyed.	c.	The atoms in the reactants are no longer moving.
		b. The bonds between atoms in the reactants are broken.	d.	<u> </u>
	17.	Each substance written to the right of the arrow	/ in	a chemical equation is a
		a. reactantb. product		precipitate catalyst
	18.	hydrogen in the products.		re hydrogen in the reactants and atoms of
		N	2 +	$3H_2 \rightarrow 2NH_3$
		a. 2, 3 b. 6, 6		3, 6 6, 3

	19.	How many atoms of calcium are in a unit of ca	lciu	m phosphate whose formula is Ca ₃ (PO ₄) ₂ ?
		a. one	c.	three
		b. two	d.	four
		atching h term with its correct description		
		a. chemical change	e.	exothermic
		b. chemical equation	f.	product
		c. chemical bond	g.	reactant
		d. endothermic		
***************************************	20.	Forces that hold atoms together.		
	21.	A way to represent a chemical reaction by usin change.	g sy	mbols for the amounts of reactants and products in the
***************************************	22.	A change in matter that produces a new substant	ice v	with different properties from the original.
	23.	A chemical reaction that absorbs heat energy.		
	24.	A chemical reaction that gives off heat energy.		
	25.	The new substance produced in a chemical read	ction	n .
	26.	An original substance at the beginning of a read	etior	ı.
		ort Answer orrect answer for each of the following question	ς.	
	27.	In exothermic reactions, is heat given off or	r rec	quired in order to have the reaction occur?
	28.	For the reaction described by the formula F	I ₂ C($O_3 \rightarrow CO_2 + H_2 O_3$, identify the type of reaction.
	29.	Synthesis, replacement, and decomposition	rea	ctions are types of reactions.
	30.	What is the difference between a chemical char	ige a	and a physical change?
	31.	Explain what is meant by a balanced chemical	equa	ation.

ELECTRIC FORCES



Like charges REPEL










opposite charges ATTRACT






ELECTRIC CIRCUITS










- In a series circuit, the electric devices are connected side by side. This means you can trace the full circuit without lifting your pencil.
- In a parallel circuit, the electric devices are connected in parallel to each other. This means you will not be abke to trace the whole circuit without lifting your pencil.

TRY IT YOURSELF!





PRACTICE-CIRCUITS

1	Drawa	cariac	circuit	with	three	lamne	Lahely	VOLIT.	diagram.
Д.	Diaw a	senes	Circuit	WILLI	unee	iamps.	Lanel '	your	ulayram.

2. Draw a parallel circuit with five lamps. Label your diagram.

WHAT WILL THE MAGNET PULL?

Magnets are objects that attract magnetic materials, like iron.



Magnets create invisible *magnetic* fields. They fill the area around a magnet where the *magnetic forces* work.




MAGNETIC POLES - ATTRACT OR REPEL?

Bar magnets have two poles:

- the north pole
- the south pole


Opposite poles attract and like poles repel.



MAGNETIC VS NONMAGNETIC MATERALS!



Magnetic materials have their atoms grouped in magnetic domains.



Nonmagnetic materials have their atoms not grouped in magnetic domains.

Chapter 4 – Electricity and Magnetism

	rue/False Phether the statement is true or false.		
 1.	Electrons move around the protons of an ato	m.	
 2.	When an atom's charge is balanced, the amount charge.	oun	t of negative charge equals the amount of neutral
 3.	The basic parts of an electric circuit include circuits.	the	source of energy, electric devices, and parallel
 4.	Adding a fan and an electric light to a parall circuit.	el c	ircuit decreases the electriccurrent flowing in the
 5.	A device that has higher resistance transform	ns r	nore electrical energy into other forms of energy
 6.	Increasing the length of a conductor decreas	es e	electric resistance.
v the	Iultiple Choice e choice that best completes the statement or answ What kind of circuit has more than one path		
	a. openb. series		parallel conducting
 8.	What kind of circuit has only one path for co	urre	ent flow?
	a. openb. series		parallel conducting
 9.	What flows in an electric circuit? a. protons b. neutrons		electrons

 10.	Magnetic field lines are closest together in areas where						
	 a. there is no magnetic force b. the magnetic force is the weakest c. the magnetic force is the strongest d. the magnetic force is equal 						
 11.	What is the role of the electromagnet in an electric motor?						
	a. supplies a current to the motor c. supplies current to the permanent magnet						
	b. supplies motion to parts of the motor d. supplies current to the temporary magnet						
 12.	A magnet sticks to a refrigerator door. Therefore, the door must be						
	 a. a magnet b. electrically charged c. made of a magnetic material d. probably not electrically grounded 						
 13.	An electric generator						
	 a. transforms chemical energy into motion b. produces an electric current in a wire coil c. uses two electromagnets to produce motion d. uses conducting magnets to produce a current 						
 14.	Why is the lightbulb not on in this image?						
	a. the battery is used upb. the bulb is burned outc. the circuit is opend. the circuit is closed						
 15.	Why are parallel circuits used in the wiring of houses and other buildings, rather than series circuits?						
	 a. because in a series circuit, all devices must be turned on in order for current to flow c. because in a series circuit, if you turn on one device, all of the devices turn on 						
	 b. because too much wire would be needed for a series circuit for an entire building d. Because power plants generate electricity that can flow in parallel circuits. 						

	16.	Which phrase best describes an electric current?			
		a. b.	a force that repels a force that attracts	c. d.	a flow of uncharged particles An unmoving charge on an object
	17.	Each substance written to the right of the arrow in a chemical equation is a			
			reactant product	c. d.	precipitate catalyst
	18.	A string of light bulbs does not light. How can you determine whether the bulbs are in series or parallel circuit?			
		a.	Observe the material they are made of.	c.	Change the bulbs one at a time to see if they all light.
		b.	Count the number of wires connecting the	d.	Measure the amount of thermal energy produced by the lights.
	19.	Rana pulls a sock from the clothes dryer. It is electrically charged. What must be true of the sock?			
		a.	It has lost all of its electrons.	c.	It would not interact with other charged objects.
		b.	It can never again become electrically neutrally.	d.	It has unequal amounts of positive and negative charges.
Part C- Matching Match each term with its correct description					
		c.	electromagnet magnet electric field voltage	e. f. g.	generator electric circuit electric current
	20.	The invisible region around any charged object where an electric force is applied.			
	21.	The movement of electrically charged particles, such as electrons.			
	22.	A closed, or complete, path in which an electric current flow.			
*******	23.	The amount of energy used to move one coulomb of electrons through a circuit.			
	24.	An object that attracts iron and other materials that have magnetic properties similar to iron.			
	25.	A temporary magnet made with a current carrying- wire coil wrapped around a magnetic core.			
	26.	A machine that transforms mechanical energy to electrical energy.			

Part D- Short Answer

Write the correct answer for each of the following questions.

- 27. List the basic parts of a simple circuit.
- 28. Explain the difference between voltage and electric resistance.
- 29. Explain what causes a magnetic force.
- 30. What is the relationship between magnetic domains and magnetic materials?

31. Explain what happens when two charged objects have opposite charges.