
INDEX

- Acp degradation pathway, 473
Acyl-homoserine lactones, 481
 synthase, 579
Adenosine triphosphate (ATP), 18, 20–25,
 200, 203, 218, 226, 251, 297, 298,
 334, 337, 619, 624
Adenylate cyclase, 251
Aequorea victoria, 418
Aerobic cellular respiration, *see* ATP
Affymetrix array, 80
Affymetrix GeneChip scanner, 119
Agrobacterium tumefaciens, 45
Altritol nucleosides (ANA), 445
Amino acids, 12–15, 32, 35, 55, 205, 212,
 213, 218, 305, 310, 311, 375, 406,
 412, 414, 421, 443, 549
Amino acid residues, 13
 molecular weight, 13
Amino acids polymers, *see* Proteins
Aminoacyl-tRNA, 34
1,5-anhydrohexitol nucleosides, 445
Antisense oligonucleotides, 48–49
Antocyanine biosynthesis cassette, 163
Aptamer half-molecules, 443
Arabidopsis thaliana, 163, 419, 480, 481, 617
ArcA regulon experimental design, 84
 DNA motif prediction, 90–92
 microarray expression ratio, 90–92
 multiple sequence alignment, 93
 phenotype characterization, 85–86
ArcA-P binding motifs, 95
ArcA-P binding sites, 94
Arginine-rich motif (ARM), 443
Artificial cell-cell communication system,
 478
Atomic force microscopy, 571–572
AUG codon, 32
Autocatalytic system, 449
Automatic flight control system (AFCS), 533
Axillary lymph node, 115

Bacillus natto gene, 179
Bacillus subtilis, 156, 195, 360, 404, 618
 dissection, 176
 genome, 176
Bacillus-synechocystis chimera, 169
Bacterial artificial chromosome (BAC), 184
 cloning procedure, 185
 libraries, 184
Bacterial carbon assimilation, 259–261
Bacterial cell-cell communication,
 476–481
Bacterial genome, 178, 182
 genome sequencing analysis, 178
 metabolic network, 377
 mosaic genomes, 178
Bacterial response regulators, 491
Bacterial synthetic communication system,
 479–481
Bacteriophage lambda genome, 182
Bacteriorhodopsin-related-protein-like
 homologue protein, 584
Bakers yeast, 287, 341
Base pairing systems, 446
 alteration, 446
 molecular structure, 446

- Bayesian measure, 120
- Beer's law, 568
- BGM recombinant, 166, 176
- BGM vector, 156, 158, 159, 161, 162, 166, 175, 184, 186
 - sequence fidelity, 185
- Bifurcation analysis, 473
- BioArray software environment (BASE), 79
- Biochemical reactions network, 257
 - stochastic simulation, 258
- Bioengineering integration, 549
- Bioinformatics analysis, 92–106
 - sequence analysis/structural modeling
- BioLogic gates, 514
 - Boolean description/network architecture, 514
- Biological building blocks
 - amino acids, 549
 - nucleic acids, 549
- Biological circuits/cascades, 326–328
- Biological components
 - enzymes, 468
 - metabolites, 468
 - promoters, 468
 - regulators, 468
- Biological/man-made systems, 237
- Biological oscillators
 - process flow diagram for the design and construction, 470
 - synthetic oscillators, 471
- Biological processes
 - replication, 26
 - transcription, 26
 - translation, 26
- Biological systems, 531
 - robustness, 531
- Biological vehicles
 - DNA, 14
 - RNA, 14
- Biological systems, 249
- Biomolecules, 9, 16
- BioSPICE system, 368
- Biosynthetic pathways, 594
- Breast cancer tumors, 115, 116, 122, 135, 137, 143, 149, 150, 151, 152
 - hormone receptor, 116
 - ploidy, 116
 - tumor grade, 116
- Caenorhabditis elegans*, 55, 293, 616, 617
- Cancer robustness theory, 537, 539, 541
 - therapeutic implications, 539
- Cancer systems biology, 117
- Carbohydrate catabolic pathway
 - fermentation, 23
 - glycolysis, pentose–phosphate pathway, 23
- Carbohydrates/organic acids, 310
- Carbon assimilation module, 242, 250
 - transcription factor genes, 242
- Catabolic pathways, 23
- cDNA library, 42, 184
- Cell, 9, 16, 18, 21, 22, 24, 26, 31, 39, 42, 45, 46, 84
- Cell-cell communication network, 482, 580–583
- Cell cycle/checkpoints, 339
- Cell design, 452–455
 - emulsions, 453
 - evolution, 453
 - vesicles, 452
- Cell epigenetic system, 36
- Cell fusion, 537
- Cell membrane, 18
 - cytoplasm, 17
 - nucleus, 17
- Cell signal transduction pathways, 38
- Cell signaling controls, 37–39
- Cell substructure, 18
 - fluid mosaic, 18
- Cellular automata (CA) models, 635
- Cellular enzymes, polymerases, 447
- Cellular networks, 236
 - signal-transduction cascades/metabolic pathways, 236
- Central dogma, 26–35, 56, 117
- Chelating agents, *see* EDTA
- ChIP-chip method, 80, 302, 303
 - binding sites identification, 302
- Chloroplast genomes, 161, 186
- Chromatin immunoprecipitation, 301
- Circadian circuits, 474
- Circadian rhythms, 472
 - network structure, 474
- Cloning host, 156. *See also* Cloning vector
- Cloning methodology, 157
- Cloning vector, 40, 45, 155, 156–162, 164, 166, 167, 175, 181, 184, 186

- Chronic myeloid leukemia (CML), 539
- Coding regions, *see* Exons
- Codon adaptation index (CAI), 414
- Coherent feedforward/feedforwardloop motif, 244
- Coherent signal, 151
- Coiled-coil peptide self-replicators, 442
template-directed ligation, 442
- Communication molecules, identification, 482–483
- Compartmentalization forms, 452
- Compartmentalized self-replication (CSR), 454
- Computational modeling/simulation, 370
- Computer-aided design (CAD), 398
- Condition-dependent laws, 636–638
- Constitutive enzymes, 25
- Constraint-based modeling model, 195–196, 216
metabolic reaction, 200
network reconstruction, 196
organism, 195
- Continuous wavelet transform (CWT), 139, 141
data matrix, 141
domain, 151
image, 140, 141
signal processing, 141
- Control theory/electrical circuit theory, 594
- Controlled vocabulary, 362
metabolism-based orthology, 362
ontology, 362
- Correct classification rate (CCR) score, 151
- Counter selection marker, 164
- CRP/cAMP binding site, 580
- CyanoBacillus* genome anatomy, 168
- Cytoplasmic domain, 37
- Cytoskeleton network
chloroplasts, 20
endoplasmic reticulum, 20
mitochondria, 20
- Darwinian evolution, 452
- Data integration methodology, 322
- Data matrix genes, Eigen value plot, 140
- Data preprocessing, 126
data quality assessment, 124–125
- DE genes, 131, 135
scaled images, 131
- de novo* chemical synthesis technology, 160
- de novo* DNA synthesis/fabrication, 405
- de novo* gene construction, 411, 425
oligonucleotide synthesis, 425, 427, 428
- de novo* gene synthesis methods, 427–432
- de novo* nucleotide sequence, 183
- de novo* synthesized genes, 395
- Deoxyribonucleic acid (DNA), 9, 10, 40, 42, 44, 45, 47, 48, 157, 159, 160, 162, 166, 171, 175, 183, 276, 301, 395, 396, 404, 419, 563
alignment, 172
aptamers, 566
array, 295, 455
assembly protocol, 163
binding domain (DBD), 401
binding protein, 302, 580
biological significances, 10
chemical structure, 11
DNA base pair
adenine, 4
cytosine, 4
guanine, 4
thiamine, 4
denaturation, 10
dendrimer-like DNA (DL-DNA), 563
DNA-based fluorescent nanobarcode, 563, 565
extraction method, 177
fragments, 158, 584
hydrogel, 565
libraries, 184
manipulation system, 171
methylation, 36
microscopic pellets, 50
motifs, 556
single-DNA strand, 159
polymerase, structure, 27, 44
promoters/enhancers, 48
repeats, 177
- Degradation process, 49
- Deletion perturbation paradigm, 3
- Dendrimer-like DNA (DL-DNA), 564
- Dense overlapping regulons, 243
- Diabetes mellitus, 534
- Dideoxy chain termination method, 44
- Diels–Alder reaction, 441
- Differential equation models, 245, 247, 249, 251, 261

- Digital pulse encoding, 533
- Disulfide bonds, 12
- DNA chips/functional genomics, 72–73
- DNA/histone complex/nucleosome, 27
- DNA ladder, 11, 293
 genome directory, 293
 types, 11
- DNA microarrays technology, 3, 69–70, 117, 118, 119, 120, 300, 358
 modeling phenotypic variation, 121
- DNA nanotechnology, 554
 DNA junctions, 555
 DNA motifs/DNA structures, 555
- DNA-protein binding constants, 399
- DNA/protein hybrids, 560–561
- DNA-protein interactions, 302, 303
- DNA replication, 27–28, 303
- DNA sequencing method, 44, 275, 293
 amplification, 296
 dideoxy chain termination method, 44
 genome directory, 293
 synthesis, 403
 template, 447
- DNA topoisomerase, structure, 27
- Domino method, 161, 163, 170
- Down regulated genes, IPA network, 132
- Downstream promoter elements (DPE), 30
- Drug discovery, 39, 70, 332, 339, 340
- Dynamic flux balance analysis (DFBA), 367
- Dynamic metabolic feedback controller, 469
- Dynamical network methods, 606
- EDC-mediated coupling reaction, 449
- Eigenvalue plot, 140
- Electron transport system, 25
- Embryonic stem cells, 47
- Emulsions, definition, 453
- End-product inhibition network, 249
- Energy-coupled catabolites, 171
- Energy-dependent translocation, 49
- Engineering modeling tools, 594
- Entner–Doudoroff (ED) pathway, 376
- Environmental/genetic changes, 371
- Environmental perturbation, 531
- Enzymatic reactions, 236
- Enzymes, 6, 15, 19, 20, 21, 22, 23, 24, 25, 26, 28, 30, 35, 38, 40, 42, 46, 222, 554
 catalyst, 21–23
 coding mitochondrial DNA sequences, 620
 coenzymes, 22
 location, 15
 role in nucleic acid engineering, 554
 substrates, 15
- Epigenetic inheritance systems, 35–37
 cell epigenetics/gene silencing
 mechanisms, 36
- Episomes, 455
- Escherichia coli*, 19, 404, 468, 478, 618
 intercellular communication network, 474
 network, 242
 plasmid vector systems, 158
 topological analysis, 242
- Ethylenediamine tetraacetate (EDTA), 185
- Ethobricks approach, 279–280
- Eukaryotic gene, 43
 cell, 276
 molecular configuration, 492
 regulation, 492
- Evolutionary dynamics, 606
- Expression-based methods, 616
- Feedback inhibition network, 247
- Feedforward loop motifs, 243
- Feedforward multilayer node, 143, 145
 architecture, 145
 network diagram, 143
 perceptron, 145
 usages, 145
- Feedforward multilayer perceptron (FFMLP), 143, 145
 equation, 146
 models, 146. *See also* Universal approximator
- Fluorescence resonance energy transfer (FRET), 457
- Fluorescent reporter gene, 498
- Fluorescent tags, 117
- Flux balance analysis method (FBA), 194, 195, 373, 376
 linear optimization, 203
- Flux-carrying network, 473
- Flux control coefficients (FCCs), 53
- Foreign proteins, 45
- FOS gene family, 151
- Framework-induced dichotomy, 599–601
 Fusarium oxysporum, 619

- Galactose utilization (GAL) system, 3, 298
- Gap-sealing protocol, 164
- Gaussian random vector, 128, 133
- Gel electrophoresis, 568
- Gene assembly, 174
- Gene-circuit networks, 156, 158
- Gene deletion perturbation paradigm, 3
- Gene delivery, 49
- Gene expression, 30, 32, 125, 156, 236, 300, 472, 482, 616
 - manipulation, 54, 372
 - phenotypic variation, 125–126
 - profile, 133
 - stages, of, 236
- Gene-protein reaction relationship, 196
- Gene-protein reaction relationship determination, 201
- Gene regulatory network, 137, 328, 530
 - cell-to-cell signaling, 137
- Gene synthesis, 273
- Gene-trait model, 604
- Gene transcription
 - coding region, 29
 - regulatory region, 29
- General pathway simulator (GEPASI), 368
- General systems theory, 602
- Genes analyzing methods, 425, 426, 427
- Genes assembly, 170
- Genes, proteins-regulatory interactions, 254
- Genes/regulatory elements, genetic organization, 579
- Genetic circuit, 170, 530
- Genetic engineering
- Genetic heterogeneity, 540
- Genetic materials, 584
- Genetic network, 492
- Genetic operons, *lac operon*, 490
- Genetic regulatory interactions, 252
- Genetic regulatory network, 5, 235, 236, 237, 239, 241, 245, 247
 - analysis of, 237
 - design of, 237
 - directed graph model, 239
 - graph models, 241
 - mathematical modeling, 237
 - molecular level, 237
 - timescale interactions, 236
- Genetic system, design, 455
- Genetically modified microorganisms, 43–45
- Genome, 27, 155
 - annotation system, 362
 - design, 156
 - genome superhighway, 617
 - schematic presentation, 181–182
 - sequencing/micro-arrays, 301
 - sizes structure, 27, 156
 - wide codon, 413
 - wide RNAi, 54
- Genome scale metabolic network, reconstruction tool, 356
- Genome-scale *in silico* models, 360
 - metabolic network analysis, 368
- Genome-scale metabolic models, 193, 214
 - constraint-based approach, 193–195
 - constraint-based model, 195–196
 - model performance assessment, 214
- Genome-scale metabolic network, 357, 358, 359
 - reconstruction method, 359
 - reconstruction tools, 358
 - simulation, 357
- Genome-scale stoichiometric matrices, 315
- Genome sequencing/micro-arrays, 301
- Genomic/proteomic data, 197
- Genomic signal processing (GSP) techniques, 120–121
- Genomics 275
 - proteomics/metabolomics, 275
- Genotype to metabolic fluxes, 289
- Green fluorescent protein (GFP), 201, 419, 494
 - antiserum, 420
 - reporter gene, 496, 498, 583
- GlnAp2 promoter, 469, 472
- Global regulatory network, 253
- Glucocorticoid control system, 289
- Glucose metabolism, induction/repression mechanisms, 335
- GpBR sequences, 184
- Gram-negative bacterium, 579
- Graph models, 238–245
 - usage, 241
 - graph analysis
 - degree distribution, 239
 - modules, 241
 - scale-free graphs, 239
- Guanine-cytosine sequences, 443

- Haematococcus pluvialis*, 585
Haemophilus influenzae, 292
 Harvard Medical School, 3
 High-affinity transporter (HXT8), promoters, 297
 High-efficiency transformations, 54
 High-glycolytic flux, 474
 High-throughput data, 321
 integration, 321–325
 High-throughput mass spectrometry protein, 320
 High-throughput methods, 54, 292
 High-throughput technologies, 67, 68, 371
 bioinformatics/functional genomics, 79
 data analysis, 76–77
 data normalization, 76–77
 statistical analysis, 77–78
 experimental design/data interpretation, 77–78
 High optimized tolerance (HOT), 533
 model systems, 534
 Hill coefficients, 399
 Homologous recombination, 4, 159
 Horizontal gene transfer (HGT), 169, 535, 536
 genome, 179
 Huang breast cancer microarray data set, 127
 Minus–Add scatter plot, 127
 Huang data matrix, 121
 Huang microarray experiment, 123, 125
 data set, 142
 experimental design, 123
 histogram plots, 125
 Human cytomegalo virus (CMV) promoter, 48, 497
 Human serum albumin (HSA), 46
 Human symbiotic system, 536
 Hybrid dynamic/static simulation, 367
 Hysteresis, 502–504
- In silico* experiments, 369
In silico genome-scale metabolic models, 356, 372, 376
 simulation, 363, 367
In silico microbial models, 369, 372
In vitro compartmentalization (IVC), DNA methylases evolution, 454
In vitro evolution methods, *see* SELEX
- In vitro* evolution process, 567
 evolution experiments, 454
 schematic concept, 567
In vivo replication experiments, 455–456
In vitro replication experiments, 454
 Inducible/repressible enzymes, 25
 Ingenuity pathway, 144
 Ingenuity pathway analysis (IPA), 137
 gene interaction, 135
 network, 132, 135
 Insulin-like growth factor-2, 36
 Intellectual orthodoxy, 597
 Intercellular-signaling systems, 480
 Intercellular communication system
 signal detection, 479
 signal generation, 479
 Interferon-mediated immune response, 119
 Intragenic *cis*-acting elements, 412
 Introns, 29, 184, 450, 616
- Kepler's laws of planetary motion, 622
 Kinetic modeling, 595
 Kruppel-associated box protein (KRAB), 491
- Lac* operator, 30
Lac operon, 25, 30, 37, 217, 224–226, 259, 260, 262, 290
 activity, 259
Lac repressor, 499
Lac repressor protein, 30
 Lactate dehydrogenase, 475
 Lactose binding sites, 30
 Lagging strands, 27
 Landing pad sequences array (LPA), 162, 166
 array, 166
 sequences, 166
 Leading strands, 27
 Leave-one-out cross-validation (LOOCV)
 evaluation, 148
 Liquid chromatography-mass spectrometry (LC-MS), 54
LuxR mutants, 481
LuxR variants, 481
- MA scatter plot, 128, 130
 Macromolecules, 9, 16, 19, 23, 321, 390, 552, 571
 Mad cow disease, 443
 Malignant tumors, 116

- Mammalian cell, 426
 - expression host, 426
- Mammalian expression, 421, 423
 - codon adaptation, 421–423
 - RNA optimization, 423–424
- Mammalian hysteretic switch, 503
 - genetic design, 503
- Mammalian three-level regulatory cascade, 511
- Mammalian toggle, 500–502
- Man-made operon, 186
- Man-made systems, airplanes
- Marine microbes, 577
- Marine symbiotic bacterium, 579
 - quorum sensing, 579
 - vibrio fisheri*, 579
- Markup languages, 621
- Mass spectrometry, 310
- Mathematical modeling, 499
- Mechanical/electrical control systems, 289
- Membrane-bound enzyme complex/
 - phospho-transferase system(PTS), 251
- Membrane bound organelle, 20
- Metabolator, 471
 - flux-carrying network, 473
 - schematic network diagram, 471
- Metabolic control theory (MCT), 53
 - analysis, 368
- Metabolic engineering, 9, 50, 51, 52, 55, 369, 372, 585
 - gene deletion, amplification/regulation, 376
 - gene identification, 372
- Metabolic fluxes, 473
 - analysis, 363, 364
 - driven dynamics, 473
 - stoichiometric matrices, 363
- Metabolic flux analysis markup language (MFAML), 367
- Metabolic map, 628
- Metabolic network, 356, 364
 - reconstruction databases/tools, 356
- Metabolic pathways, 23, 24, 364, 376
 - ADP, 24
 - AMP, 24
 - NAD, 24
 - types, 23
- Metabolic profiling technology, 54, 309, 312
- Metabolic regeneration, 635
- Metabolism/circadian rhythm, 475–476
- Metabolites, 171
- Metabolome experiment, 310
- Metabolomics, 54
- Metagenes, 120
- Metastasis, 537
- Microarrays transcriptomics, 294–300
- Microarray analysis of intensities and ratios (MANINI), 126
 - analysis, 130
 - derived gene, 136
 - detection algorithm, 126–131
 - detector, 126, 130, 148
 - gene, 143
 - signal detection theory, 131–135
- Microarray data, 116, 119, 151
- Microarray data identifiers, 78
 - gene ontology (GO) database, 78
 - GeneBank, 78
 - Swiss-Prot, 78
- Microarray hybridization, 82–84, 118
 - experimental design/data analysis, 84–85
 - microarray construction, 82
 - cDNA labeling, 82
 - RNA isolation, 82
- Microbial cells, 577
- Microbial marine microbes, 583
- Microstructure/function of cells, 16–21
 - microstructure/function of cells, 16–21
- Minimization of metabolic adjustment (MOMA), 316, 373
- Minus–Add scatter plot, 127
- MIT registry, 400, 401
- Mitochondria, 20
 - genome, 162
- Model formalism/analysis techniques, 238–250
- Modern signal processing, 118
- Morpholino nucleosides, 445
- Mouse genomic DNA, 184–185
- Mouse mtGenome, 162
- mRNA, 2, 10, 12, 28, 29, 31, 32, 34, 48, 49, 74, 85, 217, 218, 236, 245
 - genetic code, 33
 - mRNA cleavage, 32
- Multicellular organism, 37
- Multimeric DNA fragments, 172
- Mycobacterium tuberculosis*, 373

- Mycolic acid, 373
Mycoplasma genitalium, 404, 622
Mycoplasma genitalium, 158
Mycoplasma laboratorium, 3
Mycoplasma pneumoniae, 622
- NADH, 25, 310
 invasion process, 456
- NADP-dependent glyceraldehydes-3-phosphate dehydrogenase (GAPN), 376
- NADPH-consuming pathways, 299
- Nanostructures/nanodevices, 456
- Natural genetic system, 456
- Naturalistic paradigm, 625
- Network bistability, 498
 bacterial toggle, 498–500
 hysteresis, 502–504
 mammalian toggle, 500–502
 oscillator, 504–505
 bacterial/repressilator, 505–507
 mammalian, 507–509
- Neural network models, 144, 147, 533
- Newton's equations, Galilean symmetry group, 598
- NOMAD technology, 400
- Noncoding regions, *see* Introns
- Nonequilibrium fluxes display oscillation, 472–474
- Noninvasive methods, 53
- Nonprotein-coding RNAs, 620
 characterization, 620
 gene-identification screens, 620
 role/size, 620
- Nonviral gene delivery, 50
- Nuclear magnetic resonance (NMR), 53, 310
- Nuclear pores, 19
- Nucleic acid engineering, 554
 alkaline phosphatases, 554
 enzymes, 554
 kinases, 554
 ligases, 554
 nucleases, 554
- Nucleic acids, 9–12, 48, 443–447, 448, 549
 deoxyribonucleic acid, (DNA), 9, 550
 glycol nucleic acid (GNA), 550
 introduction, 549
 locked nucleic acid (LNA), 550
 peptide nucleic acid (PNA), 550
 polymorphism, 444
 ribonucleic acid, (RNA), 9, 550
 structural modification, 444
 template-directed synthesis, 448–450
 threose nucleic acid (TNA), 550
- Nucleoside-based systems, 441
 aryl-stacking interactions, 441
 molecular presentation, 441
- Nucleotide precursors, nucleotide triphosphates (NTPs), 452
- Nucleotide sequence, 10, 276
 sequencing method, 293
- OGAB-mediated gene, 173
- OGAB method, 173, 175
- Okazaki fragment, 27, 28
- Oligonucleic acids, 567
 characterizations, 567–573
- Oligonucleotide synthesis, 428
 cycle description, 428
- Oligonucleotides overlapping assembly, 429
 ligase-based methods, 429
 PCR primer extension, 429
- One-step assembly method, principle, 172
- Online data resources, 198–199
- Open reading frame, 29
- Operon design, plipastatin bioprocess, 175
- Operon regulatory model, 31
- Ordinary differential equations, 245
- Organelle genomes, 176
- Organelle genomes/nucleus genome, architecture, 176
- Oscillatory network, 506, 508
 genetic architecture, 506
 genetic design, 508
- Oval-shaped organelles, *see* Mitochondria
- Pattern recognition (PR) model, 120
- PBR halves, 160
- PBR322 plasmid, 160
- PCR amplifications, 454
- PCR-amplified genes, 296
- PCR-based assembly methods, 429
- PCR-based cloning methods, 412
- PCR-based gene synthesis techniques, 430
- PCR-mediated amplification method, 158
- PCR products, 302
- Peptide nucleic acid, 444, 550

- Peptide replicator, 442
 32-residue α -helical coiled-coil peptide, 441
- Peptide self-replication, 441–441
 32-residue α -helical coiled-coil peptide, 441
- Peptide sequences, 472
- Phaeodactylum tricornutum*, 585
- Phenomenological model, 624
- Phylogenetic tree, 413
- Physics-like objectives, osmotic pressure, 596
- Plant-derived proteins, 45
- Plant expression, 419
 gene designing, 419–421
- Plasma membrane, 49
- Plipastatin bioprocess
 design operon, 175
 schematic presentation, 175
- PNA, role, 445
- PNA *see* Peptide nucleic acid
- Polymerase chain reaction (PCR), 42, 43, 412
- Polysaccharides, 15, 16
 D glucose/dextrose, 15
 glycosidic linkages, 15
 hexose derivatives, 15
 polysaccharides, 17
 proteins, 16
- Population frequency shifts, 594
- PpsABCDE operon, 174
- PR genes, 584
- Probe Design and DNA/cDNA synthesis, 73
- Prokaryotic gene expression *in vitro*, 416
 gene designing, 416
- Prokaryotic gene expression *in vivo*, 414–416
 expression analysis, 415
 gene designing, 414
- Prokaryotic/mammalian codon, 419
- Proteins, 2, 5, 9, 12–16, 18–20, 23, 26, 28, 29, 38, 40, 43, 46, 55, 70, 88, 288
 cellular activities, 12–15
 folding, 13
 kinases, 38
 microarrays, 70–72
 peptide bond linkage, 12
 posttranslational modification, 35
 structure, 12, 13
 domain, 13
 levels, 13
 motifs, 13
 synthesis, 34–35, 44
- Protein-protein binding constants, 399
- Protein-protein interactions (PPI), 301, 319–321
- Protein purification techniques, 14
 chromatography/electrophoresis, 14
- Protein-signaling cascades, 483
- Proteomics, 303
 gel electrophoresis/LC-MS, 304–306
 hybrid system, 306
 metabolomics, 309–313
 protein arrays, 307–309
- Prototype mathematical model, 468
- Pulse-generating network, 517
 genetic architecture, 518
- Quorum-sensing signals, 481
- Random/scale-free undirected graphs, 240
- Rate-limiting reaction, 53
- Rational normative ethics, 276–278
- Rationals of gene design, 413
 adaptation strategies, 413
- Recombinant DNA technology, 40, 45, 392
- Recombinant genomes, 158, 160, 175
 domino method, 160, 185
 genome vector, 158–159
 prototype, 160–161
 purification, 175–178
- Recombinant viruses, 50
- Redox metabolism, 299
- Regulatory network model, 3
- Relaxed error threshold, 452
- Replication parasites, 454
- Replicators, 439–440
- Repressilator, 471
- Restriction enzymes, 40, 160, 184, 388, 400, 411, 412, 457, 554, 563
 BamHI, 160
 EcoRI, 160
- Retinal-binding membrane pigments, 584
- Reversible enzyme, 473
- Ribonucleic acid (RNA), 12, 33, 10, 450, 550
 aptamer domains, 401, 443
 chemical compositions, 10
 induced silencing complex (RISC), 30
 interference, 32, 48, 49

- Ribonucleic acid (RNA) (*Continued*)
 molecular presentation, 449
 nonenzymatic template-directed synthesis, 449
 polymerase molecules, 400
 polynucleotides synthesis, 448
 protein synthesis modeling, 216
 receptors, 450
 replicase, 451–452
 RNA molecules, 155, 401
 self-replication, 450–451
 types and functions, 12
- Ribosomal RNA sequencing, 624
- Ribosome-binding site (RBS), 396, 499
- RNA/protein synthesis, 218
 constraint-based modeling, 218
- RNAi-resistant mRNA transcripts, 276
- RNA intermediate, 28, 29, 117, 257, 551. *See also* messenger RNA
- RNA, *see* Ribonucleic acid
- Robustness system, 532, 536
 cancer, 536
 genetic heterogeneity, 536
 intrinsic features, 533
 self-extending symbiosis, 535–536
- Robustness theory, 531
 mechanisms, 532–533
 decoupling/buffering, 532
 modularity, 532
 redundancy/diversity, 532
- S-adenosylhomocysteine (SAH), 482
- Saccharomyces cerevisiae*, 4, 15, 213, 287, 372
 genes, 310, 413
 genome, 293, 413
- Sample response function (SRF), 122
- Schizosaccharomyces pombe*, 417
- Scientific-industrial revolution, 597–599
- Scientific paradigm, 598, 599
- Selection marker, 165
- Self-directed anticipative organization, 634
- Self-extending symbiosis, 535, 538
- Self-replication, 439. *See also* Fidelity/Heredit
- Self-replication/fidelity/heredity, 439
- Self-replicating circuits, 455
- Self-replicating entity, 452
- Self-replicating peptide, 442, 443
 prions, 443
- Self-replication system, 440
 bicyclic transition state, 440
- Semisynthetic networks, 519
- Sensory networks, 516
 band-detection network, 516–517
 pulse-generating network, 517–519
 signal amplification, 516
- Sequence alignment tools
 BLAST, 197
 FASTA, 197
- Sequence-based comparison, 359
- Sequence homology, annotated genes, 362
- Sequence specific endonucleases, 176
- Sequence-specific interaction, 48
- Serial analysis of gene expression (SAGE), 300
 libraries, 300
 technique, 300
- Shewanella oneidensis*, 81, 585
 expression differences, 96–106
 transcriptome profiling, 81–82
 whole genome cDNA microarray, 83
- Shewanella putrefaciens*, 585
 SCRC-2738, 585
- Shotgun genome sequencing
 DNA sequences, 70
- Sigmoidal Hill function, 245
- Signal amplification, 516
- Signal processing components, 126
- Signal processing SVD/pathway, 142
- Signal transduction pathways, 39, 217, 237
 receptor tyrosine kinases, 39
 Wnt receptors, 39
- Signaling molecules, 236
- Signaling networks, 217, 356
 modeling, 217–221
- Single-input motif, 243
- Single-stranded polynucleotides, 449, 450, 550. *See also* RNA
- Singular value decomposition (SVD), 141–142
 compression, 151
- Stability-symmetry paradigm, 601
- Standardization/Modularity/Orthogonality, 400
- Stochastic master equation models, 255–259
 model formalism/analysis techniques, 255

- Stoichiometric constraints, 202
- Stoichiometric matrix, 201
 definition, 201
 schematic presentation, 202
- Stoichiometric models, 316
- Strain improvement microorganisms, 55
- Streptomyces coelicolor*, metabolic model, 363
- Succinic acid, metabolic pathways, 375
- Surface-promoted replication and exponential amplification of DNA analogues (SPREAD), 450
- Synechococcus elongatus*, 474
- Synechocystis* DNA library, 168
- Synechocystis* genes, 168
- Synechocystis* genome, 165, 170
- Synechocystis* PCC6803 Genome, 167
 anatomy, 168
 megaloning, 167
 schematic presentation, 167
- Synechocystis* ribosomal RNA, 168, 169
- Synthetic approach, 467
 regulatory and metabolic circuits, 467
- Synthetic bioethics, 278–279
 emotions/ethical aspects, 278
- Synthetic biological circuit, 468, 470
- Synthetic biology, 2, 4, 273, 275, 329, 387, 388, 389, 390, 391, 397, 398, 404, 405, 549, 577, 578
 dimension reduction, 621
 engineering endeavors features, 393
 component/device abstraction, 393–394
 decoupling fabrication, 393
 formation of, 597
 genetic circuits, 578
 osmotic pressure, 596
 potential areas, 397
 safety/security aspects, 405–406
 systems design/fabrication, 398
- Synthetic cell-cell communication circuits, 477–478
- Synthetic gene networks, 328, 468, 489, 491, 493
 genetic transcriptional components, 493
 network building blocks, 490–491
 network characterization, 491–494
 binary expression, 494–498
 bistability, 498
 expression stability, 494–496
- Synthetic regulatory network, 578
- Systematic evolution of ligands by exponential enrichment (SELEX), 450
- Systems biology, 2, 4, 327, 529, 593, 594, 619, 621, 623
 dimension reduction, 619
 evolution of organelles, 623–624
 integrative physiology, 288–290
 osmotic pressure, 596
- System dynamics, 288, 290, 313, 329, 625
- System-level phases, 530
- Systems/synthetic biology issues, 625–633
 autonomy, 630
 geneticism, 627
 intelligence/intentionality, 633
 self-organization, 625
- Systems biology, prototype, 287
- Systems biology markup language (SBML), 210
- Systems biology workbench (SBW), 368
- Systems biotechnology, 355
- Systems paradigm/philosophy, 607–611
- Tandemly repeated unit-length DNA (truDNA), 171
- TATA-box, 29, 412
 promoter regions, 31
- TBP-associated factors, 31
- TEM imaging mechanism, 570
- Template-directed synthesis, 448, 449
 nonenzymatic template-directed ligation, 448
 phosphoramidate linkages, 450
- Template-driven replicators, 439
- Termination codons (UAA, UGA, UAG), 32
- TetR-DNA-binding domain, 495
- Tetracycline-responsive repressor protein (TetR), 494
- Tetracycline-responsive transactivator (TetR-VP16), 496, 497
- Therapeutic agents, 45
- Terminator polymerase, 451
- Thermodynamic asymmetry, 631
- Thermodynamic equilibrium, 598
- Thermodynamics law/conservation, 21
- α -L-threose nucleic acids (TNA) strands, 451

- Transcription, 28–31
 - factors, 238, 242, 243, 251
 - transcription phase, 28
 - elongation, 29
 - initiation, 29
 - termination, 29
- Transcription activator/repressor protein,
 - binding activity, 30
- Transcriptional cascades, 509, 512
 - genetic architecture, 512
- Transcriptional regulatory network, 250
 - modeling, 221–226
- Transgenic animal
- Transgenic microorganisms, 43
- Transgenic plant, 46
- Translation, 26, 31–35
- Transmissible spongiform encephalopathies (TSEs), 443
- Transmission electron microscopy, 569–571
- Tricarboxylic acid cycle (TCA), 468
- tRNA-encoding genes, 417
- Tumor-associated macrophage (TAM), 537, 540
- Tumor cells, 537
- Tumor mass reduction therapy, 541
 - chromosomal instability, 541
 - drug efficacy, 541
- Two-tile system DNA nanogrids, 560
- Universal approximator, 146
- Upstream activator sequence (UAS), 30
- UV spectroscopy, 567
- Vectors/plasmids, 40, 42, 48–50, 55, 69, 122, 156, 162, 167, 176, 181, 184, 187
- Violet-colored pigment, 163
- Viral/nonviral vectors, 49
- Water-in-oil (W/O) emulsions, 453
- Watson Crick model, 10, 443
- Wavelet signal processing, 137, 151
- Weak acids/promoter interaction, 479
- Whole-genome sequences, 619
 - expression profiles, 115, 122
 - experimental design, 122
 - expression profiling studies, 129
- Wild-type GFP gene, 420
- World Health Organization, 115
- WSVD/IPA signal processing, 142
- WSVD signal processing, 141
- Yeast artificial chromosome (YAC) vector, 40
- Yeast cell expression, 416
 - gene designing, 416–419
- Yeast systems biology network, 331
 - mitochondrial disorders, 333
 - nutrient sensing/metabolic response, 333