Index

ABET, 454, 464, 468 Analysis of variance, xiv, 406, 412-413, 422 Absorption, ix, 142–147, 164–165, 239 Acceptable risk, 327 Annualized capital cost, 217–220 Accident exposures, 318 Anti-technology movement, Acid rain, xiii, 310, 352, 365, ethics, 459, 472-475 370-371, 377 Antoine equation coefficients, 491–492 Actual number of theoretical Applied mathematics, vii, stages, 521 xv, 13, 39-41, 51-53, Actual stage, mass transfer 57, 483, 485, 487 operation, 143 Applied thermodynamics, 80 Adiabatic flame temperature, 68-69 Arrhenius equation, 174, 531 Adsorbent, 76, 90–92, 149, 151, 519 Art of questioning, 9 Adsorber design procedure, Artificial heart model, ethics, 473 Asteroids, term project, 570–573 xvi, 517, 519 Adsorption design, ix, 151 Atmospheric lapse rate in Adsorption equilibria, 51, 92, 149, 412 heat transfer, 135 Adsorption factor, 144 Atomic balance of equations, 65-66 Adsorption isotherm, 90–92, 149 Atomic particles, 16-17 Adsorption-desorption cycles, 152 Automatic control of reactor Advanced wastewater treatment, 378 operation, 198-199, 211 Air sterilizer, xiii, 391, 393 Axial diffusion, 267 Alkaline chlorination, 379 Baffles, heat exchanger Amendments to EPA legislation, design, 127-128 303-304, 338, 367-369, Balancing equations, stoichiometry, 64 374, 544-546 Batch plants, 244 American national standards institute Batch reactors, x, 170, 174, (ANSI), 271, 287, 299 180, 184, 193 American society for testing and Batch sterilization, xiii, 391–392, 400 materials (ASTM), 323, 336 Benzene leaks, term project, 550 Ammonium nitrate fertilizer, 374 Bernoulli equation, 103 Binomial theorem, 420 Amortization, 226

Biochemical engineering, Chemical engineering curriculum, xiii, 14, 383-403 1-2, 10, 160Biological oxygen demand (BOD), 400 Chemical kinetics, x, Biot number, heat tranfer, 133 170-171, 173, 184 Black body, energy radiator, 126 Chemical law of combining weights, 64 Block diagrams, process Chemical oxygen demand control, 200, 210 (COD), 372, 400 Body centered cubic (BCC), 20, 26-27 Chemical plant shipping Boltzmann constant, 35, 126 facilities, xvi, 533-534 Bottoms, distillation column, Chemical plant storage requirements, 153, 156, 493 xvi, 533, 536 Chemical reaction equilibrium, Boundary conditions, transport phenomena, 257, 389 viii, 81, 88-89, 97 Bovine liver catalase, open ended, 397 Chemical reactors, x, xvi, 13, 169–195, Bragg's law of diffraction, 31-33, 35 211, 249, 483, 529, 531 Bravais lattice, 20-22 Chen's correlation for tower Breakpoint, adsorbers, 149-150 daimeter, 161, 504 Breakthrough capacity, 150 Clapeyron equation coefficients, Breakthrough curve, 149 491-492 Bridge rail accident, hazard risk, Clean air act, 296, 437, 555 xvii, 553-554, 557 Clean water act, xiii, 338, 369, 377 Closed-loop system, process Building dams, water conservation, 372 control, 199-200, 210 Coal-fired power plant, 70, 357 Bulk motion, 254 Bus section failures in electrostatic Colburn's equation for packing precipitators, xvii, height, 144 569-570, 573 Column quick-sizing, 521 Business related laws, etc., 220, 455 Combustion systems, 239 Commensalism, 395 Calculating combustion temperatures, 496 Commercial real estate, 348, 353 Capital cost, plant design, 217–219, Composting, 312, 548 Comprehensive environmental 228, 487, 530, 538 Carbon nanotubes, 428, 430, 437 response, 296, 302-303, 338 Cascade control, x, 199, 205-206 Concentration of a chemical in Cascade control, single input single a mid-sized room, term project, 505, 523, 529-530 output (SISO), 205 Cash pools, football pools, labor Condensation, ix, 120, 122, pools, etc., 423, 478 126–127, 136, 159, 308 Catalysis, 181 Conduction, ix, 120-121, 123, 125, 128 Catalytic reactors, x, 109, Conduits, viii, 103, 106-107, 116, 170, 181, 183, 194 135, 265, 506-507 Category 5 hurricane, 571 Conforming to moral standards, 464 Central atom in metallic Conservation law, viii, 60-62, 64, 80, crystal, 18-19, 31 101, 175, 184-186, 255-259

Conservation practices, xii, 345–347	Cyanide in water management,
Contaminant candidate list, 369	379, 467, 492
Continuous random variable,	Decision regarding employment, 477
408-410, 417-419	Defects in crystals, 30–31
Continuous stirred tank reactors	Defense industry initiative in
(CSTR), x, 170, 176–178,	engineering ethics, 468
183–185, 193–194, 199–201,	Delphi panel method, 281
205, 440, 530–531	Department of health and
Continuous-flow reactor, 70	human services, 545
Continuous-operation plants, 244	Dependent/independent variables,
Contract law, xiv, 447–448, 459	28, 45–49, 179, 238, 411, 486
Contributory infringement, 451	Depriester chart, 87
Control elements, process	Design and build, 296, 350,
control, 198, 207–208	352, 562–565
Control system, 199, 205,	Design approach, xi, 235, 240
212, 240, 307, 320	Design of experiments, 414, 422
Convection, ix, 120, 122–123, 125,	Design report in project management,
127, 135, 254, 259, 266	xi, 235, 241–242
Conversion, 88, 177, 188, 219, 227,	Desorption, 152
246, 250, 344, 346, 358	Deterministic systems, 46
Cooling towers, xvi, 129, 214, 243,	Development of equations,
249, 517, 525–526, 538	xi, 254–255, 262
Coordination number, 18–19, 26	Diffusion effects, 254, 263
Copyright act of 1976, 452	Dimensionless ratios, 261
Corrosion resistance, 27	Direct installation cost, 217
Cost control, project management, 285	Directional crystal phenomena, 23-24
Cost of shipping materials, 534	Discrete probability distributions, 410
Creativity and brainstorming, 3, 7	Discrete random variable,
Criminal prosecution, open-ended	408–409, 416–418
problem, 456-457	Dispersion model, 322
Critical insulation thickness,	Dispose of waste out of state, 477–479
131–133, 354	Dissociation constant, 385, 388
Critical thinking, 2–3, 6–7, 12	Distillate, 153–154, 156
Criticism of current EPA regulatory	Distillation, ix, xvi, 101, 109,
approach, 452, 545	142–143, 152–154, 156–158,
Cryogenics, ix, 120, 126–127, 139	164–165, 211, 229–230,
Crystal lattice, 17, 23, 379	245–246, 270, 308, 347,
Crystal properties, 24	421, 517, 520, 522–523
Crystallography of perfect	Distribution function, 55,
crystals, vii, 16–17	408–409, 416
Crystallography of real crystals, vii, 25	Double-pipe heat exchanger,
Cubic salts, 22	123, 127, 129
Cunningham correction factor,	Drag coefficients, 314
109, 117, 400, 441	Drinking water standards, 367–368

Driving force, 62–63, 121, 125, 127, Environmental risk assessment, 136, 144, 158, 353, 514 xii, 319, 322, 337 Drying, ix, 109, 142, 159, Environmentalism, 296 164–166, 211 Enzyme-substrate complex, 387–388 Enzymes, xiii, 384-389, 396-400 Due diligence process, 221 Effective argument, 7 Equilibrium constant, K, 87, 96 Effective diffusivity, 389 Equilibrium curve, 144, 154, Effective inquiry, 9 156-157, 518 Effectiveness factors, 384, 488 Equilibrium stage, 142–143, 154 Equipment description, 540 Electrostatic precipitator, 214, 228, 407 Elliptical equation, 45 Equipment spacing, 539–540 Emergency planning - meteorites, Ergun equation for pressure drop, 184 open-ended problems, xvii, 322 Ethicists, 466 Eutrophication, 377 Emission source, 67 Emissivity, 126 Evaporation, 90, 142, 159, 249, Energy balances, 75, 90, 101, 248 298, 307, 507, 523 Energy demand, 344 Event-tree diagram, 333 Energy independence, 351 Executive summary, 242-243, 279 Energy management, xii, 13, 343, Expert witness, 465 345, 347, 349-359, 361 Exposure assessment, 325–326 Extensive property, 23 Energy management program, Face-centered cubic (FCC), matrix approach, 355 Energy quantity, xii, 80, 345–346 20-22, 26-27 Energy resource options, 346 Factored method to determine Energy resources, xii, 345-346, capital cost, 216 352, 361, 487-488 Failure to report in employee ethics, 457 Energy strategy, 351 Engineering ethics, xv, 464, Falsifying, omitting info, lying, 467, 470, 480 deceiving (FOLD), 464 Enriching, 153-154 Fanning friction factor, 105–106, Enthalpy change, 68, 82, 497 116, 180, 500-501 Enthalpy effects, viii, 81, 83 Fault tree analysis, 421 Enthalpy of reaction, 75, 83–84, Feed-plate location, distillation 89, 95-96, 185-187, 531 column, 157 Feedforward and feedback control, Entropy, xv, 75, 85–86, 94–96, 138, 356, 495-497, 513-514 x, 199–201, 204–205, 210–211 Environmental effects of acid rain, 371 Fenske-underwood-giilliland Environmental implication of method, 158, 520 nanotechnology, 433 Fermentation process, 394, 397 Environmental justice, xv, Fick's law, 254, 260 464, 468-469, 481 Film coefficient, 125, 137-138, 510 Environmental legislation, Filtration, ix, 109–110, 117, 295, 544-545 379, 393, 547 Environmental policy of the EPA, 468 Fins on a heat exchanger, 127-129, 136 First law of thermodynamics, Hazard risk assessment, xii, xvii, 63, 80, 84 13, 137, 139, 251, 291, Fixed-bed adsorbers, 109, 149 317-319, 321, 323, 325-329, Fixed-bed reactors, x, 109, 331-341, 382, 425, 444, 483 183-184, 191, 195 Hazardous and solid waste act, 299 Flashing and boiling liquids, 507 Hazardous waste incineration, Flocculation, 379 77, 215, 230-231, 235, Flooding velocity in a packed 239, 250-251, 361, 488 column, 145, 503 Health risk assessment, xii, 319, Fluidization, ix, 109-110 323-324, 334-335 Fluidized bed reactor, x, 110, 183, 401 Heat exchanger design, approach Fossil fuels, 345, 370 temperature, 514 Fourier's law, conduction, Heat flow, 120-122, 125 121, 254, 260, 265 Heat transfer equation, 123, Free energy of reaction, 75, 89, 97 127, 131, 135, 452 Free surface energy, 490 HEEL, residual adsorbate, 150 Freundlich model, vapor-solid Height of transfer unit (HOG), equilibrium phenomena, 92 144-145, 518-519 Fugitive emissions, 307-308 Henry's law, 86–87, 144, 164, 338 Fullerenes, 430 Heterogeneous reactor, 182 Fumes, solvents and exhaust, 307, 340 Heterotrophic plate count, Future prospects of nanotechnology, microbial growth, 373 xiv, 429, 434 Hexagonal close packed (HCC), 21 Gantt chart, 275-276 Hexavalent chromium, 378 Gauss methods, linear algebraic Humidification, ix, 142, 159 equations, 3, 42 Hurricane irene, term project, 570 Generalized correlation for flooding Hydrologic cycle, xiii, 365-366, 377 and pressure drop, 146 Hyperbolic equation, 45 Generalized pressure-drop correlation, Identifying pollutants, 306 161, 503-504, 508 Implement a management Geometry of ionic unit cells, vii, 21 system, environmental, Geometry of metallic unit 338, 355, 555-556 cells, vii, 20 Implement an environmental Gilliland correlation, 521 regulation, 544 Global warming, 135, 311, Implementation phase in project 339, 350, 352 managmt, 277-278 Improved MSDS sheet, xvi, 543, 551 Gold, nanomaterial/open-ended problem, 36, 117, 431 Incineration, 77, 215, 228–231, Gradients, 254, 259 235, 239, 250-251, 361, Gray bodies, 126 471, 478, 488, 548 Green chemistry, xii, 294, Incompressible fluid, 266 300-301, 315 Indices, 24–25, 32, 216 Green engineering, xii, 294, 300, 316 Indoor air quality, 310-311

Inside battery limit plants, 538

Hairpin design, heat exchanger, 128

Lewis number, mass transfer Intensive property, 23 Interconnected heat exchangers, 512 equations, 262 Interference process, 451 Licensed professional engineer, 454 Internal energy, 63, 75, 101 Limited monopolies, patents, 449 Internal reflux ratio, 155 Linear algebraic equations, International management vii, 41–42, 52, 55 standards, 271 Linear system, 42 International organization Liquid absorption process, 146 for standardization Liquid extraction, ix, xvi, 142, 158, (ISO), 271, 298 166–167, 517, 523–525 Interphase diffusion, 146 Local emergency planning Interstitial defect, 31 committee, 339, 375 Interstitial impurities, vii, 25-26, 181 Log-mean average heat transfer Interview for a new environmental area, 122, 124 management position, 477 Log-mean temperature difference (LMTD), 136, 514 Inventory tie-up costs, 536 Ionic crystal, cubic salt, cesium Managing project activities, xi, 271 chloride, 22 Mass loading in wastewater Ionic unit cells, vii, 21 treatment process, 371 Mass transfer operations, 152, 158, 165 ISO 14000, xii, 294, 298–299, 311-312, 315, 470-471, 476 Mass transfer zone, 149-150 Isothermal packed tower systems, 144 Mass, energy and momentum, Isotope, 35 viii, 61-62, 238 Kinetic energy, 31, 63, 490 Material balance calculation, 237 Kirkbride equation, 522 Material balance, macroscopic, 16, 28, L'Hopitals rule, critical insulation 61, 120, 173, 255, 262, 265, 430 thickness, 132 Material science and Laminar flow, viii, 102, engineering, 13, 34 Mathematical optimization, 104-105, 263-264 Landfarming, 549 approximate measure, 48 Landfills, 379, 478 Matrix formulation, energy Langmuir equation, 92 managemnt, 351 Laplace transform equations, 48-49, Maximum contaminant levels, 368 202, 207, 209, 212, 262 Maximum thrust, fuselage, open-Latent heat, 122, 490-491, 525 ended problem, 111 Maxwell-boltzmann distribution, 31 Lattice strain, 31 McCabe-Thiele diagram, Law of conservation of energy, 62-63, 84, 513 distillation, 156 Law of conservation of mass, 62 McCabe-Thiele method, distillation Leaching, ix, 142, 158-159, 165, 523 column design, 152 Least squares fit, regression Mechanical energy equation, viii, 103 Membrane processes, ix, 142, 159–160 analysis, 50, 411–412, 424 Legal considerations, xiv, 14, 445-449, Metallic unit cells, vii, 20 451, 453, 455, 457, 459, 461 Methyl-tert-butyl ether (MTBE), 359

Michaelis-Menten equtn, microbial National pollutant discharge kinetics, 385, 387–389, 397, 400 elimination system Microbial regrowth, 373 (NPDES), 369, 378, 388 Micrometeorites, open-ended Natural water bodies, 379 problem, 572 Natural water stabilizing Microscopic approach, 61, 255–256, organic matter, 379 262, 265-266, 430 Natural waters, 367, 377 Miller indices, 25, 32 Neutralism, open-ended problems, 395 Newton raphson method, 43 Minimum number of theoretical Newton's method of tangents, 44 stages, 520-521 Mixed cell cultures, 395 Newton's second law, 254 Mixed oxides, 431 Non-isothermal reactors, 185 Model describing the concentration Nonlinear algebraic equation, 43, 54 Nonpoint source water pollution, 378 of a nanochemical, 438 Modified Lang method, 217 Not-in-my-backyard (NIMBY), 472 Molecular balance, 65 NRTL method, 96 Molecular diffusion, 254, 259-261, 393 NRTL model, 88 Molecular level, 61, 254-256 Nuclear chemistry, 35 Monod growth kinetics, 400–401 Nuclear power, 327, 356, 358 Monte Carlo method, xvii, 55, 424 Nuclear waste, xvii, 310, 554 Multicomponent distillation Number of transfer units, 144calculations, xvi, 520 145, 147, 518–519 Multicomponent separation, 158 Numerical method, 40, 45 Multiphase mixture, 25 Numerical methods, 40–41, Municipal wastewater treatment, 52-53, 56, 258, 262 377, 380, 548 Ohm's law, 28 Mutualism, 395 Open-loop system, 199 Nanoimprinting, 435 Operating costs, x, 214–219, Nanomachines, 428, 434 227-231, 238, 272 Nanomaterials, xiv, 428-430, Operational conditions, 242 Order of diffraction, 32 432, 437, 441, 444 Nanoparticles, 289, 428–429, Order of magnitude estimate, 235 432-433, 442-443 OSHA regulations, 321 Nanoregulations, 433-434 Outside film coefficient, Nanotechnology environmental evaluating, 510 regulations, 436 Overall heat transfer coefficient, Nanotechnology in actual 123-125, 127, 137, 185 commercial use, 432 Overall material balance, 154–155 Nanotechnology-related Overall plate fractional efficiency, 157 Packed column, 143-145, development, 434 National environmental policy 161, 503-504 act (NEPA), 295, 303 Packed tower absorption, 147 National institute of safety and health Packing diameter versus hog, 518 admin (NIOSH), 336 Packing factors, vii, 23

Packing height, ix, 144–145 Pressure drop variation with Parabolic equation, 45 velocity, 500 Partial condenser, 154, 156 Primary control loop, 206 Primary sludge solids, 547 Partial derivative, 486 Partial differential equation, Prime movers, viii, 101, 107 viii, 44, 263, 486 Probability and statistics, xiii, 14, 55, Partial reboiler, 154, 156, 520 57, 74, 196, 291, 403–411, Pasquel-Gifford atmospheric 425, 494, 507-508 dispersion coefficients, 313 Probability distribution, 55, 408-410, 416, 421 Patent rights, 450 Periodic table, 30, 35, 441 Problem definition, 7 Permutations, 413-414 Process control and instrumentation Personal liability suit, 455 (PCI), x, 197, 199, 201, Perturbation studies, x, 216, 219 203, 205–207, 209, 211 Phase equilibrium, viii, 81, 86–87, 96 Process environmental PID controller, 205 management, 293 Pilot plants, 102, 242, 248 Process feasibility, 241 Piping and instrumentation, 237 Process flow diagram, 214, 236–237 Plagiarism, 474 Process schematic, 236 Plant design, xi, xvi, 13, 214-215, Process unit, 198-199, 238, 244 Producing nanoscaled 233–251, 461, 483, 511, 533–537, 539, 541 particles, 431, 442 Plant tank farms, xvi, 533, 535 Progress reports, 279 Plasmid instability, 397 Project control, 236, 241, 270, 275, 278 Project management, xi, xvii, 13, 215, Plate columns, ix, 146 Plate tower absorption, 147 247, 269-281, 283-289, 291 Point sources, 369-370 Project management institute, 287 Pollution prevention, xii, 294, 296, Project management, matrix 299-300, 303-304, 306, 311, approach, 286 315-316, 467, 487-488 Project manager, 270, 272-274, Pollution prevention act, 299, 304 277–278, 280, 285–286 Polymorph, 26 Project planning, 273–275, 278 Porous media, ix, 109, 117 Project-related problems, 290 Properties of water, 377, 518 Potential energy, 63, 101 Prandtl number, 261 Proportional, 28, 63, 101, 126, Precipitation, 310, 366–367 138, 203–204, 211, 359 Predicting, open-ended problems, Proportional-integral xvi, 95, 138, 193, 195, derivative, 203-204 266, 517, 525-526 Public health service act, 367 Present-day atomic theory, 436 Public water supply, 368 Present-value formula, 222 Purchasing equipment, 227, 288 Present-worth analysis, 219 Quality assurance, 276 Pressure drop and flooding Quality control, 276, 455 correlation, xv, 499, 503 Radial diffusion, 264

Risk-based corrective action, 322–323 Radiation, ix, 31, 33, 120, 123, Risk-based decision making, 125–127, 137, 254, 322, 335-336, 364, 545 322-323, 342 Radiation view factor, 137 Rooftop garden bed project, Radioactive isotopes, 364 xvii, 561, 563-564 Radioactive waste disposal, 554 Rotary dryer, 166 Radius ratio, 19-20 Rotary kiln, 122, 223-225, 239 Raoult's law, 86-88, 96, 164 Roughness of commercial pipes, 502 Rate of momentum, 100 Roundoff error, 52 Runge Kutta, 44 Raw materials, 170, 235, 244, Runoff, 366, 378 248, 250, 360, 493, 534 Reaction velocity constant, Russia's ural mountains, 572 171, 173-174 Safe drinking water act (SDWA), xiii, 367, 377 Reactor size requirements, 530 Safety and accidents, xii, 319 Recombinant DNA, 396 Recuperator, 127 Safety factors, 239, 326 Recycling, 300, 312, 359-360, 477, 523 Scale-up, xiii, 248, 391-394, 401, 434 Reduce energy waste, 348 Scatter diagram, 50-51, 411-412 Reflux ratio, 153, 155, 158, 520-521 Schmidt number, 261 SCORE, design process Refrigeration, ix, 120, 126–127 Regeneration, ix, 150-152, 181, 519 acronym, 234, 423 Regression analysis, xiv, 49, SDWA 1996 amendments, 368 398, 406, 411 Second law calculations, viii, 81, 84, 86 Regulatory approach to solving Second law of thermodynamics, environmtl problems, 545 viii, 80-81, 84-86, Relative roughness, 106, 500–502 94-95, 254, 512-514 Relative volatilities, 152, 520-521 Secondary control loop, 206 Renewable resources, 366 Selectivity, 173, 193 Resistance to heat flow, 121 Semiconductors, matrix/solvent Resistance to heat transfer, 124, 128 material, vii, 28-29 Resistivity, vii, 28-29 Sensible heat, 95, 122, 525 Sensible heating duties, 130 Resource conservation and recovery act (rcra), 296, 303, 338 Service mark, 453 Retardation factor, 550-551 Shell-and-tube heat exchangers, Return bends, 128 128, 136, 138, 511 Simple cubic, metallic unit Return on investment, 222–223 Reversible and irreversible cells, 20-23 reactions, 172, 180, 530 Simpson's rule, 41 Reynolds number, viii, 102, Simultaneous flow of two phases 105-106, 116-117, in pipes, 106, 506 313-315, 393, 500-503 Simultaneous linear algebraic Risk evaluation, 325–326 equations, matrix, 42 Risk evaluation of accidents, 326 Size distributions of Risk management program, xvii nanoparticles, 442

Slip, two-phase flow, 106, 108, 506 Sublimation, 90 Sludge, xvi, 298, 377–379, Substitution impurity, 26 543, 547-549 Superfund amendments and Sludge disposal, 548-549 reauthorization act, 374 Sodium chloride, 20, 22, 497 Surface water, 367, 373, 377, 382, 549 Solution of equations, xi, 254, 258, 263 Surrogate regulators, open-Solving differential equations, 485-486 ended problem, 227 Source reduction, 300, 304 Sustainability, xii, 294, 301-302, Specific reaction rate, 171, 189 350, 467 Specification, 129, 248, 273, Symbiosis, open-ended problem, 395 288, 513-514 System boundary, 62 Temperature difference, 63, Spill prevention control and countermeasures, 338 125, 127, 136, 514 Spray dryer, 159, 239 Temperature profile, 266–267, 392 Stage efficiency, 143, 161 Terminal settling velocity, 108 Staged column design, 154 Theoretical plate, 154 Thermal conductivity, 121-122, Staged distillation, 156 Stagewise vs. continuous 126, 128, 133, 136, 254, operation, 142 256, 266, 355, 430 Standard deviation, 282–283, Thermal death constant, 392 381, 423, 443 Thermal effects, x, 170, 184 Standard enthalpy of formation, 83 Thermodynamics, viii, xv, xx, 3, Standardizing project 13, 63, 70, 77-97, 138-139, management, xvii 173, 188, 196, 256, 483, Status reports, project 494-498, 512-515 Thiele modulus, 390, 400 management, 279 Steady-state, 65, 143, 202, 238, Threshold dose level, 331 263–266, 306, 387–388, Threshold planning quantity, 304, 374 438 - 439Tort law, xiv, 448-449, 459 Stefan-boltzmann law, 126 Total maximum daily load Sterilization, xiii, 391-393, 400 (TMDL), 370 Sterling silver, 26 Total organic carbon (TOC), 400 Stochastic vs. deterministic Total suspended solids (TSS), 369, 380, 548 system, 46 Stoichiometric ratios, 64 Tower diameter, ix, 145, 161, 167, 504, 508, 519 Stoke's law, 46, 108, 314, 393, 400 Storage tank problem, 54 Trade secrets, 447, 450 Stripping gas, 147 Trademark, 40, 453, 459-460 Stripping in plate towers, 148 Transfer of momentum, 259 Stripping, mass transfer, ix, Transfer unit, 47, 144, 229, 518 146–148, 152–155, 158, 523 Transport equations, xi, 254, 256, 258 Structural failure, 111 Transport phenomena, xi, 13, Study estimate, project 61, 77, 118, 253–259, 261-265, 267, 394, 488 management, 235

Trapezoidal rule, 41 Treatment, storage and disposal facility, 478 Treybal, 158, 160, 163, 166–167, 523, 526-527 Tube sheets, 128 Tubular flow reactor, x, 170, 174, 178–180, 182–184, 186–187, 193–194, 196 Turbulent flow, viii, 105–106, 113, 266, 500, 502 Two-coefficient Clapeyron equation, 491 Two-phase flow, 116, 499 Two-phase pressure drop, 112, 507 Type of utility, 130 Type of waste and disposal method, 480 U.S. energy policy, xiii, 345, 350 U.S. forest service, 476 Underground storage tanks, 549-550 Understanding of patent law, 446 Unit cell, 21-23, 31, 36 Unit mole, 64 Unit process, 238 Urban planners, 350 Utility system, 198 Vacancies per unit cell, 36 Valves and fittings, viii, 107 Vapor pressure data, 491

Vapor pressure equation, 489–490, 492 Vapor recovery system, 250 Vaporization, 90, 122, 159, 490-491, 497 Venturi scrubber, 228, 239 Volume requirements, reactors, xvi, 529-531 Waste load allocation, 378 Waste reduction technologies, 297 Wastewater standards, 369 Wastewater treatment plant/process, 214, 298, 310, 369, 380 Water conservation, 372 Water management, xiii, 14, 361, 363–367, 369, 371–373, 375-377, 379, 381 Water quality standards, 370 Water usage, xiii, 365, 367 Weibull distribution, 410, 420, 424 Weighted-sum method, 56, 487–488 Wet-acid process, 493 Wilson's method, xvi, 88, 137, 510 Working charge, 150–151 X-ray diffraction, 20, 33–34 Yield, 24, 44, 47-48, 93, 173, 182, 193, 198, 223, 229, 399, 401–402, 424 Yucatan peninsula, openended problem, 572 Zeolites, 432