# Index

## A

Acceptance comparison with validation and verification, 342-346 defined, 475 as key systems engineering concept, 64-65 in qualifications chain, 344, 345 as term in testing and qualification, 341-342 Acceptance plans, 153, 168, 192, 305, 475 Acceptance testing, 362-366 Acyclic digraphs, 128 Adjacency, in graphs, 127 Agrawala, A.K., 242, 306, 307, 329 Air bag restraint system, case study in stakeholders' requirements, 196-198 Akao, Y., 404 Alexander, C., 78 Alford, M., 27, 385 Allen, R.H., 260 Allocated architecture analyzing functional activation and control structure, 305-308 approaches for solving allocation problem, 292-297 conducting performance and risk analysis, 308-310 defined, 285, 475

defining allocation problem, 291-292 defining functional activation and control structure, 305-308 deriving requirements, 299-305 developing, 284-316 documenting, 310 finishing allocation problem, 297-299 functional allocation principles, 294 and human vs. machine responsibilities, 292-293 major development activities, 285-286 mapping functions to components, 289-299 obtaining approval, 310 overview, 27, 29, 51, 52, 284-289 relationship to IDEF0 model, 93 tracing non-input/output requirements, 299 - 305Ambler, S.W., 23, 25 Analogies, 264 Analytic models, 76, 77 Anderson, T., 242 Antisymmetric relations, 124, 131 Apollo 13, case study in stakeholders' requirements, 198-201 Application entities (AEs), 328 Application layer, OSI reference model, 327, 329, 330

The Engineering Design of Systems: Models and Methods, Second Edition. By Dennis M. Buede Copyright © 2009 John Wiley & Sons, Inc.

Apportionment, 300-301, 344, 475 Architectures. See also Allocated architecture; Functional architecture: Physical architecture behavioral model, 27 data model, 27 documenting, 310 interface architecture, 51, 52 message passing, 322-323 network, 323-325 overview, 27-30 process model, 27 shared memory, 323 system allocated architecture, 51, 52 Arciszewski, T., 266 Ariane 5 case study, 368-370 Arrow's impossibility theorem, 433 Asymmetry, as property of unary relations, 131-132 Attainable (requirements attribute), 171, 172, 475 Attribute listing, 264-265 Ayton, P., 418

## B

Baier, C., 359 Barrett, B.E., 410 Barron, F.H., 409, 410 Bayes rule, 416-418 Baylin, E.N., 222 Behavior diagrams, 385-388. See also Function flow block diagrams (FFBDs) Behavior models behavior diagrams, 385-388 control flow diagrams, 394-395 defined, 375, 475 finite-state machines and state-transition diagrams, 388-390 overview, 383, 385 Petri nets, 395, 397-399 statecharts, 390-394, 396 Beizer, B., 354, 355, 356 Bell Telephone Laboratories, 6-7, 16, 17 Berube, M.S., 4, 10, 82 Bias, R.G., 188 Big-bang integration process, 352, 353 Binary relations, 113, 114, 483 Bipartite graphs, 127, 139-140, 475 Birnbaum, J., 283 Black box testing, 362, 363, 370, 475 Blanchard, B.S., 20, 309 Block definition diagrams, 98, 99, 100-101, 102 Block diagrams

aircraft control system example, 267, 268 defined, 74 internal, 98-100 in physical architecture development, 267, 268 SysML semantics, 98-100 SysML syntax, 98-100 Blum, B.I., 151 Boar, B.H., 22 Bock, C., 27 Boehm, B.W., 20, 32, 33, 44 Bohm, C., 96 Bottom-up integration process, 346, 347, 351, 352 Boulton, Matthew, 227 Braasch, M.S., 313 Brainstorming, 264, 265 Brainstorming game, 266 Brainwriting pool, 266 Brandt, J.C., 47 Bresnick, T.A., 167, 185 Brooks, C.G., 174 Brown, C.M.L., 189 Browning, T., 295 Buede, D.M., 106, 152, 167, 185, 224, 401, 404, 405, 409, 412 Bus architecture, 324, 325

## С

Cardinality, in graphs, 126 Carnahan, J.V., 167, 187 Cartesian product of two sets,  $A \times B$ , 113, 476 Category class, CORE, 67 CCITT (International Telephone and Telegraph Consultative Committee), 326 Centralized architecture, 271, 476 CFDs (control flow diagrams), 394-395 Chambers, G.J., 153 Chapanis, A., 189 Chapman, W.L., 241 Charbonneau, S.M., 391, 392, 393, 394, 395, 396 Checkland, P., 19 Choisser, R.W., 167 Chu, W.W., 296 Chusho, T., 362 Circuits, in digraphs, 127 CIs (configuration items), 5, 7, 11, 12, 14 Clarke, L.A., 362 Classes, defined, 24 Clausing, D., 275

Client-server architecture defined, 274-275, 476 as model for CORBA, 332 and morphological box, 262-263 Closed-loop control processes, 227, 228 Cockburn, A., 175, 176 Common object request broker architecture (CORBA) standards, 332-336 Comparable (requirements attribute), 168, 171, 172, 476 Complete (requirements attribute), 168, 171, 172, 196, 476 Complete functionality, 215 Component class, CORE, 67 Components defined, 476 deriving qualification requirements, 304-305 deriving trade-off requirements, 302-304 as key systems engineering concept, 61, 64 mapping functions to, 289-299 Conceptual validity defined, 80, 342-343, 476 in qualifications chain, 344, 345 role in validation, 345 Concise (requirements attribute), 172, 476 Concurrent engineering, 7 Configuration items (CIs), 5, 7, 11, 12, 14, 476 Connectedness, in graphs, 128-129 Connell, J.L., 187 Consistent (requirements attribute), 168, 171, 172, 194, 476 Context of a system. See System context Control flow diagrams (CFDs), 394-395 Control systems closed-loop processes, 227, 228 earliest in history, 227-228 feedback processes, 118 open-loop processes, 227, 228 Controlling cycle, 37, 38 Cook, S.C., 42 CORBA (common object request broker architecture) standards, 332-336 Core cycle, 37 CORE systems engineering tool classes, 66, 67 documents, 69-70 overview, 66-70 relations, 66-69 Corner, J.L., 402, 410 Correct (requirements attribute), 171, 172, 476 Cost requirements, 191, 300, 301, 476 Coulouris, G, 271 Cox, C.B., 17, 174

Cox, M.E., 366 Craik, K.J.W., 78 Crowe, D., 152 Cycle model, 37–38 Cycles, in digraphs, 128, 138–139

## D

Daly, E., 32 Dam, S., 26 Daniels, J., 167 Data flow diagrams (DFDs), 379-383 Data link layer, OSI reference model, 327, 329, 331 Data models defined, 375, 476 entity-relationship diagrams, 377-378 higraphs, 378-379 overview, 376-377 Data validity, 80 Davis, A.M., 151, 153, 180 DCE (distributed computing environment), 336 De Finetti, B., 417 De Foe, J.C., 154, 156, 183, 194 De Marco, T., 96 De Weck, O.L., 41-42 Deadlock, 306-308, 476 Decentralized architecture, 271, 476 Decision analysis. See also Multiattribute value analysis axioms, 403-404 choice rule, 403 decision-making modes, 401 elements of decision problems, 402 equivalence rule, 403 MPWS sample application, 433-442 order rule, 403 substitution rule, 403 uncertainty, 415-432 Decision trees, 420-421, 422 Decisions, defined, 402, 477 Decomposition process in functional architecture development, 239 - 242in physical architecture development, 257-259 in Vee model, 10-11 Defense systems Management College (DSMC), 425 Defined Term class, CORE, 67 Definitive models defined, 75, 477 semantics, 75-76 syntax, 75-76

Demand function, 433 Denning, P.J., 388 Descriptive models, 75, 76, 477 Design American Heritage Dictionary definition, 4 as decomposition process, 5 defined, 477 detailed functions, 38-41 as engineering consideration, 4 in life-cycle diagram, 5-6 products of process, 7 racecar example, 12-13 in Vee model, 10-11, 50, 51-54 Design independent (requirements attribute), 171, 172, 477 Design structure matrix (DSM), 295 Design validity defined, 344, 477 in qualifications chain, 344, 345 role in validation, 345-346 Development decisions, 14, 15 DFDs (data flow diagrams), 379-383 Dickinson, B.W., 231 Dietrich, B.L., 224 Digraphs acyclic, 128 circuits in. 127 comparing with IDEF0 diagrams, 139-141 connectedness in, 128-129 cycles in, 128, 138-139 defined, 124, 125-126, 477 paths in, 127 semicircuits in. 128 semicycles in, 128, 139 semiwalks in, 128 trails in, 127 and unary relations, 130-133 walks in, 127 Directed forests, 137-138 Directed graphs. See Digraphs Directed trees, 137 Discipline engineers, 14 Discrete mathematics functions, 116-118 overview, 104-106 relations, 113-116 sets, 106-113 Distributed architecture, 271, 477 Distributed computing environment (DCE), 336 Distributed systems, 271, 274-275 Document class, CORE, 67

Documents. See also Stakeholders' Requirements Document (StkhldrsRD) IDEF0 Model of the Engineering of a System, 455–474 outlines, 451-454 System Description Document (SDD), 69-70, 454 System Requirements Document (SysRD), 31, 32, 155, 453, 485 System Requirements Validation Document (SRVD), 31, 32, 453 DoD Architecture Framework (DoDAF), 23, 25 - 26Domain Set class, CORE, 67 Dorny, C.N., 231 Drebbel, Cornelis, 227 Driscoll, P.J., 6 Duato, J., 308, 325 Duffy, M.A., 224 Dyer, J.S., 404

#### E

Early validation, 342, 477 Edge labeling, in graphs, 127 Edwards, W., 409 Edwards, W., 402, 409 EFFBDs (extended function flow block diagrams), 74, 93–97 Elam, J., 402 Engineering, defined, 10, 477 Engineering of systems approaches for implementing, 17-23 at Bell Labs, 6-7 comparison of definitions, 8-10 decomposition process, 5 defined, 10, 477 document outlines, 451-454 examples of decisions, 15 Hall's definition, 7 history, 6-7 modeling approaches, 23-27 overview, 5-17 recomposition process, 5 spiral implementation model, 20-23 team members with different specialties needed, 14 TTDSE implementation model, 19-20 value added, 42-45 waterfall implementation model, 20, 21 Engstrom, E.W., 6 Enhanced FFBDs (EFFBDs), 74, 93-97 Entity-relationship (ER) diagrams, 377-378, 477

Eppinger, S.D., 295 Equivalence, 301, 477 Error detection and recovery functionalities, 239, 242-245 Errors, 242, 354, 477 Exit class, CORE, 67 Expected utility, 426 Extended FFBDs (EFFBDs), 74, 93-97 External interface requirements, 165, 218, 246, 247, 477 External systems diagrams defined, 477 as key systems engineering concept, 55-56 in Mobile Protected Weapons System application, 436-437 for stakeholders' requirements, 179-181

## F

FAA Wide-Area Augmentation System (WAAS) case study, 311-316 Fabrycky, W.J., 20, 191, 309 Fagan, M., 32 Fagen, M.D., 6 Failures, 242, 354, 478 Farry, K., 173 Faulk, S., 151-152 Fault tolerance achieving by using redundancy, 276-281 as functional architectural design goal, 242-243 Faults categorizing, 355 defined, 242, 354, 478 role in qualification process, 354-356 taxonomy of consequences, 355 FBI fingerprint identification system case study, 268-271, 272, 273 Federal Information Processing Standard (FIPS) Publications, 85, 93, 376 Feedback and control closed-loop control systems, 227, 228 defined, 227, 478 earliest control systems, 227 in functional architecture design, 227-231 IDEF0 illustration, 229, 230 negative feedback process, 228-229 open-loop control systems, 227, 228 positive feedback process, 228-229 Ferrarini, L., 307 FFBDs (function flow block diagrams), 74, 93-97 Figure of merit (FOM), 182, 478

Fingerprint identification system case study, 268-271, 272, 273 Finite-state machines (FSMs), 388-389 Finkelstein, A.C.W., 194 FIPS. See Federal Information Processing Standard (FIPS) Publications Fitts, Paul, 7, 292 Fitts list, 292, 293 Flowdown. See Requirements flowdown Folkeson, A., 359 Forests, in graph theory, 137-138 Foroughi, A., 401 Forsberg, K., 5, 9, 10, 38, 40 Frankel, E.G., 309 Franklin, G.F., 231 Frantz, W.F., 171 French, S., 404, 405 Fricke, E., 275, 276 Friedenthal, S., 27 Friend, J., 263, 402 FSMs (finite-state machines), 388-389 Function class, CORE, 67 Function flow block diagrams (FFBDs), 74, 93-97. See also EFFBDs (extended function flow block diagrams) Functional architecture assigning system's functions, 220-239 common mistakes, 241-242 creating functional decomposition, 239-241 decomposition vs. composition, 218-220 defined, 215-216, 478 defining by using IDEF0 model, 93, 215, 216, 217, 224, 229, 239 developing, 211-249 distinctions between system modes, states, and functions, 211-212, 213, 214 documenting, 310 evaluating hierarchies for shortfalls and overlaps, 231-239 feedback and control in design, 227-231 hierarchies for development and manufacturing phases, 224-227 IDEF0 process model overview, 216-218 levels of detail, 215-216 matching to physical architecture, 257 overview, 27, 28, 51, 52, 211-216 partitioning functions into subfunctions, 220-224 tracing requirements to elements, 245-248 Functional requirements, 53, 54, 57, 164, 165, 190, 478 Functionality complete, 215

defined, 215, 478 simple, 215 Functions (engineering) defined, 212, 478 as key systems engineering concept, 60-61, 62, 63 mapping to components, 289-299 one-to-one and onto, 257, 259 Functions (mathematical) bijective, 117 composition, 117-118 defined, 478 injective, 116-117 Fundamental objectives, 182, 183, 186, 478 Fundamental objectives hierarchy, 182-183, 184, 478. See also Objectives hierarchy

## G

General Motors, 16, 17 Generic physical architecture, 255, 256, 257, 259 Gentner, G., 78 Ghahramani, S., 415 Glegg, G.L., 354 Gobinath, P., 296 Gomaa, H., 389 Gondran, M., 309 Goode, H.H., 7 Gotel, O.C., 194 Grady, J.O., 151, 153, 171, 300, 342 Graphical models, 77, 376. See also Behavior models: Data models: Process models Graphs, in mathematics. See also Digraphs adjacency in, 129 bipartite, 127 comparing with IDEF0 diagrams, 139-141 connectedness in, 128-129 defined, 122, 124, 478 isomorphic, 135 Konigsberg bridge problem, 124-125 ordering relations, 133-134 overview, 122-127 reachability in, 129 as trees, 135-138 and unary relations, 130-133 Griffith, P.B., 376, 377 Guindon, R., 11, 253 Gupta, R., 296

#### Η

Haefele, J.W., 266 Hall, A., 6, 7 Hardware redundancy active, 278-280 defined, 276, 479 hybrid, 280 passive, 277-278 Harel, D., 378, 390, 394 Harker, P.T., 404 Harwell, R., 153 Haskins, B., 33, 44 Hasse diagrams, 133, 134 Hastings, D., 167 Hatley, D.J., 20, 220, 221, 222, 224, 240, 380, 394 Hazelrigg, G.A., 433 Hickling, A., 263, 402 Higraphs, 378-379 Ho, J., 402 Hoang, N.T., 40 Hogarth, R.M., 418 Holmberg, K., 359 Honour, E.C., 43 Hooks, I., 171, 173 Hoppe, M., 356 Howard, R.A., 401, 402, 403 Hubble Space Telescope, 46-47 Human-designed systems, 50, 156-157, 485 Hunger, J.W., 175, 176

## I

ICAM (Integrated Computer-Aided Manufacturing), 24, 85 ICOMs (inputs, controls, outputs, and mechanisms), 87, 90, 92, 139, 140, 479 IDEF family of modeling languages, 85-86 IDEF0 (Integrated Definition for Function Modeling) background, 24, 85-86 call arrow concept, 92-93 defined, 479 exit rules concept, 92 functional activation rules concept, 92 in graph theory terms, 139-141 introduction, 56-57 loops concept, 91-92 Model of the Engineering of a System, 455-474 semantics or elements, 86-87 shortcomings as modeling process, 85 in static behavioral process modeling, 85-93 syntax, diagram, 87-89 syntax, model, 89-91 system engineering use, 93 tunneling concept, 92

IDL (interface definition language), 332, 333, 334 In degrees, in graphs, 126 Incidence, in graphs, 126 INCOSE (International Council on Systems Engineering), 1996, 9 Influence diagrams, 420-425 Information redundancy, 280, 479 Input requirements, 165, 173, 189, 190, 246, 247, 248, 479 Input/output requirements as category of stakeholder requirement, 165, 166, 189-190 defined, 57, 479 defining, 69, 165, 189-190 deriving for internal items, 299-300 tracing, 218, 245-248 Input/output traces, 152, 177-178, 180, 479 Instantiated physical architecture, 255, 257, 258, 259 Integrated Automated Fingerprint Identification System (IAFIS), 268-271, 272, 273 Integrated Computer-Aided Manufacturing (ICAM), 24, 85 Integration alternatives to bottom-up process, 351-353 as big-bang process, 352, 353 as bottom-up process, 346, 347, 351, 352 defined, 341, 480 as engineering consideration, 4 incremental, 353 major functions, 346-348 overview, 346-351 phase, 353 racecar example, 12-14 as recomposition process, 5 at subsystem level, 348-351 as top-down process, 351, 352, 353 in Vee model, 11-12, 50, 54-55 Interconnections, defined, 328 Interface class, CORE, 67 Interface control information, 328 Interface data units (IDUs), 328 Interface definition language (IDL), 332, 333, 334 Interfaces architectures, 322-325 common object request broker architecture, 332-336 defined, 480 design process, 336-338 as key systems engineering concept, 61

OSI reference model, 327-331 overview, 319-322 standards, 325-326 International Council on Systems Engineering (INCOSE), 1996, 9 International Organization for Standards (ISO), 325, 326, 332 International Telephone and Telegraph Consultative Committee (CCITT), 326 Intransivity, as property of unary relations, 132 - 133Irreflexivity, as property of unary relations, ISO (International Organization for Standards), 325, 326, 332 Isomorphisms, 135 Issue class, CORE, 67 Item class, CORE, 67

#### J

Items, defined, 61, 480

Jackson, S., 296 Jacky, J., 368 Jacobson, I., 175, 176 Jacopini, G., 96 Jagacinski, R.J., 78 Jalote, P., 242 Jelassi, M., 401 Johnson, B.W., 276, 277, 278, 279, 280 Johnson-Laird, P., 78 Judgmental models, 76, 77

## K

Karangelen, N.E., 40 Katoen, J.-P., 359 Kee, C., 313 Keeney, R.L., 182, 183, 267, 402, 404, 405, 412 Keller, L., 402 Kirkwood, C.W., 402, 406, 410 Kleindorfer, P.R., 418 Klir, G.J., 19 Kluger, J., 198, 201 Konigsberg bridge problem, 124–125 Kwinn, M.J., 404

## L

Lake, J., 5 Lano, R.J., 23, 173 Larsen, R.F., 106 Law of total probability, 416 Layers, OSI reference model, 327, 329–331 Lee, D., 242, 359 Lepoeter, K., 38 Levardy, V., 356 Levi, S., 242, 306, 307, 329 Levis, A.H., 26, 27, 157, 296 Life cycles cost commitment and incursion, 8 defined, 480 organizing in StkhldrsRD, 169-171 representation of phases, 5-6, 7 systems, defining, 33-38 as systems engineering consideration, 3-4 Lindlev, D., 417 Link class, CORE, 67 Lions, J.L., 370 Livelock, 308, 480 Loops, 91-92, 124 Lovell, J., 198, 201

#### Μ

Machol, R.E., 7 MacKinnon, D., 326, 327, 329 Magee, C.L., 41-42 Magnuson, E., 283 Manna, Z., 355 Manos, K.L., 153 Manufacturing, defined, 480 Mar, B.W., 171 Marca, D.A., 239 Maroni, M., 307 Marshall, C., 189 Martin, J., 194 Martin, J.N., 18 Mathematical symbols, 106-107 Matrix analysis, 266 Maxwell, D.T., 404 Maxwell, J.C., 227 Mayhew, D.J., 188, 189 Mayr, O., 227 McGowan, C.L., 239 McMenamin, S.M., 222 Mead. M., 402 Mead, Thomas, 227 Measure of effectiveness (MOE), 182, 480 Measure of performance (MOP), 182, 480 Meisenzahl, J., 356 MENS (Mission Element Needs Statement), 451 Mental models defined, 77-78, 480 vs. quantitative models, 78 Merkhofer, M.W., 418 Mesh architecture, 324, 325 Message passing architectures, 322-323

Meta-systems, 17-19 Miliken, D.L., 12 Miliken, W.F., 12 Miller, J.G., 222, 225 Miller, R.A., 78 MIL-STD 499A. 9 MIL-STD 499B, 9, 153 MIL-STD-881B, 254 Ministry of Defence (MoD) Architecture Framework (AF), 25 Mission Element Needs Statement (MENS), 451 Mission requirements, 30, 55, 153-154, 173, 175, 179, 182, 480 Mobile Protected Weapons System (MPWS), 433-442 MoD (Ministry of Defence) AF (Architecture Framework), 25 Mode of a system. See System mode Models. See also Process models; Qualitative models; Quantitative models comparing types, 78, 79, 80 defined, 75, 480 definitive, 75-76 descriptive, 75, 76 examples, 75 mental, 77-78 normative, 75, 76 overview, 75-80 physical, 76, 77 potential uses in systems engineering, 40, 80 purpose in developing, 79 semantics, 75-76 syntax, 75-76 taxonomy, 76-78 validating, 80 Modifiable (requirements attribute), 168, 171, 172, 480 Monte Carlo simulations, 77 Mooz, H., 5, 9, 10, 38, 40 Morgenstern, O., 403 Morphological box automobile navigation support system example, 261-262 background, 260 caution, 262-263 defined, 257, 481 in fingerprint identification case study, 271, 273 hammer example, 260, 261 overview, 253, 257, 259, 260-264 Mott, J.L., 106 Mowbray, T.J., 332, 336

Multiattribute value analysis defined, 404, 481 eliciting value functions, 405–407 eliciting value weights, 407–415 Mobile Protected Weapons System application, 433–442 overview, 404–405 Multigraphs, 124, 125 Murata, T., 397, 398 Murray, C., 17, 174

#### Ν

Nachtmann, H., 309 NAF (NATO Architecture Framework), 25 Nagel, S.S., 404 NASA (National Aeronautics and Space Administration), 14, 46-47, 174, 200 NATO Architecture Framework (NAF), 25 Negative feedback control process, 228-229 Network architectures, 323-325 Network layer, OSI reference model, 327, 329, 330 Newell, A., 253 Nielsen, J., 188, 365 Nii, J., 253 Node labeling, in graphs, 127 Normative models, 75, 76, 481 N-squared (N<sup>2</sup>) diagrams, 23, 24, 93, 383, 384

## 0

Object Management Group, Inc. (OMG), 23, 24, 80, 331-332 Object request broker (ORB) interface, 332-334 Objectives hierarchy adding value curves, 185, 186 defined, 182, 481 as key systems engineering concept, 57 in Mobile Protected Weapons System application, 436, 438 for performance requirements, 182-186 Object-oriented (OO) design, 23, 24 Objects, defined, 24 Observance requirements, 168, 192, 305, 481 OMG (Object Management Group, Inc.), 331-332 OO (object-oriented) design, 23, 24 Open architecture, 274, 481 Open Software Foundation (OSF), 336 Open systems, defined, 328 Open Systems Interconnection (OSI) reference model, 326-331 Open-loop control processes, 227, 228

Operational concept defined, 481 as key systems engineering concept, 55, 57 in Mobile Protected Weapons System application, 435-436 for stakeholders' requirements, 173-179 Operational requirements and tests, 12 Operational validity defined, 80, 342, 481 in qualifications chain, 344, 345 ORB (object request broker) interface, 332-334 ORBOS (ORB-object service) architecture, 334, 335 Order of G, in graphs, 126 Orfali, R., 334 OSF (Open Software Foundation), 336 OSI (Open Systems Interconnection) reference model, 326-331 Ottaway, D.B., 198 Out degrees, in graphs, 126 Output requirements, 165, 189, 190, 246, 247, 248, 481 Overlap in the functional architecture, 232-239, 481

## Р

Pages, A., 309 Palmer, J.F., 222 Papaccio, P.N., 20 Parametric diagrams defined, 74 for performance modeling, 101, 102 semantics, 101, 102 Parnell, G.S., 404 Partially ordered sets, 133, 134 Partition on a set A, 111, 481 Pathfinder case study, 339-340 Paths, in digraphs, 127 Pennington, N., 78 Perdu, D.M., 296 Performance analysis, defined, 309, 482 Performance modeling, in SysML, 100 - 102Performance requirements, 163, 168, 179-185, 267, 482 Perry, W.E., 351 Petersen, C.C., 47 Petri nets (PNs), 24, 395, 397-399 Petroski, H., 344 Physical architecture centralized vs. decentralized, 271

comparison with military's Work Breakdown Structure, 254-255 creativity techniques, 259-267 defined, 252, 482 design flexibility, 275-276 developing, 252-283 development issues, 267-281 development overview, 257-259 distributed, 271, 274 documenting, 310 generic vs. instantiated, 255, 256, 257, 259 graphic representations, 267 matching to functional architecture, 257 morphological box technique, 260-264 option creation techniques, 264-267 overview, 27, 28, 29, 51, 52, 252-253 Physical layer, OSI reference model, 327, 329, 331 Physical models defined, 76, 77, 482 vs. qualitative models, 79 Pipeline architecture, 324, 325 Pirbhai, I.A., 20, 220, 221, 222, 224, 240, 380, 394 PNs (Petri nets), 24 Pohl, E., 191, 309 Positive feedback control process, 228-229 Power set of set A, 112-113, 482 Prang, J., 8 Prasad, B., 7 Presentation entities (PEs), 328 Presentation layer, OSI reference model, 327, 329, 330 Price, H.E., 294 Probability theory, 403-404, 415-417. See also Uncertainty Problem Situation of Mission Element Need Statement, and Systems Engineering Management Plan (SEMP), 31, 32 Problem-solving techniques, 264-267 Process models. See also IDEF0 (Integrated Definition for Function Modeling) data flow diagrams, 379-383 defined, 74, 375, 482 N-squared charts, 383, 384 overview, 379-383 Protocol control information, 328 Protocol data units (PDUs), 328 Protocols, 328 Prototypes, 187, 482 Pugh, S., 404, 408

# Q

Oualification acceptance testing, 362-366 compared with testing, 341-342 defined, 341, 482 methods categories, 359-362 overview. 354-356 planning levels, 356-359 Oualification methods analysis and simulation, 359 defined, 482 demonstration, 361 inspection, 359 testing, 359, 361-362, 363 Qualification plans, 13-14, 353, 356-358 Qualification requirements categories, 305 as category of stakeholder requirement, 168, 169, 192-194 defined, 482 deriving for components, 304-305 in qualification planning process, 358 tracing, 304-305 Qualitative models behavior models, 375, 383-399 data models, 375, 376-379 defined, 77, 482-483 graphical techniques, 375-399 process models, 375, 379-383 vs. quantitative models, 79, 80 Quantitative models defined, 76-77, 483 vs. mental models, 78 vs. qualitative models, 79, 80

## R

Racecar example, 12 Raiffa, H., 404, 405, 412 RAND Corporation, 7 Rank-order centroid (ROC), 409-410 Rasmussen, J., 78 Reason, J., 189 Recomposition process, 5, 11-12 Reed. M.A., 254 Reference model for OSI, 326–327 Reflexivity, as property of unary relations, 131 Regression testing, 351, 483 Reitman, W.R., 253 Relations binary, 113, 114 Cartesian products, 113 equivalence, 116

Relations (Continued) ordered pairs, 113 ordering, 133-134 partial ordering, 116 unary, 113, 114-116, 131-133 Relevance diagrams, 418-420 Requirement class, CORE, 67 Requirements. See also Stakeholders' requirements common documents, 30-32 compared with specifications, 30 defined, 29-30, 153 as key systems engineering concept, 57-60 mission, 30 modeling in SysML diagrams, 100 overview, 30-33, 153 performance, 30 stakeholder, 30 Requirements flowdown, 300-301, 302, 313, 344, 346, 483 Requirements statements, 171, 483 Requirements validity defined, 343-344, 483 in qualifications chain, 344, 345 role in validation, 345 Resource class, CORE, 67 Richardson, D.J., 362 Ring architecture, 324, 325 Risk, defined, 425, 483 Risk analysis, 309, 425-426, 483 Risk avoidance, 425, 483 Risk class, CORE, 67 Risk issues, uncertainty in, 44-45 Risk management, 425, 483 Risk preference assessing, 427-429 exponential, 429-432 overview, 425, 426-427 Risk tolerance, 431 Risk transference, 425, 483 Rittel, H., 253 Roberts, R.A., 415 Rosen, K.H., 106 Ross, A.M., 167 Ross, D., 86 Royce, W.W., 20 Ruh, W.A., 332, 336

#### $\mathbf{S}$

Saaty, T.L., 404, 412 SADT (Structured Analysis and Design Technique), 24, 86 Sage, A.P., 9, 20, 309 Sailor, J.D., 9, 153, 185, 187 Samson, D., 362 Savage, L.J., 417 Scenarios, 55-56, 57, 74, 160, 175-179, 483 Schedule requirements, 168, 173, 191, 484 Scheiber, S.F., 8 Schkade, D.A., 216 Schlager, K.J., 6 Schmekel, H., 306 Schulz, A.P., 275, 276 Schwartz, M., 326, 329 SDD. See System Description Document (SDD) Semantics block definition diagrams, 100-101, 102 block diagrams, 98-100 defined, 74, 82, 484 EFFBDs. 93-94 IDEF0, 86-87 in models, 75-76 parametric diagrams, 101, 102 sequence diagrams, 83-84 use case diagrams, 83 Semicircuits, in digraphs, 128 Semicycles, in digraphs, 128, 139 Semiwalks, in digraphs, 128 SEMP (Systems Engineering Management Plan), 31, 32, 452 Sen, A.K., 433 Sequence diagrams elevator example, 84, 85 as input/output traces, 177-179 semantics, 83-84 syntax, 84 Service access points (SAPs), 328 Service providers, 328 Session layer, OSI reference model, 327, 329, 330 Sets defined, 106, 484 describing members, 107-108 equality, 109 examples, 107 finite, 108 inclusion, 108-109 infinite, 108 mathematical symbols, 106-107 operations on, 109-111 partitions, 111-112 power, 112-113 singleton, 108 special, 108-109 subsets, 108-109 writing memberships, 107

Shachter, R.D., 418, 421, 423 Shafer, L., 187 Shared memory architectures, 323 Shea, Joe, 14, 16-17 Shneiderman, B., 189 Shortfall in the functional architecture categories, 231-232 defined, 231, 484 identifying, 232-239 Shuey, R.L., 271 Signal flow graphs, 231 Simon, H.A., 253 Simple graphs, defined, 124 Simulation models, 76-77 Sinnott, R.W., 47 Size of G, 126 Snider, W.D., 410 SofTech, Inc., 86 Software engineering spiral model. 20-23 waterfall model, 20, 21, 28-29 Software redundancy, 280, 484 Spanning trees, 136-137 Specifications compared with requirements, 30 defined, 30, 484 Spetzler, C.S., 418 Spiral model, software engineering, 20-23 Spitzer, Lynn, 46 Spoke architecture, 324, 325 SRD (System Requirements Document), 31, 32, 155, 453, 485 SRVD (System Requirements Validation Document), 31, 32, 453 Stael von Holstein, C.A., 418 Stakeholders, 14, 484. See also Stakeholders' requirements; Stakeholders' Requirements Document (StkhldrsRD) Stakeholders' requirements air bag restraint system case study, 196-198 analyses, 187-188 Apollo 13 case study, 198-201 categorizing, 161-164 characteristics, 171, 172 defined, 30, 52, 151, 484 defining design problem, 157-161 defining requirements, 189-194 developing, 157-169 external systems diagram, 179-181 input/output requirements, 165, 166, 189 - 190managing requirements, 194-195

objectives hierarchy for performance requirements, 168, 169, 182-187 operational concept, 173-179 overview, 154-157 prototyping, 187 qualification requirements, 168, 192-194 StkhldrsRD, 169-171 structuring using partition, 164-169 system-wide and technology requirements, 167.190-192 trade-off requirements, 167-168, 192 usability testing, 188-189 writing, 171-173 Stakeholders' Requirements Document (StkhldrsRD) defined, 484 format overview, 169-171 outline, 452-453 overview, 31, 32 Standards, for interface design, 325-326 Starvation, 308, 484 Stassen, H.G., 78 State of a system, 212, 214, 484 Statecharts, 390-394, 396 State/Mode class, CORE, 67 State-transition diagrams (STDs), 388-390 STDs (state-transition diagrams), 388-390 Stevens, A.L., 78 Stevens, R., 194 Stillwell, W.G., 409 Strategic check cycle, 37, 38 Structured Analysis and Design Technique (SADT), 24, 86 Structured programming, comparison to FFBD constructs, 96 Subnetworks, defined, 328 Suh, N.P., 53 Suitability requirements, 191, 484 Surge or race, 308, 484 Symbolic models, 77 Symbols, mathematical, 106-107 Symmetry, as property of unary relations, 131 Syntax block diagrams, 98-100 defined, 74, 82, 484 EFFBDs (extended function flow block diagrams), 93-94 IDEF0, 87-91 in models, 75-76 sequence diagrams, 84 use case diagrams, 83

Synthesis, 301, 344, 484-485 SysML (Systems Modeling Language) compared with TTDSE (Traditional, Top-Down Systems Engineering), 65-66 defined, 23, 74 diagrams for requirements modeling, 100 meta-system and requirements modeling, 82-85 modeling overview, 80-82 overview, 26-27, 65-66 SysRD (System Requirements Document), 31, 32, 155, 453, 485 System context, 50, 157, 485 System Description Document (SDD), 69-70, 454 System mode, 211-212, 213, 480 System requirements, 52, 104-105, 154, 160, 485 System Requirements Document (SysRD), 31, 32, 155, 453, 485 System Requirements Validation Document (SRVD), 31, 32, 453 System tasks or functions, 50, 156, 485 Systems. See also Engineering of systems behavior modeling view, 40 data modeling view, 40 defined, 3, 50, 156, 485 design process functions, 50-54 design process overview, 49-55 distinctions between modes, states, and functions, 211-212, 213, 214 environmental modeling view, 40 implementation modeling view, 40 life-cycle considerations, 3-4 modeling views, 40 process modeling view, 40 role of design concept, 4 role of integration concept, 4 stakeholders, 3-4 ways to categorize, 41-42 Systems analysis, role of RAND Corporation, 7 Systems engineering. See Engineering of systems Systems Engineering Management Plan (SEMP), 31, 32, 452 System's external systems, 50, 157, 485 Systems Modeling Language. See SysML (Systems Modeling Language) System-wide requirements. See Technology and system-wide requirements

## Т

Taguchi, G., 275 Tan, L.M.-T., 296 Taylor, J.R., 362 TCP/IP (Transport Control Protocol/Internet Protocol), 331 Technology and system-wide requirements as category of stakeholder requirement, 167, 190 - 192defined, 485 deriving subsystem-wide requirements, 300-301 tracing, 300-301 Terminko, J., 266 Testing. See also Acceptance testing compared with qualification, 341-342 as qualification method, 359, 361-362, 363 Textual models, 77 Therac-25 case study, 368 Thurston, D.L., 167, 187 Time redundancy, 281, 485 Top-down integration process, 351, 352, 353 Traceable (requirements attribute), 172, 194, 196, 486 Traced (requirements attribute), 172, 486 Trade studies, 309-310, 485 Trade-off requirements as category of stakeholder requirement, 167-168, 192 defined. 486 deriving for components, 302-304 as indirect weight elicitation technique, 412-413 in Mobile Protected Weapons System application, 439 tracing, 302-304 Trails, in digraphs, 127 Transivity, as property of unary relations, 131-132 Transport Control Protocol/Internet Protocol (TCP/IP), 331 Transport layer, OSI reference model, 327, 329, 330 Trees defined, 486 directed, 137 in graph theory, 135-136 spanning, 136-137 TTDSE (Traditional Top-Down Systems Engineering) compared with SysML, 65-66 defined, 19 key terms and basic process, 49-65

layered iterative process, 19–20 modeling approaches, 23–24 overview, 19–20 as "peeling the onion" process, 368, 369

#### U

Ulvila, J.W., 410 UML (Unified Modeling Language), 23, 24-25. See also SysML (Systems Modeling Language) Unambiguous (requirements attribute), 172, 345, 486 Unary relations, 113, 114-116, 131-133, 483 Uncertainty in decisions decision trees, 420-421, 422 expected utility, 426 influence diagrams, 420-425 probability theory, 415-417 relevance diagrams, 418-420 risk preference, 425-432 Understandable (requirements attribute), 172, 345, 486 Unified Modeling Language (UML), 23, 24-25. See also SysML (Systems Modeling Language) Unique (requirements attribute), 168, 172, 486 U.S. Federal Aviation Administration, WAAS case study, 311-316 Usability categorizing users, 189 defined, 486 performance elements, 188 testing, 188 Usability testing defined, 188, 486 as part of verification testing, 365-366 Use case diagrams, 74, 82-84 Utility curves, 439, 440-442

#### V

Validation. See also Conceptual validity; Design validity; Requirements validity compared with verification, 13 comparison with acceptance and verification, 342–346 defined, 13, 341, 342, 486 as key systems engineering concept, 64 relationship to verification, 345 as term in testing and qualification, 341–342
Validation plans, 168, 192, 305, 486
Value functions, eliciting, 405–407 Value weights. See Weights Value-focused thinking, 267 Van de Vegte, J., 231 Van den Hamer, P., 38 VanGundy, A.B., 264, 266 Vargas, L.G., 404 Vee model, 10-12, 38, 50, 54 Veldhuyzen, W., 78 Verifiable (requirements attribute), 172, 194, 196.486 Verification compared with validation, 13 comparison with acceptance and validation, 342-346 defined, 13, 341, 486 as key systems engineering concept, 64 overview, 344-345 in qualifications chain, 344, 345 relationship to validation, 345-346 as term in testing and qualification, 341-342 Verification cycle, 37 Verification plans, 168, 192, 305, 486 Verification Requirement class, CORE, 67 Verplanck, W.L., 292 Voges, U., 362 Von Braun, Werner, 174 Von Neumann, J., 403 Von Winterfeldt, D., 402

#### W

Wagenhals, L.W., 26 Waldinger, R., 355 Walters, J.M., 187 Walton, M., 167 Warfield, J.N., 19 Waterfall model, software engineering, 20, 21, 28 - 29Watson, S.R., 185, 401, 405, 409, 412 Watt, James, 227 Weights analytical hierarchy process approach, 412, 413 balance beam approach, 413-414 direct elicitation techniques, 409-410 illustration, 411 indirect elicitation techniques, 412-415 in Mobile Protected Weapons System application, 439-442 and utility curves, 440-442 Wenzel, S., 36 West, P.D., 253, 402 White box testing, 362, 363, 486

#### 516 INDEX

Wide-Area Augmentation System (WAAS) case study, 311–316
Wieringa, R.J., 157
Wiklund, M.E., 188
Wilner, D., 339
Wingard, L., 306
Work Breakdown Structure (WBS), 254–255
Wright, G., 418
Wymore, A.W., 9, 20, 164, 168, 196, 213, 407

#### Y

Yager, R.R., 404 Yannakakis, M., 359 Yoon, K., 404 Yourdon, E., 306, 377, 380, 383

### Z

Zahavi, R., 332 Zwicky, F., 260