

Index

- 2^{k-1} factorial design, 373
- 2^k factorial design, 371
- 80–20 rule, 386

- ABET accreditation requirements, 108, 193–195, 342, 348, 471
- Abstract system, 34, 36, 51, 52
- Affinity diagram, 316,
- Affinity diagramming, 316, 358
- Agent-based simulations, 125–128
- Aggregate simulation, 126
- Airframe CER, 147,157–160
- Alias, 378
- Aliasing structure factorial design, 379
- Alternative-focused thinking (AFT), 366
- Alternative generation approaches, 365–366
- American Society for Engineering Management (ASEM), 12, 15
- Army base realignment and closure (BRAC), 290, 308
- Association for the Advancement of Engineering (AAE), 139
- Arnold, Henry “Hap”, 358
- Athey’s systematic systems approach, 285–286

- Base realignment and closure, 290
- Basic system models, 244
 - K -out-of- H systems, 247
 - parallel, 245
 - series, 245
- Bathtub curve, 231
- Benchmarking, 366
 - integrated, 366
- Binomial distribution, 242
- Bernoulli random variable, 242
- Binomial distribution, 242
- Blocking, 375
- Blocking and randomization, 375
- Bottom-up estimate, 143
- Brainstorming, 72, 78, 79, 355–358, 361, 368, 387
 - basic rules, 355
 - critics, 356
 - silent, 356
 - structured, 356
 - unstructured, 356
- Brainwriting, 358
 - structured, 358
 - unstructured, 358
- Breakeven analysis, 172

- Bridge network, 247
- Business-to-business collaboration, 187
- California Institute of Technology (CalTech), 361
- Candidate system solutions, 202, 221, 369, 397
 - improved, 418
- Censored data, 236
- Chief information officer (CIO), 204, 205, 223, 345
- Chief technology officer (CTO), 204, 223, 348
- Client needs, 14
- CMS system, 470, 474
- Common discrete distributions, 242
- Complete suspension system, 56
- Complex adaptive systems (CAS) theory,
- Complex systems, 228, 247, 249, 263,
- Complexity, 187, 192
- Component reliability importance measures, 249
- Composite multilateral arrangement, 56
- Concept map, 2
- Conceptual model, 105–107
- Conceptual system models, 70
- Conduct cost analysis, 423, 424
- Conduct sensitivity analysis, 409
- Configuration control board (CCB), 202, 206, 208
- Configuration management (CM), 200, 206, 213, 218
- Confounded, 378
- Confounding, 380
- Consumer price index (CPI), 168
- Continuous reliability distributions, 218
- Continuous-time Markov chains (CTMCs), 253, 256
- Contour plot, 385
- Cost benefit analysis, 423
- Cost estimation errors, 138, 142
 - classification system, 139, 141
 - source of, 142
- Cost estimating relationships (CERs), 145, 148–150
- Cost estimator's reference manual, 139
- Costing, life cycle, 137
- Costs:
 - acquisition, 144
 - direct, 144
 - direct material, 144
 - fixed, 144
 - indirect, 144
 - nonrecurring, 144
 - recurring, 144
 - types, 143
 - variable, 144
- Creative problem solving process, 355
- Cumulative distribution function (CDF), 230, 265
- Cumulative risk profile, 421–422
- Curriculum management system (CMS), 230, 388, 439–442
- Customer, 190
- Cyclical search, 366
- Decision analysis structures, 52
- Decision authority, 5–7, 342
- Decision-focused transformation, 424
- Decision gate, 8
- Decision makers, 298, 299, 302, 307, 319, 322, 395
 - role of, 315
- Decision quality chain, 278
- Decomposition strategy, 41, 42
 - life-cycle decomposition, 43
 - role decomposition, 43
 - subsystems decomposition, 43
- Defense Acquisition University, 370
- Delphi methods, 358
- Department of Defense (DoD) satellite system, 217, 362
- Deploy system, 69, 72
- Descriptive models, 112, 121
- Design engineers, 482
- Design generator, 379
- Design of experiments (DOE), 370
- Design points, 371
- Design review, 220
- Deterministic dominance, 416
- Deterministic methods, 141
- Discipline engineer, 207
- Discrete-time Fourier transform, 120
- Discrete-time systems, 120
- Dominated solution, 424
- Dynamic probabilistic descriptive discrete (DPDD) processes, 187
- Dynamic decision problem structuring, 278
- Effects, interaction, 373
- Elements, 3
- Ends–means chains, 363
- Engineer, industrial, 208
- Engineer, test, 207
- Engineering, disciplines, 3, 185
- Engineering level, 142
- Engineering manager, 3, 23
- Engineering specialty, 207
- Environment, 3, 284
 - cultural, 285
 - economic, 284
 - emotional, 285
- Environmental, 285

- health & safety, 284
- historical, 285
- legal, 284
- moral/ethical, 285
- organizational, 285
- political, 284
- social, 284
- technological, 284
- Environmental stress screening (ESS), 232
- Equilibrium focused models, 113
- Executive summary, 433
- Exponential distributions processes, 233
- Exponential failure distribution 254

- Factorial design, principle fraction, 379
- Factors, controllable and uncontrollable, 375
- Feasibility screening, 366
- Feasibility screening matrix, 367
- Federal information processing standards (FIPS), 40
- Fisher's process, 370
- Fisher, Ronald, 370
- Focus groups, 309
- Fourier transforms, 120
- Full factorial experiment, 379, 380, 383
- Full-scale physical prototypes, 70, 71, 76
- Function, 3, 14, 315
- Functional analysis, 315
- Functional architecture, 315
- Functional flow diagram, 315
- Functional hierarchy, 315
- Fundamental objective, 326, 369
- Fuzing system, 149, 157, 159

- Generating relation, factorial design, 379
- Geometric distribution, 243
- Global lighting candidate solution, 412
- Global optimal solutions, 118–119
- Global weights, 327
- Glue, 221
- Graphical approach, 109
- Groupthink, 357
- Groupware, 361
- Guaranteed life parameter, 238, 265

- Half-fraction factorial design, 376
- High-intensity discharge (HID) headlamps, 30
- Hypercube, 375, 379
- Hyper-Graeco Latin Square design, 385

- Idea generation techniques, 355–365
 - survey of, 355
- IDEF0, 323
 - limitations, 323
- IDEF0 models, 40–50
 - activity, 43
 - diagram, 44
 - mechanisms, 43
- Identity column, factorial design, 379
- Importance measure, 249
- Information technology (IT) system, 389
- Input, outputs, controls, and mechanisms (ICOMs), 324
- Institute for Operations Research and the Management Sciences (INFORMS), 2
- Integrated logistics support (ILS), 219
- Integration definition for modeling (IDEF0) 40, 323
- Integration, system, 221
- Interface control document (ICD), 218
- International Council on Systems Engineering (INCOSE), 1, 3, 13, 14
- Interview, 302

- Janis, Irving, 357
- Juran's confession, 387
- Juran, Joseph, 386
- Juxtaposition ideation, 365

- K*-out-of-*N* systems, 247
- Keeney, Ralph, 363
- Kolmogorov differential equations, 253–255

- Laplace transforms, 120
- Lateral thinking, 361
- Latin Squares designs, 383
- Law of the vital few, 386
- Life cycle, 3, 66
 - adaptive model, 68
 - illustration, 66
 - ISO/IEC 15288, 74
 - planner, 222
 - predictive model, 68
 - rapid applications development, 76
 - spiral model, 76
 - team, 210
 - waterfall model, 76
- Life-cycle cost estimator, 139
- Life cycle costing (LCC) technique, 137ff,
- Lillienthal, Otto data, 101
- Linear programming, 117
- Linear regression, 150, 154, 166, 173
- Local weights, 327
- Local optimal solutions, 118
- Log-like function, 237
- Loto modification ideation, 365

- Management system, 68
- Maintenance, condition-based, 73
- Markov chains, 107, 256, 263
- Markov decision processes, 121
- Markov models of repairable systems, 253–263
- Mathematical models in reliability, 229–241
- Mathematical programming, 401
- Mathematical structure approach, 50–53
- Mathematical system models, 51
- Maximum likelihood estimator (MLE), 236
- Mean time to failure (MTTF), 232
- Measure weights, 335
- Measures of effectiveness (MOE), 11, 97, 307
- Measures of performance (MOP), 97
- Metaheuristic techniques, 118, 120, 121
- Metasystems, 289, 294
- Metaphoric connection ideation, 365
- Method of moments, 234
- Model, 99
 - accreditation, 108
 - approximation, 111
 - characteristics, 112
 - conceptual, 105
 - constructed, 106
 - validation, 107
 - verification, 10
- Model characteristics:
 - continuous, 114
 - discrete, 114
 - dynamic, 113
 - equilibrium, 113
 - prescriptive, 112
 - static, 113
 - transient, 113
- Model qualities:
 - accuracy, 103
 - balance, 103
 - fidelity, 103
 - parsimony, 102
 - robustness, 103
 - scale, 103
 - simplicity, 103
- Model toolbox, 109
- Model tool linear programming, 117
- Model type:
 - graphical, 109
 - mathematical, 110
 - physical, 109
 - schematic, 109
- Modeling and simulation (M&S) process, 96, 107, 206
- Modeling multiple machine problems, 258–260
- Monte Carlo simulation analysis, 401, 415
- Morphological analysis, 361
- Multiagent system (MAS) simulations, 127–128
- Multiobjective decision analysis (MODA)
 - techniques, 401, 403, 410
- Multiple objective decision analysis, 331
- Myers-Briggs type indicator, 115
- n*-heads rule, 355
- Needs, 14
- Nested systems, 55
- Net present value (NPV), 171–172, 180
- Nonidentical machine problems, 261
- Non-real-time simulations, 125
- Nutt's taxonomy, 365
- Objective(s), 3, 14
- Occam's razor, 102
- Operate system, 69, 72, 76, 87
- Operational research, 205
- Operational Research Society, 2
- Optimizing solutions, 101–102
- Osborn, Alex, 355
- Osborn's process, 355–356
 - disadvantages of, 357
- Parallel system, 245
 - important measure for, 250
- Parallel thinking, 361
- Parametric cost estimating, 146
- Pareto, Vilfredo, 386
- Pareto analysis, 385
- Pareto principle, 386
- Payload CER, 160
- Planning methods, 465, 466
- Plowman's model, 299
- Portfolio and asset management (PAM) program, 308
- Performance measure, 371
- Plackett–Burman designs, 383
- Practice, 199
- Practice, professional, 199
- Presentation, 434
 - horizontal integration, 436
 - storyline method, 436
 - vertical integration, 436
- Probability density function, 230
- Probability plot, 154
- Probabilistic (or stochastic) models, 114
- Problem statement, 340
- Produce system, 69, 81, 76, 87, 90
- Program manager, 200, 223
- Project definition, 449
- Project management cost, 148
- Project management monitoring, earned value, 459

- Project management plan, 453
- Project management process:
 - executing, 457
 - planning, 453
- Propulsion CER, 158

- Qualitative value model, 326
- Quality assurance, 208
- Quantitative value model, 326, 327
- Quarter-fraction factorial design, 376
- Queuing networks, 52

- RAND Corporation, 358, 359
- Raw data matrix, 402
- Ready-built radio controlled (R/C) airplane, 30
- Real-time satellite data, 11
- Regression model, 153–157
- Relational combination ideation, 365
- Reliability, 228
- Reliability allocation and improvement, 250
- Reliability maintainability availability (RMA), 219
- Repairable systems, 253
- Replacement analysis, 172
- Requirement, allocated, 214
- Requirements, 220
 - analysis, 213, 315
 - derived, 214
 - design, 214
 - functional, 214
 - nonfunctional, 214
 - performance, 214
- Research and Development (RAND) project, 358
- Residential communities initiative (RCI), 308
- Resolution design, 380
- Resolution factorial design, 380
- Response surface method (RSM), 385
- Revised problem statement, 396
- Risk:
 - brainstorming, 79
 - cost, 80
 - definition, 77
 - mitigation, 88
 - nonsystemic, 78
 - operational, 71
 - programmatic, 81
 - prompt list, 78
 - schedule, 81
 - systemic, 78, 81
 - technical, 80
- Risk assessment, 83
 - P-I tables, 84
- Risk identification, 78
- Risk management, 77
 - bicriteria filtering, 84
- Risk management tool, 479
- Risk register, 82
- Rule-based simulations, 127–128

- Score matrix, 402
- SE thought process, 30
- Securities and Exchange Commission (SEC), 38
- Security dimensions, 285
 - information security, 285
 - physical security, 285
- Screening criteria, 313
- Screening designs, 380
- Sensitivity analysis, 409
- Series system, 245
 - importance measure for, 249
- Simulation behaviors, 127
 - agent-based, 128
 - multi-agent system, 128
 - rule-based, 128
- Simulation, engineering, 126
- Simulation, entity, 126
- Simulation, fidelity, 126
- Simulation games, 127
- Simulation, military, 123
- Simulation model, 110
- Simulation modeling 121–127
- simulation non-real-time, 125
- Simulation tools, 123–127
 - queuing simulations, 123
- Simulation, real-time, 125
- Simulation, required sample size, 129
- Simulation software:
 - Arena, 110, 123
 - AutoMod, 123
 - ProModel, 110, 123
- Simulation typology, 123
 - constructive, 125
 - live, 124
 - virtual, 124
- Six Thinking Hats, 361
- Social network theory, 27
- Society of cost estimating and analysis, 138
- Solution(s):
 - analytical, 111
 - numerical, 111
- Solution design:
 - adaptivising, 101
 - optimizing, 101
 - satisficing, 101
 - symptom-level, 29
 - system-level, 29
- Solution design concept map, 354
- Solution design process, 123, 353, 354

- Solution implementation phase, 282, 284, 290ff
 - purpose of, 462
 - strategy, 464
- Sparsity of effects, 378
- Sparsity principle, 386
- Stakeholder(s), 3, 17, 299, 300, 395
 - analysis, 299
 - active set of, 7
 - consumer, 7
 - customer/client, 6
 - decision authority, 6
 - definition, 3
 - interconnected, 7
 - nonobvious, 4
 - owner, 6
 - passive set, 7
 - user, 6
- Stakeholder requirements, 366
 - desires, 367
 - needs, 367
 - wants, 367
- Stand-alone technology, 16
- Steady-state analysis (availability), 256
- Steady-state probabilities, 256
- Stochastic descriptive models, 121
- Subject matter expert (SME), 138
- Surface plot, 385
- Surveys, 303, 310
- Swing weight matrix, 334
- Swing Weight Matrix Method, 397
- Syntax, 110
- SysML, 49
- System:
 - abstract, 34
 - boundary, 36
 - closed, 36
 - concept, 202
 - dynamic, 7
 - need, 201
 - open, 36
 - unperceivable, 34
 - physical, 33
 - state of, 51
 - seams, 86
- System architecture, 216
- System availability, 255
- System design, 98
 - modeling, 90ff
- System dynamics software, 110
- System engineer, 197ff, 203, 212,
 - characteristics of, 199, 222
 - education and training, 218, 222
 - placement of, 199–200
 - role of, 208
- system effectiveness, 227
- System feedback, 37
 - external, 38
 - internal, 37
- System kernel, 52
 - feedback, 53
- System life cycle model, 3, 5, 7–9, 65, 478
- System structure, 31, 32, 39
 - mathematical, 50
- Systems analyst, 221
- Systems decision making, 283
 - systems cost for, 283
- Systems decision process (SDP), 3, 16, 18, 272ff
 - problem definition, 282
 - solution design, 282
 - solution implementation, 283
- Systems engineering, 197ff, 290
- Systems engineering curriculum, 388–391
 - management system, 388
- Systems engineering management plan (SEMP), 212
- Systems hierarchy, 55
 - metasystem, 56
 - subsystem of, 56
- Systems maturation effects, 5
- Systems of systems situation, 30
- Systems thinking, 3, 10
 - definition, 30
- Team building, 202
- Team, cross-cultural, 211
- Technical review, 220
- Technology, engineering management 21–24
- Test, 206, 207, 213–215, 218, 224
- Test engineer, 199, 204, 207, 222
- Test and evaluation master plan (TEMP), 202, 218
- Test model, 108
- Thinking, alternative-focused, 276
- Thought-out deployment plan, 72
- Tier (hierarchy), 319 326–328
- Time-to-failure distribution, 233
- Transportation software system, 16
- Transient-focused analysis, 254
- Transient-focused models, 113–114
- Treatment:
 - effect, 385
 - factor, 384
 - solution design, 374–377
- Triangular distribution, 415
- Two-way interaction effects, 371–373, 377, 380, 383

- Uncertainty: 411–420
 - dependent scoring, 413
 - independent scoring, 413
- United States Military Academy, 276, 291, 297, 348
- Unit learning curve formula, 161–162
- Unmanned aeronautical vehicles, 146
- Unperceivable system, 33–35

- Value creation,
- Value focused thinking (VFT), 276–278, 417
 - approach, 278
- Value function, 327, 332, 369
- Value gap, 406, 418
- Value hierarchy, 326
- Value matrix, 402, 403
- Value measure, 326, 328

- Value modeling process, 326
- Variable, input, 105
- Variable, output, 106
- Vocabulary, 110

- Weapons platform, 11
- Web-based portal, 342
- Weibull failure distribution, 238
- Weights, 326, 334
- Why system thinking matters, 28
- Work breakdown structure (WBS), 217, 452–455

- Zwicky, Fritz, 361
- Zwicky's model, 361–362
- Zwicky's morphological box, 362