

Index

Note: Page numbers in **bold** refer to figures, schemes and tables.

- ABC triblock polymers 233, **235**
acceptor peptides 40
acetylated silicon 294
acetylcholinesterase inhibitors (AChE)
375–376
click chemistry screening with novel
peripheral site ligands⁴⁷ **369**
acetylene
containing (small) molecules attached with
Au nanoparticles via CuAAC **263**
as initiator 220
acetylene polymers
acetylene-appended PVA 4
grafting via RAFT to nanoparticles **256**
acetylene–EGFP 260–261
acetylene-functionalized block copolymers 345
acetylene-modified 2-ethynylphthalene **357**
acetylenic benzenesulfonamide, triazoles 370
activity-based protein profiling (ABPP) **38, 44,**
153, 312, 357
biotin-labeling 367–371
adriamycin, conjugation to MAb via oxime
bond formation 55
agarose gel electrophoresis of AzNPs **264**
aldehyde dehydrogenases (ALDH-1) 312
aldehyde micropatterns, preparation via
selective oxidation **66**
aldehydes, Tollens reaction 134, **134**
Alexa Fluor 488 and 568 **358**
alkenes
bioorthogonal ligations 37–38
Cu-free [3 + 2] cycloadditions **36**
light-induced decomposition of, 2,
5-diaryltetrazoles **37**
alkoxyamine-*co*-HPMA 58
alkyne groups, polyvalent system 345
alkyne-biotin-FLAG tag 319
alkyne-containing analogs of lipoic acid 40
alkyne-containing nucleotides 224–225
alkyne-functionalized macromolecular
scaffolds **111**
alkyne-functionalized PLGA **299**
alkyne-modified uridine nucleosides 342, **343**
alkynes, *see also* azides and alkynes
alkynyl ManNAc 341
alkynyl-substituted sugar analogs **358**
allenylmagnesium bromide 22
Alzheimer amyloid-beta, interaction with
monosaccharide 301
amber suppressor 41
amides, traceless Staudinger ligation strategies
33
amino acids
azidohomoalanine (AHA) 228, 316–317,
319–321
with fluorophores 41
new 314–316
with photochemical crosslinkers 41
proteomic profiling tools 318–321
SILAC 319
tRNA-synthetase (aaRS) enzymes 41
amino-bases, cocatalytic systems 124
aminoxy reagents, condensation reactions of
ketones and aldehydes **31**
aminoxy surfaces, micropatterned by
photodeprotection **65**
aminoxy-functionalized peptides 65–66
aminoxy-modified CCL-5, conjugation of
PEG **57**
aminoxy-RGD, conjugation to polymer
bearing aldehyde side-chains **60**
amphiphiles 232–236, **237**
computer-generated models of molecular,
super and giant **233**
protein–polystyrene conjugates 233
PS azide with tripeptide and BSA protein
234
amyloid formation 39

- 8,9-anhydroerythromycin A 366
- anthracene–maleimide conjugation 94–98, **100**
- anthracenes 196
- 9-anthracene methanol 94
- photoinduced electron transfer (PET) 335–336
- anthrax detection, dendrimer-based diagnostic 178
- apoferritin (apo-HSF) 347, **348**
- arginine–glycine–aspartate (cRGD) derivatives **60, 188, 242–244, 303–305**
- aminoxy-RGD **60**
- RGD peptide immobilization by click chemistry **304**
- tetrameric RGD-dendrimer synthesized via CuAAC **188**
- arsenical dyes, ReAsH-EDT2 and FLAsH-EDT2, proposed structures **331**
- atom transfer radical polymerization (ATRP) 2, 3, 58, 72, 89, 218–219, **221**
- alkyne ATRP initiator 93
- initiator-containing SAMs 301
- attenuated total reflectance–FTIR spectroscopy 61
- Au *see* gold
- Aza–Wittig reaction 3
- azacyclooctyne 36
- structure **36**
- azide–alkyne click reactions
- scaffold, two different supramolecular receptors **120**
- on surfaces, nanoparticles and interfaces **156–163**
- thermoset-formation by cross-linking **16**
- azide–alkyne ligation, various bulk materials 82–83
- azides
- azidation with Nf-N3 of enantiopure carbohydrate mimetics **25**
- azide-functionalized macromolecular scaffolds **110**
- and diphenylphosphorylazide (DPPA) 368
- explosive properties 373
- ¹⁸F-labeling 364–365
- potential toxic side effects 5
- Staudinger ligation **33**
- synthesis of a secondary azide 25
- toxicity 374
- see also* Cu-catalyzed azide–alkyne cycloaddition (CuAAC); polyazides
- azides and alkynes
- cowpea mosaic virus, cuAAC 80, 230–231, 281–284, 310
- cycloaddition
- copper-free 35–37
- thermal and copper-catalyzed **70**
- see also* Cu-catalyzed azide–alkyne cycloaddition (CuAAC)
- difunctional monomers 71–72
- end- and side-functionalized polymers, from controlled polymerization techniques **221–222**
- labeled with F-18 **365**
- azido-appended PVA 4
- N-azidoacetylmannosamine 332
- 4-azidobenzoylformate 371
- 3-azidocoumarins
- and acetylenes **334**
- 3-azido-7-hydroxycoumarin 342, **360**
- N-(2-azidoethyl)-5-(dimethylamino) naphthalene-1-sulfonamide **360**
- azidohomoalanine (AHA)
- labeling with AHA 321
- new amino acid 228, 316–317, 319–321
- 3-azidopropyl methacrylate (AzPMA) 73
- azidosugars 238
- bacterial cofactor ligase 40
- bacterial secretion systems 39
- barbituric acid, and Hamilton receptor **259**
- BCECF-AM substrate 232
- tris-(benzyltriazolylmethyl)amine (TBTA) catalysis 257, 265, 302, 313
- bio-orthogonal noncanonical amino acid tagging (BONCAT) 319–321
- bioconjugates *see* protein conjugates
- bioimmobilization on surfaces 300–305
- biological membranes 143–146
- biomedical applications, dendrimer-based platforms 177–194
- biomolecules 355–378
- amphiphiles 232–236
- biohybrid materials 217–254
- biopolymers 42
- covalent labeling 4
- glycoconjugates 236–247
- oxime chemistry for surface immobilization 61
- polymers natural and synthetic 42, 218–228
- production 9
- protein conjugates 228–232
- ‘smart’ 54
- bioorthogonal click reactions 4, 29–53
- ligations 30–37
- noncanonical amino acid tagging (BONCAT) 41
- schema **30**
- biosensors 301
- biotin
- fluorescent dyes 328–329
- immobilization on flat surfaces 301

- biotin azide, microcontact printing **298**
- biotin isostere 40
- biotin ligase 40
- biotin–streptavidin binding 301
- bisaminopyridine receptor 257
- bisarsenic dyes, reAsH-EDT2 and
FLAsH-EDT2, proposed structures **331**
- 2,2-bis(hydroxymethyl)propionic acid,
glycodendrimer **239**
- block copolymers (BCPs) 91–101, 148,
294–295
- acetylene group 345
 - with attached iridium complexes **148**
 - characterization techniques 99–100
 - micelles, cross-linking 147–149
 - post-polymerization functionalization 95–98
 - pre-polymerization functionalization 92–95,
94
 - PS-PEG 148–149
 - RAFT–HDA concept **95**
 - random, for Con A binding studies **245**
 - spin-coating 294–296
- Boc-aminoxyacetic acid 58
- copolymerization with methyl methacrylate
61
- Boc-protected aminoxy tetra(ethylene glycol)
methacrylate 64
- BONCAT (bio-orthogonal noncanonical amino
acid tagging) 319–321
- boron dipyrromethene (BODIPY), as
pre-fluorophore 337
- bovine serum albumin (BSA) 80, **80**
- heterodimer construction 232
 - ketone modification **59**
 - labeling 367
 - as a protein foot 232
- breast cancer
- antigen, globo-H 301
 - cell labeling 328
- bromide substitution, azide terminated
polymers **95**
- bromomagnesium acetylides 22
- 3-bromopropyltrichlorosilane 256
- C-terminal ketone modification of hGH
59
- calixarenes, functionalization 126
- cancer cells
- breast cancer antigen 301
 - breast cancer cell labeling 328
 - folate receptor 178
 - mDA-MB-435 incubated with MNP–13
261
- Candida antarctica*, lipase B (CalB) 151,
230–231, 316
- ϵ -caprolactone (CL) 97, 109, 129
- carbocationic polymerization, poly(isobutene)
140–141
- carbohydrate–protein interactions 18–25
- click-dimerization-ring-closing metathesis
21
 - synthesis of fluorescent two-dye conjugates
19
- carbohydrates 126
- arrays, via oxime bond formation 62
 - clusters 236–237
 - cyclic carbohydrates 131
 - glycoclusters formed from click reaction of
sugar moieties to tetraalkyne
functionalized carbohydrate core
240
 - glycosylated biohybrid materials 236–237
 - macrocyclic carbohydrates **132**
 - mimetics, azidation with Nf-N3 enantiopure
25
 - small unilamellar vesicle (SUV) attachment
146
 - see also* glycans; glycoconjugates
- carbon nanotubes 269–272
- attachment of cyclodextrines **129**
 - modification with cyclodextrines 127
 - polystyrene-modified single-walled **82**
 - single-walled nanotubes (SWNTs) 266,
269–272, **271, 272**
- carbon–carbon multiple bonds 911
- carbon-based nanomaterials 266–272
- fullerenes 267–269
- carbonic anhydrase 370
- cardiac markers, biosensor 178
- catenanes 123
- see also* rotaxanes
- cationic polymerization 2
- CdSe nanoparticles 257
- binding via Hamilton receptor 142
 - polymersome membranes from PEO–PIB
144
 - purely thermal azide–alkyne reaction 155
- cell culture, stable isotope labeling by amino
acids (SILAC) 319
- cell labeling
- breast cancer 328
 - fluorescence visualization of newly
synthesized proteins **339**
 - fluorogenic probing 339–341
- cell surface
- fluorogenic labeling of proteins **340**
 - glycan arrays 301
 - glycoconjugates 341
 - integrins 58
 - see also* surfaces
- cellulose fibers, grafting of macromolecular
chains to surface 299

- chemical reporters 38–40
 metabolic targeting of other biomolecules 44–45
- chemical vapor deposition (CVD) 297
- chemotherapeutic agents 367
- 4-chloro-7-nitro-2,1,3-benzoxadiazole (NBD-Cl) **330**
- chromatography
 hILIC 371
 hPLC 371
 size-exclusion chromatography 345
- chondroitin sulfate (CS) glycosaminoglycan microarrays 61
- click chemistry
 definition 1–2
 limitations 5
 reaction list **3**
- click reaction
 defined 121
 methodologies and isolation 96–97
- click-ROP–NMP compound **106**
- cocatalytic systems, amino-bases 124
- colloidal nanoparticles, CuACC 82–84
- composite films, layer-by-layer assembly 296
- confocal laser-scanning microscopy **276**
- conjugation reactions, proteins and peptides 53–69
- copolymers *see* block copolymers
- copper, cytotoxicity 5
- copper-catalyzed azide–alkyne cycloaddition (CuAAC) 2, 5, 70, 72, 121–123
 ATRP 72–73
 attachment of supramolecular entities 138
 azide-modified saccharides 301–302
 3-azidocoumarins and acetylenes **334**
 biomolecules 309
 construction of polymeric blocks 96–97
 copper-free nontoxic alternatives to CuAAC 31–44, 121
 covalent ligation of gadolinium complex 317
 cowpea mosaic virus 80, 230, 310, 344
 dendronized linear polymers, grafting-to **75**
 dNA chip construction **303**
 fluorogenic reaction, 3-azido-BODIPY **338**
 fluorogenic reactions 332
 formation of photo- and ozone-cleavable networks **157**
 functional nanomaterials 255–290
 functionalizing flat surfaces 83
 ligand structures **328**
 linear polymer structures **71**
 oligonucleotides 16
 performed on duplex DNA **18**
 polymerization mechanisms 70–72
 polymerization methods 138
 post-polymerization modification 72–74
 protein conjugates 309–326
 synthesis of conjugated polymers 72
 toxicity 146
 triazoles 24, **35**, 121
 versatility and scope 218
- copper-free nontoxic alternatives to CuAAC 31–44, 121
 applications 38–44
 azide–alkyne cycloadditions 35–37
- copper(i) iodide–triethylamine–THF 110
- coumarins
 3-azido-7-hydroxycoumarin 342, **360**
 D-340 **330**
 electron donating group at the 7-position **334**
 fluorogenic reactions 332–335
 triazolocoumarins **336**, 348–349
- covalent labeling, living systems 4
- cowpea mosaic virus (CPMV) 281–284, 310
 bioconjugation **344**, 345
 CuAAC 80, 230
 tetrasaccharide conjugation to fluorescein **231**
- crosslinked polymeric adhesives 4
- crown-ethers, or cryptands 128
- cucurbiturils, into rotaxanes 123, 126
- 5-cyanocyclopentadiene adduct 197
- cyclic peptides, membrane-spanning 131
- cyclo-[Pro-Val-(triazole)-Pro-Tyr] **12**
- cyclodextrins (CD) 126–127
 attachment onto carbon nanotubes **129**
 CD-SWNTs 270
 cyclodextrin-modified porphyrins **128**
 generation of DNA–cyclodextrin complexes **128**
- cyclopentadiene, reacting with benzoquinone 198
- cyclopentadienone 196
- cysteine residues
N-palmitoylation 44
 olefin metathesis 37
- definition, click chemistry 1–2
- dendritic star polymers *see* star polymers
- dendrimer-based platforms 177–194
 defect structures 178
 multifunctional device on single dendrimer **179**
- dendrimers 147
 Boltorn dendrimers 147
 cross-linked micelles **280**
 functionalization 184–189
 multifunctional device on single dendrimer **180**

- synthesis
 convergent 183–184
 convergent/divergent pathways **182**
 divergent 179–183
see also peptidic dendrimers,
 formylglycine-generating
- dendronized linear polymers, grafting-to via
 CuAAC **75**
- 1,8-diazabicyclo[5.4.0]undec-7-ene (DBU) 96
- 1,6-diazidohexane 71
- dibenzocyclooctyne probe, structure **36**
- Diels–Alder bonds, application to polymer
 systems 199–209
- Diels–Alder cycloaddition reaction 3, 37, 91,
 94, 379–398
- anthracene–maleimide conjugation 94–98
- crosslinkable E–O polymers containing
 binary NLO chromophores 388–392
- degradation via aromatization, irreversible
 linkage 198
- endo and exo isomers 197
- generalized **196**
- hetero Diels–Alder (HDA) concept 94, 99
- in-situ generated side-chain E–O polymers
 by solid phase **387**
- influence of surfaces 197–198
- maleimidocaproyl-functionalized substrates
 302
- NLO dendrimers 392–394
- poling **390**
- postfunctionalization method for side-chain
 E–O polymers **381**
- reaction order 197
- retro (reverse) Diels–Alder concept
 195–216, 247
- side-chain E–O polymers 380–388
see also CuAAC
- dienophile, diene, diels–Alder reaction **196**
- diethoxypropyl methacrylate (DEPMA) 58
- 7-diethylamino-3-(4-maleimidylphenyl)-4-
 methylcoumarin (D-340) **330**
- differential 2D gel electrophoresis (DIGE) 53,
 54, 319
- differential scanning calorimetry (DSC) 385
- difluorinated cyclooctyne (DIFO) 36, 43, 358
 DIFO-fluorophore reagents 43
- 6,8-difluoro-7-hydroxy-4-methylcoumarin
 octanoate (DiFMU octanoate) 276
- 4-(*N,N*-dimethylamino-inosulfonyl)-7-hydrazino-
 1,3-benzoxadiazole (DBD-H) **330**
- 5-dimethylamino-naphthalene-1-sulfonyl
 hydrazine (D-100) **330, 360**
- dimethylformamide (DMF) 95
- diphenyliodonium-9,10-dimethoxyanthracene-
 2-sulfonate (DIAS) 63
- diphenylphosphorylazide (DPPA) 375
- 1,3-dipolar cycloaddition, azides and terminal
 alkynes 2, 3
- dithiothreitol (DTT) 301–302
- DNA 131–137
- arrays 302
- assay in vivo by incorporation and
 subsequent attachment of
 fluorescein-dye **134**
- attachment to surfaces via stamping-methods
 137
- combined labeling and methylation 136
- crosslinking using click reaction **136**
- cyclic, formation **137**
- detection and sequencing 14–18
- detection in vitro 134
- duplex DNA, cycloaddition reaction **18**
- fluorogenic conjugation 341–344
- labeling using fluorescein **135**
- metallization 132, **134**
- phosphoramidite method 132
- polymerase chain reaction (PCR), tBTA
 complexes Au nanoparticles 265
- scaffolding 131–137
- sequencing of specific DNA strands 224–225
- strategy for incorporation of click concepts
 133
- transfer-printing onto azide-terminated glass
 surfaces 135
see also oligonucleotides
- DNA chip, construction using CuAAC **303**
- domino-click synthesis 22
- novel bistriazoles **24**
- DOPE alkyne **146**
- dynamics polymers (dynamers) 138
- electro-optic (E–O) activities 119, 379
- electric field-dependent poling behavior **386**
- in-situ generated side-chain E–O polymers
 by solid phase Diels–Alder click
 reaction 388
- physical and optical properties **388**
- electro-optics, *see also* nonlinear optical
 (NLO) materials
- electron microscopy images, solution
 aggregates **81**
- Electrophorus electricus* AChE 369
- enhanced green fluorescent protein (EGFP)
 260
- enoyl CoA hydratases (ECH-1) 312
- enzymes
- activity-based profiling 38–41
- formylglycine-generating enzyme (FGE)
 40–41
- inhibitors 368–371

- erythromycin, 8,9-anhydroerythromycin A, anti MRSA 366
- erythropoietin (Epo), PEGylated **56**
- Escherichia coli*
- cu tolerance 317
 - E. coli*-biotin conjugate **230**
 - intein-chitin fusion 56–57, 313
 - shiga-like toxins, serotype O157:H7 268, **269**
- 2-ethynyl-naphthalene, acetylene-modified **357**
- farnesyl transferase (PFTase), prenylation 313
- ferric iron oxide nanoparticles 258–260
- fiber networks 298–299
- FK866 (resveratrol) 367–368
- FLAG tagging 319–320
- FLAsH-EDT2 329
- fluorescamine, reaction with primary amine **329**
- fluorescein
- derivatives 282, 349
 - fluorescent labeling through click chemistry, schema 356
- fluorescein arsenical hairpin binder (FLAsH) 39, 329
- fluorescence resonance energy transfer (FRET) quenching 33–34, 332
- fluorescent markers 282, 349, 356–360
- in bioconjugation 328–354
 - cell surface glycoconjugates 341
 - coumarins 332–335
 - naringenin **356**
 - rhodamine 356
- fluorescent molecular patterning, by SECM 300
- fluorine labeling 364–365
- 4-fluoro-7-aminosulfonylbenzofuran (ABD-F) **330**
- fluorogenic reagents
- borondipyrromethene (BODIPY) as pre-fluorophore 337, **338**
 - structures **330**
- folate receptor, carcinoma KB cells 178
- formylglycine-generating enzyme (FGE) 40–41
- Fourier transform infrared (FT-IR) 101
- free-radical polymerization 72
- fucose analogs 336
- fullerenes 267–269
- C60 hexakis adducts 268
 - functionalization of C60 with azides **269**
- fulvene 196
- furan (diene) and maleimide (dienophile) 196
- G-protein-coupled receptor activation 39
- gel permeation chromatography (GPC) 99
- GPC spectra for block copolymer formation **100**
- gels, formation by non-covalent interactions (hydrogen bonds) **154**
- gels and networks as scaffolds for synthetic reactions 147–153
- multivalent building blocks (selected examples) **149**
- gene transfection 178
- glass
- spin-coating 294–295
 - substrates incl. capillaries 61–62
- glass substrates incl. capillaries, aldehyde functionalization **62**
- glutathione-S-transferase (GSTO 1-1) 312
- glycans
- arrays on cell surface 301
 - fucose analogs **336**
 - labeling **360**
 - metabolic engineering oligosaccharides **43–44**
 - specific fluorescent labeling **341**
 - in living cells, dynamic imaging **45**
 - posttranslational modifications of proteins 42
- N*-substituted glycine peptoidic oligomers, chain elongation **226**
- glycine residues, *N*-myristoylation 44
- glycoblotting 61
- glycoconjugates 236–247
- cell surface, fluorescent-labeling 341
- glycodendrimer
- 2,2-bis(hydroxymethyl)propionic acid **239**
 - conjugated to a silica core for affinity chromatography **189**
- glycopeptidomimetics 35, 36, 366, **366**
- glycopolymers 244–245
- prepared via ATRP **283**
- glycoproteins 238–240
- mimic prepared by coupling of clicked glycopolymer to BSA **246**
- glycosaminoglycan microarrays 61
- glycosylated molecules
- sugar functions as azide or alkyne **242**
 - synthesis 371
- gold nanoparticles 261–262
- binding via Hamilton receptor 146, 259–262, **259**
 - decane-thiol ligands 262
 - decoration with SWNTs **266**
 - modification via CuAAC reaction 261–262
 - TEM, on DNA **265, 266**
- gold nanorods, acetylene or azide functionalized ligands 265

- graft copolymers 107–113
 alkyne main chains 111–112
 azide- and alkyne-functionalized polymer chains **109**
 GPC traces of PHEMA-g-PEG **112**
 non-CuAAC routes 113
 poly(ethylene oxide) (PEO) 73, 143
 grafting, macromolecular chains to surface of cellulose fibers 299
 green fluorescent protein (GFP) 313
 enhanced (EGFP) 260
 mitochondrially targeted 340
 Grignard reagent 22
- Hamilton receptor, gold nanoparticles **142**, 257, 259–262, **259**
- Hawker-type-nitroxide initiator 140
 HEMA 64
 hemagglutination, dendrimeric vs monomeric mannose 184
 heme cofactor, PEG-b-PS 80
 hepatitis C virus (HCV) RNA, internal ribosome entry site 225
 hetero Diels–Alder (HDA) concept 94, 99
 hexa-peri-hexabenzocoronene (HBC) **273**
 HSA-MNP agglomeration **262**
 Huisgen 1,3-dipolar cycloaddition reaction *see* copper-catalyzed azide–alkyne cycloaddition (CuAAC); Diels–Alder
 human serum albumin (HSA) 260
 hydrazides, condensation reactions of ketones and aldehydes **31**
- hydrogels
 PEG/PVA 82–83
 poly(vinyl alcohol)-based, synthesis 4
 protein–polymer **58**
- hydrogen bonds
 ionophoric abilities 129
 self-assembled monolayers (SAMs) 141
 hydrogen-bonding network, L,L-pIAA **223**
 hydrophilic interaction liquid chromatography (HILIC) 371
- incident photon-to-current conversion efficiency (IPCE) 270
 inorganic nanomaterials 256–266
 integrins, cell surface 58
 intein-chitin binding domain, tripartite fusion expressed in *E. coli* 56–57, 312
 intein-mediated thioester formation **313**
 interlocked structures, formation 126
 iron oxide nanoparticles 257–258
 isobaric tags for relative and absolute quantification (iTRAQ) 319
 isotope-coded affinity tags (ICAT) 319
- Keck-allylation 21
 ketone-modified BSA **59**
 ketone-modified CCL-5, conjugation of PEG **57**
 ketones and aldehydes, condensations with heteroatom-bound amines 31–32
 Knorr-reaction 21
- labeling
 azidohomoalanine (AHA) 321
 bovine serum albumin (BSA) 360
 breast cancer cells 328
 cell surface glycoconjugates 341
 covalent labeling 4
 DNA, combined labeling and methylation 136
 fluorine 364–365
 glycans **43–44**
 metabolic labeling of proteins 5, 41–44
 site-specific labeling of proteins 39–41
 stable isotope labeling by amino acids in cell culture (SILAC) 319
 sugar derivatives, attachment of biotin 359
 Langmuir layers 143
 Langmuir–Blodgett layers 155
 layer-by-layer assembly, composite films 296–297
 light-induced decomposition, 2,5-diaryltetrazoles 37
- linezolid
 mimics **367**
 structure–activity relationship (SAR) studies 366
- lipase B (CalB), *Candida antarctica* 144, 230–231
 lipid oligonucleotides (ONs), synthesis 225–227, **227**
 liposomes 143–144, 274–275
 liquid crystalline polymers **152**
 living radical polymerization (LRP) 244
 LUMO-lowering, electron-withdrawing fluorine atoms 36
- macrocycles (cyclic polymers) 128–131, **131**
 nonclassical hydrogen bonding system 129
 macrolactamization
 linear peptoids **13**
 propargyl glycine azido leucine **12**
- macromolecules
 blocks, stars, combs 89–118
 cascade functionalization **76**
 cascade side-chain functionalization 73
 click modification of well-defined polystyrene prepared by ATRP **74**
 post-polymerization modification 72–74

- macromolecules (*Cont.*)
 telechelic 148
see also biomolecules; supramolecular materials
- magainin-based compounds 13
- magnetic nanoparticles (MNP) 257
 functionalization with Pd catalyst **260**
- MALDI-TOF-analysis 140–141
- maleimides 196–198
 homopolymerization 198
- maltose, synthesis **372**
- maltose-binding protein (MBP) 260, 313
- Mannich reaction 357
- mass spectrometry (MS)
 with affinity purification 319
 proteomic profiling tools 318–321
- membrane-spanning channels 128
- membranes 143–146
 protein conformational changes 39
- metabolic labeling of proteins 41–44
- methionine, unnatural analogs 41
- methionyl-tRNA synthetase (MetRS) 316, 321
- methotrexate, poly(amidoamine) (PAMAM) dendrimers 177–178
- 2-methoxy-2, 4-diphenyl-3(2H)-furanone (MDPF) **330**
- micelles 278–281, 345
 cross-linked, dendrimers **280**, 345
 functionalized with azides or acetylenes **279**
- microbicides, sexually transmitted diseases 178
- microcontact printing 83
 absence of copper catalyst **84**
 azido self-assembled monolayers (SAMs) 83
 biotin azide **298**
 immobilization of saccharide molecules 302
- micropatterned protein assemblies using streptavidin as linker **64**
- monoclonal antibodies (MAb), protein–drug conjugates 55
- monosaccharides, unnatural 43
- MRI, magnetic nanoparticles (MNP) 257
- mRNA hairpin loop binding agents 22
- mRNA translation, imaging 39
- MRSA (multi-resistant *Staphylococcus aureus*) 366
- muramyl dipeptide (MDP) 357
- myoglobin, conjugated with a PS144-b-PEG113 block copolymer **81**
- N-C* heterocyclization 22
- N*-acetylmannosamine (ManNAc) 43
- N*-Oxo-*C*-keto GFP 58
- N*-terminal oxidation via transamination with sodium glyoxylate **54**
- nanomaterials 81–84, 156–163, 255–290
 applications of fluorogenic CuAAC 345–348
 assembly using DNA 139
 binding via Hamilton receptor 142
 carbon-based 266–272
 cross-linked 278–279
 grafting of acetylene polymers prepared via RAFT to nanoparticles **256**
 hydrogen-bonding systems, sAMs 141
 inorganic 256–266
 and interfaces, azide–alkyne click reactions **156–163**
 self-assembled organic structures 272–281
 surface-functionalization 155
 virus particles 281–284
- nanotubes
 carbon nanotubes **82**, 127, **129**, 269–272
 formation, triazoles **241**
 polystyrene-modified single-walled carbon nanotubes **82**
 single-walled nanotubes (SWNTs) 266
- naphthalene-2,3-carboxaldehyde (NPA) **330**
- naringenin, fluorescent labeling **363**
- networks
 as scaffolds for synthetic reactions 148
see also gels and networks
- nicotinamide adenine dinucleotide (NAD) assay 368
 biosynthesis 368
- nicotinamide phosphoribosyltransferase (NMPRTase) 368
- NIPAM-co-AzPAM block 280
- 4-chloro-7-nitro-2,1,3-benzoxadiazole (NBD-Cl) **330**
- nitrogen-rich compounds *see* azides; triazoles
- nitroxide-mediated polymerization (NMP) 2, 72, **140**
- nonlinear optical (NLO) materials 379–398
 diene NLO dendrimers **395**
 electro-optic (E-O) activities 379
 frechet–dendron chromophore **395**
 nLO dendrimers 392–394
 summary of physical properties **396**
 synthesis of side-chain E-O polymers by catalyzed post-esterification for PS-FTC **384**
 synthesis of thermoreversibly crosslinkable side-chain E-O polymer **383**
 three-arm NLO dendrimers 392
 types of polymers **380**
- nuclear magnetic resonance (NMR) 94, 99–100
- nucleosides, alkyne modified uridine 342, **343**
- nucleotides, alkyne-containing 224–225

- olefin metathesis 37
- oleic acid, with azide or acetylene
functionalized ligands **259**
- oligonucleotides 14–18, 224–225
arrays 61, 302
CuAAC 16
immobilization, oxime bond formation **60**
lipid ONs 225–227
oligodeoxyribonucleotides (ODNs) 342
thymidine derivative at 5-position with AZT **16**
see also DNA
- oligosaccharides 18–22
C3-symmetric glucosamine oligosaccharides 22
glycosylated beta-peptides 22
metabolic engineering **43**
synthesis of pseudo-oligosaccharides **22–23**
- optoelectronically active materials 119
see also electro-optic (E-O) activities
- oxanorbornadiene, structure 36
- oxime bond formation **54**
immobilization of oligonucleotides **61**
protein–drug conjugates 55
- oxime chemistry 3, 53–69
micropatterns 63–64
- P*-selectin-glycoprotein-ligand-1 (PSGL-1),
mimic 317
- 5-O-palmitoylindole 264
- pantethienylation 44
- patient-specific drugs (personalized medicine) 178
- PEG-b-PS, linked to heme cofactor 80
- PEGylated compounds
CCL-5 (RANTES) 56
erythropoietin (Epo) **56**
porous silicon (pSi) substrates 294
proteins 228–229
SOD, site-specific azide functionality using
CuAAC **229**
- pentamethyldiethylenetriamine (PMDETA)
catalyst system 93, 109, 267
as ligand 102
- peptide dendrimers 13–14
CuAAC 2
- peptide derivatives
azide-containing dipeptide analogs **11**
chain replaced by carbamate derivative 366
enzymatic peptide coupling **11**
synthesis of tetrapeptides **10**
synthesis of triazole-glycosylated
beta-peptides 24
triazole-based covalently modified, synthesis
10–12, **10**
- peptide-bond isosteres, cyclotetrapeptide
mimics 11
- peptoids 12–13
linear, macrolactamization **13**
modification of peptoid side chains **14**
modified via click reaction of azides 12–13
noncyclic peptoid derivatives 13
- perfluorocyclobutyl units 72
- phenylalanine, unnatural analogs 41
- phenylalanyl-tRNA synthetase (PheRS) 315
- phenylphenanthridinium group 370
- phosphines
phosphine–fluorophore conjugates,
fluorescence resonance energy transfer
(FRET) quenching 33–34
probes, fluorescence resonance energy
transfer (FRET) quenching 34
tris(carboxylethyl)phosphine (TCEP) 124,
282, 327, 340
- phosphin oxide-ligands, replacement with azide
or acetylene derivatives **258**
- phospholipids, structures **274**
- phosphoramidites 225
- photoacid generator (PAG) 63
- photochemical deprotection 63
- photoclick chemistry 37
- photoinduced electron transfer (PET),
anthracenes 335–336
- pirenzepine derivatives **358**
- PMDETA *see* pentamethyldiethylenetriamine
- podophyllotoxin 367
- poly(3,3-diethoxypropyl methacrylate)
(PDEPMA) 63
- poly(alkyl aryl) ethers 72
- poly(amidoamine) (PAMAM) dendrimers
177–178
bis-MPA dendron with targeted and imaging
units 184
convergent synthesis of asymmetrical
dendrimers **187**
convergent synthesis of polyglycerol
dendrimers, Nile Red solubilization
185
generation 3 polymeric dendrimer with
cleavable periphery **189**
tetrameric RGD-dendrimer synthesized via
CuAAC **188**
thiol-ene chemistry **183**
- polyazides 373–374
1,4-disubstituted 1,2,3-triazoles 374
explosive properties 373
Ullmann-type coupling reaction **374**
see also azides
- polybutadiene-*b*-poly(ethylene oxide)
(PBD-*b*-PEO) 276

- polycaprolactone, grafting of macromolecular chains to surface of cellulose fibers 299
 polycondensation 72
 poly(dimethylsiloxane) (PDMS) 66
 stamp 83
 polydispersity index (PDI) 100
 poly(ϵ -caprolactone) (PCL) 97, 109
 polyester dendron **277**
 poly(ethylene glycol) (PEG) 64
 azide-functionalized PEG 102, 220
 hydrogels 82–83
 linker 265
 PEGylated proteins 228–229
 PEGylation of SOD with a site-specific azide functionality using CuAAC **229**
 poly(ethylene oxide) (PEO), graft copolymers 73, 143
 poly(flourenylene-triazolene) 72
 poly(glycidyl methacrylate) (PGMA)
 copolymers, aTRP 73
 poly(isobutene), carbocationic polymerization 140–141
 polyisocyanides 220, **223**, **224**
 poly(lactide-co-glycolide) (PLGA) 298
 polymer chains, grafting of linear polymer chains onto alkyne-functionalized silane monolayers **295**
 polymer fibers
 networks 297–298
 testis-specific protease (TSP50) 298
 polymer networks 198–199
 defined 198
 polymerase chain reaction (PCR), tBTA complexes Au nanoparticles 265
 polymers/polymerization
 adhesives, crosslinked 4
 chemical vapor deposition (CVD) 297
 comparative utilization 91
 controlled polymerization techniques for CuAAC reaction **219**
 cyclic polymers, generation 129
 dynamics polymers (dynamers) 138
 initiators 55
 layer-by-layer assembly 296–297
 mechanisms, CuAAC 70–72
 with multiple functional side chains (CuAAC) 73
 natural and synthetic 218–228
 natural and synthetic biopolymers 42, 218–228
 PAzPMA 73
 polymer–biomacromolecule conjugation 76–81
 protein and peptide conjugation 54–60
 RAFT 2–3, 58
 reversible folding of helical polymers into gels **142**
 scaffolds 140
 ‘smart’ polymers 54–60
 see also block copolymers (BCPs)
 polymersomes 143, 275–278
 membranes, PEO–PIB block copolymers and silicification of outer shell **144**
 modification of surfaces via azide–alkyne click reaction **145**
 PS-*b*-PIAT 276
 poly(methyl methacrylate) (PMMA) 97, 220
 anthracenyl PMMA-AMA with NLO chromophores 386–387
 poly(*N*-isopropyl acrylamide) (PNIPAM) **109**, 129, 140
 poly(propargyl methacrylate) 297
 poly(tBA-MMA) **296**
 polystyrene
 cyclic **132**
 functionalization 141
 modified single-walled carbon nanotubes **82**
 prepared by ATRP **74**
 terpolymer, spin-coated 296
 utilization **91**
 poly(vinyl acetate) (PVAc) 112
 poly(vinyl alcohol)-based hydrogels, synthesis 4, 82–83
 poly(vinyl chloride), reversible cross-linking 196–197
 pore-forming compounds 13
 porphyrines, cyclodextrin-modified **128**
 post-polymerization modification 72–76
 pre-fluorophore, boron dipyrromethene (BODIPY) 337, **338**
 prenylation, protein farnesyl transferase (PFTase) 313
 propargyl glycine azido leucine, macrolactamization **12**
 propargyl maleimide 80
 propargyl methacrylate 297
alpha-propargyl-*delta*-valerolactone 220
O-propargylated fluorescein derivatives 356
a,w-bis(*O*-propargyl)diethylene glycol 71
1-O-propargylmaltose **379**
 protein conjugates 228–232, 309–326
 applications of fluorogenic CuAAC 337–348
 DNA 341–344
 nanoparticles/polymers 345–348
 probing of cellular components 339–341
 viruses 344–345
 azido group as anchorage for bioconjugation 332
 BONCAT 318–321

- cotranslational functionalization with azides and alkynes 314–318
- fluorescent dyes 328–354
- posttranslational addition of azides and alkynes 310–314
- posttranslational modification 317
- protein-polystyrene conjugates, giant amphiphiles 233
- protein farnesyl transferase (PFTase), prenylation 313
- protein tyrosine phosphatase (PTP) inhibitors 370
 - bis(alpha-ketocarboxylic acid) **371**
- proteins 44
 - covalent introduction of azides and alkynes **311**
 - expressed protein ligation (EPL) 56
 - incorporation of unnatural amino acids **42**
 - lipid-modified 44–45
 - metabolic labeling 5, 41–44
 - micropatterned protein assemblies using streptavidin as linker **64**
 - profiling, activity-based (ABPP) **38, 44, 153**
 - protein–drug conjugates, oxime bond formation 55
 - protein/peptide–polymer conjugates 54–60
 - residue-specific labeling 41
 - site-specific conjugation 63
 - site-specific labeling 39–41
 - SSbG 317
- proteomic profiling 318–321
- pyridine units, linked by triazoles 141
- pyridoxal-5-phosphate (PLP) 54–56
- pyridyl disulfide 55
- pyrimidine triphosphates, 5-Modified **17**
- pyrone 196
- pyrrolinone **329**
- quantum dots (CdSe nanoparticles) 257
- quinine, CD-SWNTs **272**
- quinone, immobilized on gold surface, reacting with cyclopentadiene 197–198
- regioselection 2
- residue-specific protein labeling 41
- resins, networks as scaffolds for synthetic reactions 148
- resorufin 329
- resorufin arsenical hairpin binder (ReAsH) 39, 329
- resveratrol 373
 - triazole-modified analogs **367, 368**
- reversible addition–fragmentation chain transfer (RAFT) polymerization 2, 58, 72, 89–90, 345–346
 - RAFT initiator 257
 - RAFT–HDA concept **95**
 - Z-group approach 90
- RGD *see* arginine–glycine–aspartate
- rhodamine, fluorescent markers 356, 358–359
- ring-opening metathesis polymerization (ROMP) 2–3, 72, 138, **139, 148**
 - ROMP polymers, formation of DNA block copolymeric micelles **150**
- ring-opening polymerization (ROP) 2, 72, 90, 109
- RNA
 - internal ribosome entry site (IRES) 225
 - synthesis 44–45
- rotaxanes 72, 123–126
 - formation, via click stoppering **125**
- ruthenium catalyst 21
- ruthenium complexes, copper-free nontoxic alternatives to CuAAC 121
- scaffolds
 - alkyne-functionalized macromolecular scaffolds **111**
 - azide-functionalized macromolecular scaffolds **110, 120**
 - biopolymers 217
 - DNA 131–137
 - gels and networks, for synthetic reactions 147–153
 - networks as scaffolds for synthetic reactions 148
 - polymers 144
 - tissue engineering, polyisocyanides 220, **223, 224**
 - viruses 230
- scanning electrochemical microscopy (SECM) 300
- SDS-PAGE 346
- self-assembled monolayers (SAMs) 61, 66, 153–155
 - azido, microcontact printing 83
 - glyco-SAMs 301
 - hydrogen-bonding systems 141
 - surfaces and interfaces 153–155
- self-assembled organic structures 272–281
- sexually transmitted diseases 178
- shell cross-linked knedel-like (SCK) nanoparticles, fluorogenic click reaction 345, 347
- silica nanoparticles
 - compatible with polymer systems 256–258
 - passivation of native silicon surfaces 294
 - PEGylated porous silicon (pSi) substrates 294
- silicon dioxide, spin-coating 294–295

- single-walled nanotubes (SWNTs) 266, 269–272, **272**
 functionalization with alkyne moieties and reaction with azido-zinc-phthalocyanine **271**
- sinomenine 357
- size-exclusion chromatography 345
- small unilamellar vesicle (SUV) **151**
- sodium azide, toxicity 373
- sodium glyoxylate, transamination **54**
- solution aggregates, electron microscopy images **81**
- spatially patterned surfaces 299–300
- stable isotope labeling by amino acids in cell culture (SILAC) 319
- star polymers 101–107, 127, 151
 A₄, CuAAC routes 101–102
 b-PEG 3-arm star block copolymers **103, 105**
 dendritic star polymers 107
 Diels–Alder reaction
 anthracene–maleimide Diels–Alder cycloaddition 102–103
 furan-protected maleimide end-functionalized polymer and trianthracene core **104**
 divergent and convergent synthesis approach to dendritic star polymers by a combined ATRP/click approach **108**
 heteroarm star polymers **106**
 PMDETA as ligand 102
 RAFT HDA concept 102
 Staudinger ligation 4, 32–35
 Staudinger reaction 3, 122, 332
 fluorogenic reactions **333**
- steganacin 367
- strain-promoted cycloaddition 3
- streptavidin micropatterns
 immobilization of *N*-terminal aldehyde-modified 65
 via binding to biotinylated surface **63**
- structure-activity relationship (SAR) studies, linezolid 366
- styrene, nitroxide-mediated polymerization 346–347
- N*-substituted glycine peptidic oligomers, chain elongation **226**
- sugar derivatives, labeling 359
- sugar-containing macrocyclic compounds 21–22
- sugars
 hemi-protected aldehydes 225
 immobilization of saccharide molecules 302
 tetrasaccharide conjugation to fluorescein, and CPMV **231**
 unnatural monosaccharides 43
- supramolecular materials 119–175
 biological membranes 143–146
 cyclodextrins 126–127
 dendrimers 147
 DNA 14–18, 131–137
 gels, formation by non-covalent interactions (hydrogen bonds) **154**
 gels and networks 147–153
 macrocycles (cyclic polymers) 128–131
 polymers 138–143
 rotaxanes 72, 123–126
 self-assembled monolayers (SAMs) 61, 66, 153–155
- surface engineering 291–308
 azide–alkyne click reactions **162–169, 292–294**
 glass substrates incl. capillaries 61–62
 immobilization of protein and peptides 60–69
 and interfaces, self-assembled monolayers (SAMs) 155
- surface plasmon resonance (SPR) spectroscopy **61, 302**
- surfaces
 bioimmobilization 300–305
 flat, CuACC 83
 spatially patterned 299–300
- target-guided synthesis (TGS) 370
- testis-specific protease (TSP50), biodegradable polymer fibers 298
- tetraazidomethane **373**
- tetracysteine
 FIAsH/ReAsH method 39–40
 motif (CCXXCC) 39
- tetrahydrofuran (THF) 95
- tetrapeptides, synthesis **10**
- TFA, deprotection 61
- thermal and copper-catalyzed cycloaddition of azides and alkynes **70**
- Thermomyces lanuginosa* lipase (TLL) 232, 264
 TLL–BSA heterodimer **232**
- Thermoset-formation, by cross-linking via azide–alkyne click reaction **155**
- thiol-ene reaction 3, 91
- tobacco mosaic virus (TMV) 284, **285**
 CuAAC reaction 345
- Tollens reaction 132
 metallization via attached aldehydes **134**
- transient fibers, crosslinking, formed via amide-bond-assembly **153**
- triarylphosphines, Staudinger ligation **33**

- triazole-based covalently modified peptide derivatives
 - dendrimers **15**
 - dendrons 2
 - synthesis **10**
- triazoles
 - acetylenic benzenesulfonamide 370
 - analogs 367
 - cell viability assay 368
 - 1,2,3-bistriazoles 22, **24**
 - compared with amide and nanotube formation **241**
 - functionalities within polymer structure 71
 - linking pyridine units 141
 - 1,2,3-triazole-containing dendrimers 71–72
 - 1,2,3-triazole-containing dimeric saccharides 21
 - 1,2,3-triazoles 35, 121, 361
 - 1,4-disubstituted 381
 - see also* Huisgen-reaction
- triazolocoumarins **336**, 348–349
 - combinatorial synthesis and screening **336**
- triazolophanes, nonclassical hydrogen bonding system 129
- triazolyl glycoamino acids 242
- triisopropylsilyl (TIPS) group 342
- trimethylsilyl (TMS) 93
 - protecting group 342
- triphenylsulfonium triflate 63
- tris-(benzyltriazolylmethyl)amine (TBTA), catalysis 257, 265, 302, 311, 313
- tris-(carboxyethyl)phosphine (TCEP) 124, 282, 327, 340
- tubulin, inhibition of assembly 373
- Ullmann-type coupling reaction, polyazides **381**
- uridine nucleosides, alkyne modified 342, **343**
- viral trafficking patterns 39
- viruses 281–284
 - cowpea mosaic virus (CPMV) 80, 230–231, 281–284, 310, 344
 - fluorogenic conjugation 344–345
 - modifications by CuAAC reactions **346**
 - scaffolds 230
 - tobacco mosaic virus (TMV) 284, **285**, 345
- yeast, phenylalanyl-tRNA synthetase (PheRS) 315
- zinc protoporphyrinIX (ZnPPIX) 233–234
- zinc-phthalocyanine (ZnPc), reaction with acetylene–SWNT 270
- zwitterionic polymers 220