

Index

A

- Accelerator 29, 32, 124, 126, 132
 - hardening (for concrete) 260
 - of polymerization 137
 - set (for concrete) 260
- Adherence 120, 158, 222, 223, 238
- Adhesion 87, 88, 138, 140, 141, 142, 152, 160, 165, 173, 174, 177, 215, 222-227, 230, 233, 234, 241, 247
- Adhesion bonding 88
- Adhesive dopes 86, 90
- Adhesiveness 84, 86, 87, 88-91, 215
- Admixture 124
 - concrete 248-264, 277, 298
- Aging 134, 141, 160, 180, 189, 197, 200, 219
 - of bitumen 99, 101, 104
 - of polymer 56
- Anticorrosion paint 153-154, 155
- Anti-graffiti function 160
- Asphaltene 79, 80, 81, 110, 112, 117

B

- Bicomponent 31-32, 36, 122, 123, 124, 125, 145, 149, 150, 151, 217, 234, 240
 - base 126, 127

- Bitumens 22, 53, 65, 71-118, 215, 220, 227, 231, 298-310, 335

C

- Chromatography 81, 280-285
 - gas chromatography 81, 107, 197, 202
 - gel permeation chromatography (GPC) 79, 81
 - high performance liquid chromatography (HPLC) 81, 107
 - silica rod chromatography 81, 107
- Colloidal instability index 80, 117
- Complex modulus (of bitumen) 93, 94, 95, 107
- Composites 29, 67, 68, 138, 139, 174, 184, 186, 205, 209, 210, 215, 216, 221, 224, 239, 242-248
- Containment (of water, waste) 194-195, 300
- Copolymers 25, 54, 111, 112, 113, 129, 131, 132, 136, 190, 241, 245, 319
- Cross-linking 30, 34, 43-47, 112, 124, 126, 129, 130, 150, 151
- Curing compound (for concrete) 263-264, 277

D

Digital imprint 276, 291

E

Ecological balance sheet 63, 64, 212
 Elastomers 33-35, 36, 38, 43, 44, 46, 67, 110, 111, 112, 113, 117, 205, 206, 224, 238, 242
 Emulsifiers 84, 85, 86, 90
 Emulsions 31, 32, 33, 55, 65, 75, 76, 83, 84-87, 139, 145, 147, 149, 172, 174, 240, 261, 263,
 Environment 73, 80, 114, 121, 122, 126, 140, 151, 153, 155, 156, 158, 159, 161, 242, 253, 258, 259, 261, 262, 311, 319, 324, 327, 328

F

Fire resistance 60, 61, 160, 202
 Flux 76, 82, 83, 84, 87, 89
 Functional analysis, 275

G

Gel 27, 79, 80, 81, 93, 107, 137, 146, 160, 256, 261
 Gelation 27, 133
 Geomembrane 178, 181, 183, 184, 186-198
 Geomembrane lining system (GLS) 181, 184
 Geosynthetic 186, 187, 190, 193, 194, 195, 213
 Geotextile 181, 183, 187-189
 Glass transition 23, 33, 35, 37-39, 41, 42, 44, 46-51, 69, 97, 111, 191, 197, 241, 242, 245, 287
 Gluing 72, 88, 165, 188, 195, 202, 215-265

H

Hardener 28, 32, 125, 126, 127, 129, 147, 151, 178, 239
 Hardening 42, 84, 104, 124, 127, 128, 159, 170, 251, 260, 263
 Health 64-66, 76, 158, 246, 259, 333-339
 Hydraulic binder 70, 123, 124, 138, 142, 144, 145, 147, 165
 Hydrocarbon binder 71, 172
 Hysteresis 43, 90, 91, 234

I

In situ cross-linking time 127, 239-241
 Industrial wood 205-212
 Infrared spectrometry 107, 113
 Injection (concrete cracks) 302
 Interfacial tension 85, 89, 90, 229, 230, 233
 Interphase 226, 239

L

Latex 33, 34, 109, 123
 Life cycle 62-64, 312, 338
 Lignosulfonate 251, 252, 253, 254, 255, 256, 257, 320

M

Maltene 79, 80, 81, 117
 Master curve 49, 50, 96, 107
 Micelle 79, 80, 81, 320, 322
 Monocomponent 31, 32, 70, 122, 123, 124, 129, 130, 145, 150, 151, 157, 159, 240

N, O

Natural asphalt 171

Oligomere

Organic binders 65, 70, 71, 72, 74, 87, 118, 119, 123, 124, 131, 137, 138, 142, 143, 147, 148, 149, 161, 165, 240, 216, 217, 302, 324

P

Paint 72, 119, 122, 124, 129, 145, 147-165, 170, 238, 263, 271, 272, 277, 287, 279, 281, 286, 303, 310, 327

Paint drying 150,

Penetration index (PI) 96, 116

Plasticity threshold or yield point 42

Plasticizer 47, 57, 197, 241, 251, 254-259, 295

Polycondensation 26-29, 32, 70, 126, 127, 128, 131, 132, 134, 150, 232, 237, 240, 255

Polymer 225, 232, 234, 235, 236, 237, 240, 242, 245, 268, 287

 cross-linked 27, 31, 33, 41, 43-44, 51, 70

 linear 25, 30, 33, 41, 43, 44, 54

Polymer alloy

Polymerization 26-29, 33, 54, 131-134, 136, 137, 142, 237, 240, 246

R

Recovered tires 203, 213

Reservoir pavement 202

Retroreflection 162-164

Road marking 119, 148, 149, 161, 164

Roughness 91, 156, 165, 173, 219, 227, 233-234, 237, 306

Rubber 33-34, 36-38, 42-44, 46-48, 109, 111, 116, 150, 159, 160, 171, 190, 196, 204, 205, 221, 224, 225

Rubber-like elasticity 43

Rubber-like plateau 46

S

Sealer 175

Sealing 138, 141-142, 181, 190, 206

Set retarder 260

Setting 71, 82, 88, 91, 124, 133, 138, 143, 165, 239, 240, 254, 255, 333

Shift factor 49, 97

Sizing 224, 243

Solubility parameter 52-53, 225

Solvent 25, 27, 29, 30, 31, 32, 47, 51, 52-53, 56, 57, 65, 70, 76, 79, 81, 82, 84, 87, 131, 132, 133, 134, 148, 149-151, 161, 164, 191, 193, 197, 200, 277, 278, 279-280, 281, 284, 331, 332, 335

Strengthening agent 242-245, 247, 248

Superplasticizer 248, 249, 253, 254, 255, 256, 259, 262, 265, 298, 320

Surface treatment 211, 233, 238-239, 243, 301

T, U

Tar 72-76

Thermogravimetric analysis 286

Thermoplastics 30-32, 33, 35, 47, 69, 70, 76, 109, 112, 131, 136, 150, 165, 171, 181, 190, 196, 202, 220, 222, 242, 245, 298, 311, 312, 319

Thermoplastic elastomers 35, 36, 46, 112

Thermoset 30-32, 69, 70

Thermosetting 32, 34, 70, 241, 242, 245

Time-temperature equivalence 39, 48-51, 69, 108

Usual practice time (pot life) 127,
142

V, W

Varnish 148, 152, 160, 170, 172, 310

Viscosity agent 260, 261, 249

Vulcanization 33, 34, 43, 112, 206

Waterproofing 72, 117, 122, 139,
167, 168-183, 279, 303, 304-305, 326

Weatherstripping 119

Wedging 138, 141, 142

Wetting 88, 89, 90, 91, 149, 226,
227, 228, 234, 235, 237