

Index

a

- activation energy 205
- active pharmaceutical ingredients (API) 285
- actuators 18f., 166, 175
- adiabatic temperature rise 217
- AFRICA (Automated Flow Reaction Incubation and Control Apparatus) 238
- analysis
 - advanced data 111
 - at-line 105f.
 - in-line 105, 111f., 114, 124, 151
 - off-line 105, 113, 156
 - on-line 105f., 110f., 172ff.
- ATEX (Atmosphère Exposable) 218, 268
- automation 161f., 268
 - CTC-HTS Pal system 191
 - eJournal 163ff.
 - hardware 162
 - I/O handling 167
 - LAB-box 162, 177f.
 - LAB-manager 162, 177f.
 - LABVision 162ff.
 - microprocess systems 175
 - MikroSyn 176
 - Modular Microreaction system (MMRS) 177f.
 - NAMUR Worksheets 163f.
 - production 167
 - requirements 169
 - SIPROCESS microprocess system 179f.
- autothermally 317

b

- biomimetic approaches 5
- Blasius regime 15
- BMBF (Bundesministerium für Bildung und Forschung) 219

- Bodenstein number 92
- Buckingham method 26

c

- calibration standards 134f.
- calorimetry 208f., 212
- capacity/volume ratio 6f.
- carbon monoxide (CO) 89f.
- carbon number 76
- catalysis
 - alumina-supported metal 76
 - fuel processor 76
 - heterogeneous 24
- catalyst
 - active phase incorporation 77, 88
 - activity 93
 - bulk 87f.
 - characterization tools 79f.
 - coating 77ff.
 - conductivity 94
 - development 75ff.
 - efficiency factor 94
 - engineering 79
 - formulations 76f., 87f.
 - layer 78f., 93f.
 - layer thickness 86f., 93f.
 - Lewis acid 192
 - long-term aging 78
 - monolithic 77
 - optimized powder 88
 - performance 79, 87f.
 - porosity 81, 93ff.
 - preferential oxidation (PROX) 89
 - screening 88
 - thickness 78f.
 - weight 92
- catalytic-gas-phase microreactor 64ff.

- catalyst deposition and characterization 65f.
 - control of critical parameters 64
 - pressure drop 65
 - purchasable 66f.
 - reactor handling 65
 - reactor material 64
 - residence time 65
 - catalytic-gas-phase phase-contacting principles 58, 60ff.
 - catalytic bed microreactor 64, 66
 - catalytic wall microreactor 63, 66
 - packed-bed microreactors 60, 63
 - catalytic heterogeneous reactions 26
 - channel
 - diameter 7f., 14, 91
 - flox regime 8
 - I/O 166
 - length 8, 38ff.
 - microchannel 47, 77, 88f., 91, 190f., 258
 - monitoring 110
 - multi- 110, 152
 - number 7f., 9, 14, 39
 - number ratio 8ff.
 - parallel 7, 14, 38
 - performance 110
 - pressure drop 13, 39f.
 - radius 38ff.
 - volume 38
 - characteristic times, *see* time scales
 - chemical engineering process 4, 19
 - chemical information 113
 - chemical production process 3
 - chemical systems 113f.
 - chemical transformation 285
 - chemometrics 112f.
 - International Chemometrics Society (ICS) 113
 - chromatographic
 - columns 5
 - systems 109
 - Chromatography 112ff.
 - Gas (GC) 112ff.
 - High-Performance Liquid (HPLC) 112, 134
 - Liquid (LC) 129
 - clean-out times 109
 - coating, *see* microstructure coating
 - coking resistance 78
 - computer-aided design (CAD) 16
 - condensation 203f.
 - Knoevenagel 206
 - conduction time 34f.
 - contamination 204
 - cross- 206
 - control systems 161ff.
 - chemical reaction 170
 - closed-loop control 168
 - distributed control systems (DCS) 168
 - flow 260f.
 - eJournal 163ff.
 - HiTec Zang LAB-box system 162
 - HiTec Zang LAB-manager system 162
 - process visualization 168, 179
 - programmable logic controllers (PLC) 168, 176
 - pulsed operation 111
 - reaction 261
 - research process control computer systems (RPCCS) 163
 - SIMATIC PCS 7 LAB 165ff.
 - standard process 175
 - supervisory control and data acquisition systems (SCADA) 168, 176
 - WinCC 176
 - corrosion resistance 49f., 55, 78, 258
 - chemical 49f., 64
 - mechanical 49f.
 - of substrate 78
 - costs
 - capital (CAPEX) 17, 281, 284f., 289
 - manufacturing 291
 - operational (OPEX) 281, 284, 286, 289ff.
 - total 286, 292, 294
 - variable 291, 293
 - cryogenic operation 218
- d**
- Damköhler number 29, 91f.
 - decomposition 212
 - intermediate 230
 - oxidant 234
 - deposition techniques
 - chemical vapor technique (CVD) 79, 85, 87, 95
 - one-step washcoating 83f., 87, 89
 - sequential washcoating 82
 - sol-gel 77, 79, 85f., 214
 - wet chemical 79
 - diffusion
 - molecular 47
 - time of mass 33
 - DoE (Design of Experiments) 134
 - dynamic dilution, *see* process analytical technology (PAT)

e

- economics of microreaction technology 281ff.
 - chemical reaction 283, 287f., 290
 - commercial-scale production 285ff.
 - cost analysis of existing microchemical process 290ff.
 - cost calculation methodology 289
 - economic potential 285
 - four-stage potential analysis 281f., 294
 - influence of improvements 291f.
 - material potential 284f., 294
 - potential evaluation methodology 282f.
 - profitable production 289ff.
 - technical potential 284, 294
 - theoretical potential 283f., 294
- EDCI (1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride) 187, 189f.
- electroosmotic flow (EOF) 153, 187f., 190, 192
- enantiomeric excess 204
- endothermic
 - process 76, 80
 - reaction 89, 92f., 243f.
- energy
 - dissipation 7
 - losses 77
 - specific energy ratio 8ff.
- enthalpy 314
- entropy 314, 319
- equilibrium 26
 - non- 26
 - thermal 29
- exothermic
 - reactions 5f., 76, 170, 205, 207, 209
 - total oxidation 89

f

- filtering, *see* process analytical technology (PAT)
- Fine Chemical and Pharmaceutical Industry (FCPI) 281, 283, 285f., 294
- flow
 - internal 14
 - isothermal laminar 14
 - macroscopic inlet 14
 - speed 146
- flow rate 5, 8, 14, 38, 45, 146, 148ff.
 - exergy 316
 - inlet 14
 - molar 316
 - NMR spectroscopy 148ff.
 - production 10, 13
 - total 13, 38

flow regime

- continuous 6, 12f., 145ff.
- laminar 12f., 47, 91
- turbulent 11f., 205
- flow-cell 223
- fluid
 - microfluidics devices 123ff.
 - properties 10f., 54
 - thermal conductivity 11
 - velocity 14
 - viscosity 11f.
- Fourier number 47
- friction 6f., 14
 - losses 7
- fuel cells (FCs) 75, 311ff.
 - low-temperature proton-exchange membrane (PEMFC) 75, 311, 313f., 317
 - temperature 75f., 323
- fuel processing steps 76
- fuel processor (FP) 78, 88, 311
 - hydrogen production 311f.
- fuel processor-fuel cell (FP-FC) systems 312ff.
 - design of methanol 316
 - efficiency 322ff.
 - exergetic analysis 316ff.
 - exergetic comparison between systems 322f.
 - exergy concept 318ff.
 - final products 314f.
 - flow sheet 317
 - maximum electricity generation 314
 - methanol processor integrated with PEM fuel cell 313f., 322
 - optimization 321
- fuel reformer 76, 78
- fundamental characteristic times, *see* time scales
- FZK (Forschungszentrum Karlsruhe) 239, 253, 256

g

- gas-liquid microreactor 51ff.
 - affordability 55
 - non-purchasable 59f.
 - process parameters 53f.
 - purchasable 57f.
 - reaction and fluid properties 54
 - reactor material 54
 - reliability 55f.
 - scale-up or scale-out ability 56
 - sustainability 55f.
- gas-liquid phase-contacting principles 51ff.

- continuous- continuous phase 51f.
- disperse- continuous phase 52
- geometric
 - dimensions 13, 26f., 31, 37
 - structuring 4, 8, 19
- Gibbs free energy 314
- global operation time, *see* time scales
- good laboratory practice (GLP) 164
- good manufacturing practice (GMP) 218, 225
- gravity time, *see* time scales

- h**
- heat
 - flow curve 208f.
 - of reaction 76
 - release rate 208f.
- heat transfer 4, 6, 8f.
 - acceleration 8
 - aera 10f.
 - characteristics 5, 8
 - coefficient 10ff.
 - efficiency 26, 77
 - limitation 11
 - rate 318
 - selective intensification 33
 - time 7ff.
- heat-exchange surface 28
- high-throughput (HT) 78, 271, 275
 - device 78
 - screening 152, 189
 - tools 78
- hot spot 207, 210
- hybrid approach 16, 18
- hydrocarbons 76, 78, 95, 315, 323
 - reforming 80, 91
- hydrodynamics
 - non-selective dissipative 4
 - of the reactor 80
- hydrogen
 - loss 89
 - production 76, 87, 311ff.
- hydrogen peroxide 212ff.

- i**
- impurities 109, 205
- IMVT (Institut für Mikroverfahrenstechnik) 239, 253f., 256
- industrial microreactors for pilots plants and production 212ff.
 - butyl lithium-based alkylation reactions 217
 - development for OLED materials production 220
 - development of ionic liquid production 225
 - diazo pigment synthesis 240f.
 - direct fluorination of ethyl 3-oxobutanoate 235f.
 - fine chemical production process 243f.
 - Friedel-Crafts alkylation 233f.
 - german project cluster 205ff.
 - Grignard-based enolate formation 244, 246
 - Grignard exchange reaction 227ff.
 - halogen-lithium exchange pilot plant 228f.
 - H₂O₂-based oxidation to 2-methyl-1,4-naphthoquinone 234
 - hydrogen peroxide synthesis 212ff.
 - industrial photochemistry 224f.
 - Japanese project cluster 2002 225f.
 - liquid/liquid and gas/liquid fine chemicals production 220f.
 - MMA (methylmethacrylate) manufacture 226f.
 - Nitoglycerine production 242
 - organolithium exchange reaction 214
 - pharmaceutical intermediate production by ozonolysis and halogenation 212ff.
 - polyacrylate formation 216
 - polycondensation 231ff.
 - production of olymer intermediates 239f.
 - propene oxide formation 236ff.
 - Swern-Moffat oxidation pilot plant 230f.
 - Yellow nano pigment plant 230, 232
- industrial microreactors for process development at laboratory scale 197ff.
 - (S)-2-Acetyl tetrahydrofuran synthesis 203f.
 - Azo pigment Yelllow 12 manufacture 200f.
 - ciprofloxazin multistep synthesis 207
 - condensation of 2-trimethylsilylethanol 203
 - desymmetrization of Thioureas 200
 - domino cycloadditions in parallel fashion 205f.
 - ester hydrolysis to prodice an alcohol 202f.
 - Grignard and organolithium reagents 210ff.
 - methyl carbamate synthesis 207
 - methylenecyclopentane synthesis 203
 - Newman-Kuart rearrangement 208f.
 - nitration of substituted benzene derivatives 197
 - phenyl boronic acid synthesis 198f.
 - ring-expansion reaction of *N*-Boc-4-piperidone 209ff
 - synthesis of intermediate for quinolone antibiotic drug 204

- vitamin precursor synthesis 202
 - industrial microreactors for screening studies
 - in laboratory 187ff.
 - aldol reaction 192
 - diastereoselective alkylation 194f.
 - enamine synthesis 191f.
 - Hantzsch synthesis 189f.
 - Knorr synthesis 190f.
 - peptide synthesis 187ff.
 - polyethylene formation 193f.
 - radiolabeled imaging probe multistep synthesis 195ff.
 - Wittig reaction 192f.
 - intensification 6f., 23ff.
 - process 8, 13f., 23ff.
 - sustainability 6ff.
 - transfer 18
 - intensification strategies 23, 37ff.
 - hygiene effects 41
 - kinetics effects 41
 - non-uniformity effects 41
 - safety effects 41
 - saturation effects 41
 - thermodynamic effects 41
 - interconnection 15f., 18f.
 - small-scale structured units 15ff.
 - interface
 - capillary 154
 - large specific 220
 - mass transfer coefficient 198
 - International Organization of Standardization (IOS) 297
 - intrinsic
 - properties 28
 - reaction rate 224
 - isothermal characteristics 109
- j**
- Japanese Association of Micro-Chemical Process Technology (MCPT) 225f.
 - Japanese Ministry of Economy, Trade and Industry (METI) 225
 - Japanese National Institute of Advanced Industrial Science and Technology (AIST) 225
- k**
- kinetics
 - criteria 79
 - effects 56
 - intrinsic 91, 94
 - laboratory-based information 109
 - of reaction, *see* reaction kinetics
 - pre-study-state 156
 - protein folding 148f.
 - kinetic device 90ff.
- l**
- lab-on-a-chip applications 123
 - laboratory
 - analysis 106
 - devices 16f.
 - measurements 104
 - microreactors 17
 - studies 16f.
 - laboratory-scale 15, 31, 33, 44f., 48f., 66f., 78, 96, 112, 118, 123, 155, 266ff
 - large-scale production of a fine chemical
 - intermediate 251ff.
 - design 254f.
 - experimental 253f.
 - operation 256
 - problem description 252f.
 - results of laboratory-scale development 254
 - solution methodology 253
 - large-scale production systems 15ff.
 - mathematical modeling 15f.
 - launch plant 219
 - library 190f.
 - life-cycle assessment (LCA) methodology 297f.
 - eco-toxicity potentials 303
 - environmentally relevant characteristics of microstructured devices 298f.
 - industrial-scale synthesis 304f.
 - inventory on the industrial scale 304
 - inventory on the laboratory scale 300f.
 - laboratory-scale synthesis 299ff.
 - model reaction 299f.
 - life-cycle impact assessment (LCIA) 297, 301ff.
 - impact categories 303ff.
 - on the industrial scale 305ff.
 - on the laboratory scale 301ff.
 - life-cycle inventory analysis (LCI) 297, 301ff.
 - life-cycle stages 300
 - liquid-liquid microreactor 45ff.
 - micromixers 46
 - mixing performance 46f.
 - process parameter 45f.
 - reactor material 49ff.
 - residence time distribution 47f.
 - scale-up or scale-out ability 48f.
 - usability 49
 - liquid-liquid phase-contacting principles 44ff.
 - liquid-solid phase-contacting principles 50f.

m

- mass
 - balance 36
 - flow 48
- mass transfer 4, 6, 35f.
 - coefficient 35, 198
 - effect 35
 - phenomena 5, 88
 - selective intensification 33
 - time, *see* time scales
- mass-induced 198
- Maximum Experimental Safe Gap (MESG) 56
- mechanical energy 6f., 9
- mechanical power 11ff.
 - specific dissipated 11f., 14
 - total 11
- metal-ligand interactions 154
- methane steam reforming 93f.
- methanol
 - exothermic total oxidation 89
 - reforming 78, 92f.
 - toxicity 78
- micro fuel processing system 311ff.
- microfluidics 148
 - devices 123ff.
 - systems 123f., 189
- microanalytic devices
 - capillary electrophoresis (μ -CE) 123, 137f., 153
 - CE-NMR 143, 145
 - continuous-flow NMR 145ff.
 - electrospray ionization (ESI) 153f.
 - ESI-MS 154f.
 - flow-effects on NMR spectroscopy 144
 - flow-injection analysis (μ -FIA) 123
 - FT-IR-monitoring 223f.
 - GC-MS 151
 - high-performance liquid chromatography (μ -HPLC) 123, 137f., 141, 153f.
 - high-resolution micro-NMR 140ff.
 - ion trap mass analyzer 153
 - LC-NMR 141, 143ff.
 - MALDI-MS 155ff.
 - mass spectrometry (MS) 137f.
 - matrix-assisted laser desorption/ionisation (MALDI) 153, 155ff.
 - microchanneled cell for synthesis monitoring (MICCS) 148
 - micromixer-capillary setup 129, 149
 - micro-NMR (nuclear magnetic resonance) spectroscopy 137ff.
 - miniaturized total analysis systems (μ -TAS) 123f., 191
 - NMR sensitivity 138
 - NMR spectral resolution 139f.
 - NOESY 150
 - non-destructive analytical technique 149
 - on-line monitoring 137ff.
 - pulsed NMR 151
 - rapid injection NMR 145
 - soft ionization technique 153
 - temperature-programmed desorption (TPD) 152
 - time-of-flight analyzer (TOF) 153
- microchemical process 123ff.
 - data generation 127f.
 - integration of spectrographic techniques 125f.
 - multivariate quantification 132ff.
 - non-concentration-based information 127f.
 - optical spectroscopy, *see* spectroscopic methods
 - quantitative in-line analysis 128f.
 - separation techniques 130, 137
 - univariate (classical) quantification 130ff.
- microfabrication 6, 18f., 143, 152
 - capillary leak 152
 - glass 143, 147
 - integration of chemical unit processes 143
 - methods 20
 - silicon 143
- microprocess engineering 265f.
- microreaction technology (MRT) 281f., 284
 - potential evaluation methodology, *see* economics of MRT
- microreactor selection 43ff.
 - gas-liquid, *see* gas-liquid microreactor
 - liquid-liquid, *see* liquid-liquid microreactor
- microstructure coating 79
 - adhesion 80ff.
 - automation 87
 - characterization tools 79f.
 - compatibility 84, 87
 - coverage ratio 85
 - durable coating techniques 80
 - flexibility of the coating procedure 84f.
 - homogeneity 86f.
 - optimization 87
 - porosity 81, 93f.
 - precursors 79, 87
 - stability 80, 93
 - surface enhancement factor (SEF) 81
 - viscosity 85f.
 - washcoating approach 81
- microstructured
 - devices 5, 31
 - platelets 79, 81, 85, 92, 95

- microstructures 265ff.
- microtechnology-based equipment 108f., 111
- microtechnology-based hardware 108f., 114
- microtechnology-based processing 110ff.
- microtechnology-based systems 114
- miniaturization 4, 6, 8f., 23ff.
 - equipment 37
 - factor 38
 - potential 38
 - strategies 23, 37ff.
 - with phenomena hierarchy change 40
 - without phenomena hierarchy change 38ff.
- MINIREF 78
- MiRTH-e 77
- MISTRAL 77
- mixing 4, 45f.
- model
 - one-dimensional dispersion 91
 - pseudo-homogeneous plug-flow 91f.
 - reaction chemistry 109
 - reaction engineering 198
- moisture effect 204, 212
- momentum transfer 4
- multiphase reactions 31
- multiple sequential reaction steps 109
- multi-purpose applications 267
- multi-scale
 - assembly approach 18
 - biological structures 19
 - chemical devices 6
 - distribution system 5
 - geometry 14
 - intrinsically 3
 - process interconnection 15
 - structures 14
 - structuring 6, 20
- multi-scale design 5ff.
 - developments 15f.
 - parameter 9, 38
 - requirements 15f.
 - strategy 6
 - structured 18ff.
- multivariate curve resolution (MCR) 135
- n**
- NECAR 77f.
- number of operation units (NOU) 29f., 37f.
- number of transfer units (NTU) 29
- numbering-up 6, 15f., 18, 170, 219, 241, 257ff.
 - chemical performance evaluation 258f., 262
 - concept 5, 17, 257ff.
 - configuration 258
 - design 18
 - external 291
 - flow performance evaluation 262
 - pilot plant 260ff.
 - replication 17
 - structure 260f.
 - numerical simulation 16
 - Nusselt number 11, 13, 15
- o**
- operating times 166, 181
- operation efficiency 30
- p**
- PACO network 77
- partial least-squares (PLS) regression 132, 134
- particle-size distribution 232, 240f.
- Peclet number 91f.
- phenomena
 - control 33
 - first-order 31
 - fouling 301
 - fundamental 33ff.
 - hierarchy 29ff.
 - interactions 31
 - multiple coupling 36
 - parallel coupling 31f., 36
 - serial coupling 31f., 36
 - transfer 31, 38
 - transport 4
- photolithography 191
- physico-chemical
 - properties 16
 - transformation 19
- pilot plant
 - monitoring system 261
 - numbering-up 260ff.
 - structure 260f.
- pilot-scale 53, 67, 78f., 96, 266, 268
- Poiseuille law 12
- polymerization 257
- Prandtl number 12
- precision engineering system 4f.
- preheating 258
- pressure resistance 50, 54, 64
 - AD-Merkblätter 50, 54
 - Pressure Equipment Directive (PED) 50, 54
- process
 - analytic 112
 - batch 6, 13, 37, 105, 212, 268
 - continuous 123, 268
 - control 18f., 24, 113f.

- conventional 212, 259
 - cycle times 105
 - development 112, 123, 175, 266
 - downstream 258, 297
 - gas-liquid 221
 - gas-liquid-solid 214
 - hard-to-control 168
 - intensification 23, 123, 265f., 281, 293
 - large-scale chemical 110, 114
 - layout 18
 - miniaturization 23
 - model 105
 - monitoring 112, 116
 - multi-phase 110
 - optimization 114, 123, 127f., 167, 169, 181
 - parameter 224, 274
 - performance 18f.
 - production 175
 - reliability 220
 - reproducibility 166f., 169, 171, 181
 - safety 123, 220
 - semi-batch 37
 - steps 219
 - stream 111
 - two-step liquid phase 222
 - upstream 297
 - process analytical technology (PAT) 103ff.
 - Cellular Process Chemistry Systems (CPC) 116f.
 - Center for Process Analytical Chemistry (CPAC) 116
 - complex multi-component streams 114
 - dynamic dilution 111
 - emissions monitoring 106
 - filtering 111
 - Gas Chromatography (GC) 112ff.
 - FDA's Guidance 107, 113
 - High-Performance Liquid Chromatography (HPLC) 112, 134
 - mass spectrometer 104
 - microanalysis, *see* microanalytical techniques
 - microinstrumentation 105
 - Raman spectroscopy 115ff.
 - real-time analysis 105f., 108, 114
 - real-time analytical data 106, 112
 - real-time composition 104
 - real-time information 113
 - real-time measurement 105, 149
 - real-time response 103
 - vibrational spectroscopy instrument 104
 - process analytical technology (PAT)
 - conferences 107f.
 - Federation of Analytical Chemistry and Spectroscopy Societies (FACSS) 107
 - International Forum for Process Analytical Chemistry (IFPAC) 107f.
 - Pittsburgh Conference (Pittcon) 107
 - process analytical technology (PAT) consortia 106f.
 - ASTM Committee (E55) 108
 - Center for Advances in Manufacturing of Pharmaceuticals (CAMP) 107
 - Center for Process Analysis and Control Technology (CPACT) 106
 - Center for Process Analytical Chemistry (CPAC) 106
 - Measurement and Control Engineering Center (MCEC) 106
 - National Institute for Pharmaceutical Technology and Education (NIPTE) 107
 - process instrumentation
 - flow measurement 171f.
 - gas chromatography (GC) 173
 - microelectronic mechanical system (MEMS) 174
 - MicroSAM 174f.
 - optical flow-through cell 173f.
 - pH-measurements 173f.
 - pressure measurement 170f.
 - reliability 166, 170
 - spectroscopic methods 173
 - temperature measurement 170f.
 - thermal conductivity detector (TCD) 174
 - process measurements, *see* analysis
 - product
 - life cycle 245
 - quality 167, 222
 - production
 - batch 25, 37, 105, 268, 270
 - continuous 123, 268
 - continuous small-scale (c-SSP) 218
 - cost 219, 265
 - in-flow monitoring 138
 - rate 6
 - small-scale 267f.
 - production-scale
 - basic feasibility 270
 - batch process 25, 37, 105, 268, 270
 - integration 272f.
 - laboratory-scale plant 272ff.
 - optimization 272f.
 - solution, *see* microstructure
 - starlaminator concept 271ff.
 - productivity increase 37
- q**
- Quality by Design (QbD) 107
 - quenching 111

r

- rate constant 205
 - first-order 28
- reactant 35f., 109
 - concentration 8, 28
 - flow 7
 - Grignard 204
- reaction
 - by-product 109
 - catalytic gas-phase, *see* catalytic-gas-phase phase-contacting principles
 - characterization 109, 112
 - consecutive 259
 - conversion 28
 - domino 206
 - enthalpy 76, 92
 - extensity 28
 - first-order behavior 28f., 32
 - first-order rate coefficient 35
 - gas-liquid, *see* gas-liquid phase-contacting principles
 - gas-phase 152ff.
 - heterogeneous 31f., 35ff.
 - high-temperature 209
 - homogeneous 31, 33ff.
 - homogeneous degradation 35
 - intramolecular hetero-Diels-Alder 206
 - liquid-liquid, *see* liquid-liquid phase-contacting principles
 - liquid-phase 155ff.
 - liquid-solid, *see* liquid-solid phase-contacting principles
 - mechanisms 104
 - parameters 208
 - pathways 109
 - plug-flow 129
 - radical polymerization 227
 - rate 6, 8, 13, 147f.
 - selective intensification of heterogeneous 33
 - time 8f., 12, 35, 146
- reaction kinetics 16, 104, 109, 137f., 145ff.
 - on-line monitoring 137ff.
 - mass spectrometry (MS), *see* microanalytic devices
 - micro-NMR (nuclear magnetic resonance) spectroscopy, *see* microanalytic devices
- reactor
 - analysis 24ff.
 - capillary-flow microreactor 197
 - catalytic burner (BUR) 317
 - catalytic-gas-phase, *see* catalytic-gas-phase microreactor
 - chemical 24ff.
 - continuous 12f., 171, 217
 - continuous launch production unit R-01 215
 - CPC microreactor 240
 - CSTR (continuous stirred tank reactor) 28ff.
 - diameter 13f., 39f.
 - efficiency 25f., 28ff.
 - electroosmotic-driven microreactor 188
 - falling film 214
 - fed-batch 6, 10ff.
 - fixed-bed 5, 91ff.
 - gas-liquid, *see* gas-liquid microreactor
 - glas chip 189
 - global performance 25
 - heat-exchanger 4, 77, 88
 - intensification 11f., 24ff.
 - kinetic devices 90
 - Kenics mixers 205
 - length 13f.
 - liquid-liquid, *see* liquid-liquid microreactor
 - microchip 190, 192
 - micromixer-tube 216
 - microphotoreactor 224
 - microstructured reactors (MSRs) 77, 79, 81, 88ff.
 - miniaturization 8f., 24ff.
 - multiple-injection microreactor 210, 214
 - multi-scale 7ff.
 - operation 259
 - packed-bed 88
 - performance 25f., 29, 31, 110
 - plug-flow 28, 30, 35, 92
 - preferential oxidation (PROX) 89
 - pressure-driven microreactor 194
 - pressure drop 39f., 45, 88
 - productivity 7, 11f.
 - ratio of reactor volumes 14
 - selection, *see* microreactor selection
 - semi-batch 25
 - single tube 14
 - slit-type interdigital micromixer 205
 - starlaminator 271f.
 - stirred-tank 4, 6, 10ff.
 - sustainability 7
 - tubular 6f., 12f.
 - unit 258ff.
 - volume 7f., 11, 38
 - water-gas shift 76
 - reformer 76, 78
 - reforming mode
 - autothermal (ATR) process 75f., 89
 - partial oxidation (POX) 75
 - steam reforming (SR) 75, 88f.

- regulatory agencies
 - US Food and Drug Administration (FDA) 107
 - US Pharmacopeia (USP) 107
- resistance, *see* corrosion resistance
- Reynolds number 11f., 15, 47
- stirring 11
- root mean square error of prediction (RMSEP) 134

- s**
- sample
 - extraction approaches 111
 - Helmholtz coil 143
 - microcoil 140ff.
 - plug flowing 111
 - small-volume sample 138
 - stream 110
- sampling system 110, 114
 - extractive sampling approach 114
 - New Sampling and Systems Initiative (NeSSI) 110, 114f., 118f.
 - on-line analyzer 110
- Savitzky-Golay algorithm 134
- scale-out 15, 17f., 218, 265f., 271
- scale-up 6, 16ff.
 - modeling 16f.
 - problem 15, 17
 - traditional 15, 17f., 31
- scales
 - larger 3, 15
 - length 3ff.
 - of homogeneous chemistry 33ff.
 - reactor 3f.
 - sub-millimeter 18f.
 - tons per hour 265ff.
 - unit-operation 3f.
- segregation index 45f.
- self-assembly 110
- sensors 18f., 88, 113f.
 - flow 172f.
 - in-line 112
 - Micro Coriolis 172
 - onboard-placed chemical 138
 - pH- 174
 - pressure- 170ff.
 - temperature 64, 162, 171
- separation rate 6
- separators 3
- Sherwood number 35
- Silicon technology 88
- small-scale units interconnection 15ff.
 - hybrid approach 16, 18f.
- space time 9f., 12f., 38
- Specific Operation Cost in Mechanical Energy (SOCME) 10
- spectroscopic methods
 - chemiluminescence spectroscopy 124
 - fluorescence spectroscopy 124
 - mid-infrared (MIR) 124f., 127f.
 - near-infrared (NIR) 124f., 127ff.
 - Raman spectroscopy 124f., 127, 130ff.
 - UV-Vis 124f., 127, 132
- statistical process control system (SPC) 124
- stereochemistry 204
- sub-flows 7, 13f.
- substrate 77f.
 - corrosion 81
 - degradation 81
 - microstructured 79
- surface
 - enhancement factor (SEF) 81
 - enrichment with trace elements 81
 - glass 155
 - migration 81
 - oxidation 81
 - substrate restructuring 81
 - tension time 34
 - to-volume ratio 169, 257
- sustainability 6ff.
 - criterion 6, 9, 13
- system
 - algorithm-based 114
 - analysis 23
 - automated 109, 112
 - capillary 152f.
 - chip-based microreactor 153ff.
 - continuous flow 6
 - efficiency 38
 - laboratory-based 112
 - minute-responding 29
 - second-responding 29
 - separation 111

- t**
- temperature
 - operating 8
 - reflux 208f.
 - resistance 50, 54f., 64
 - worst-case 212
- time scale 3, 25
 - batch time 25
 - characteristic dimensions 36
 - characteristic times 13f., 25ff.
 - characteristic operation time 37
 - convection time 25
 - flow time 25
 - fluid space time 25

- fundamental characteristic times 26, 29, 32
- global operation time 31f., 36ff.
- gravity time 34
- heterogeneous reaction time 36
- hold-up 127
- homogeneous reaction time 36
- mass transfer time 35ff.
- reference time 25f., 28, 32, 37
- residence time 25, 112, 127, 146f., 205
- time-to-market 267
- times grading 29, 32
- TOPCOMBI 78

v

- vascular systems 5
- VCI 220
- VDI/VDE-IT 219
- volume
 - dead 170f., 175
 - density distribution 24
 - ratio 9f.

w

- water-gas shift reaction (WGS) 82, 89f.
- water vapor pressure 81