

Index

- Accountability, 52, 140, 141, 154
- Accuracy, 21–24, 42, 43, 47, 105, 110, 140, 141, 148, 178, 180, 187, 188
- Architecture Tradeoff Analysis Method (ATAM), 76, 77
- ASPIRE, 76, 77
- ATAM. *See* Architecture Tradeoff Analysis Method

- BCT. *See* Business Context Table
- BeMSET, 159–168, 171, 173
- Black box, 2, 133, 144
- BMM. *See* Business Motivation Model
- Business Motivation Model (BMM), 77–82
- Business Context Table (BCT), 77, 78, 80–82

- Capability Maturity Model (CMM), 3, 25, 26, 28, 96
- Cloud computing, 155–157
- CMM. *See* Capability Maturity Model
- Commercial modular systems, 155
- Confidentiality, 52, 140, 141
- Consolidated Quality Life Cycle (CQL) model, 63, 115, 123–130, 134, 135
- Consolidated Traceability Model (CTM), 116
- Consumer(s)
 - individual, 6
 - corporate, 7
- Cost
 - of missing quality, 16, 17, 175–188
 - quality, 13
- CQL. *See* Consolidated Quality Lifecycle model
- CTM. *See* Consolidated Traceability Model

- Decomposition, of software quality requirements, 41, 61, 66, 67, 77, 108
- Development Traceability Model (DTM), 116
- Disturbance, 146, 147
- DTM. *See* Development Traceability Model

- Economic ramifications, of quality engineering, 13, 16
- Embedded systems or software, 23, 76, 143–148, 153
- External/dynamic quality model, 47–49, 51
- Fault tolerance, 22, 23, 47, 52, 148, 154, 179–181, 183, 186
- FDAF. *See* Formal design analysis framework
- Finite State Machine (FSM), 160, 161, 163
- Formal design analysis framework (FDAF), 76, 77
- Formalization, of software quality requirements, 65
- FSM. *See* Finite State Machine
- Functional correctness, 52, 141

- Generic system/software life cycle stages
 - concept stage, 98
 - development stage, 100
 - production stage, 101
 - retirement stage, 105
 - support stage, 104
 - utilization stage, 103

- HATS (Highly Adaptable and Trustworthy Software), 158, 159

- IEEE Standard for Software Verification and Validation, 17
- IEEE Standard 610.12, 36, 37
- IEEE Standard 1061–1998, 40, 135
- Incremental model, applying SQIM, 122, 125
- Information management systems, 24, 139–142
- Integrity, 42, 104–106, 140, 141, 188
- Internal/static quality model, 47–51
- ISO 9000, 25, 27
- ISO 9001, 3, 92
- ISO/IEC 9126-1, 39, 47, 55, 60, 99, 130
- ISO/IEC 9126-2, 47, 49, 55, 62, 131–133, 146
- ISO/IEC 9126-3, 47, 49, 131, 132
- ISO/IEC 9126-4, 47, 49, 91, 130, 133
- ISO/IEC 12207, 30, 31, 126, 127, 168
- ISO/IEC 14598-1, 57, 167
- ISO/IEC 14598-2, 135
- ISO/IEC 14598-3, 61, 132, 166–168
- ISO/IEC 14598-4, 61, 132, 168, 169
- ISO/IEC 14598-5, 61, 132, 171, 172
- ISO/IEC 14598-6, 61, 132
- ISO/IEC 15288, 60, 101, 119, 122, 126, 127, 130
- ISO/IEC 15504, 27
- ISO/IEC 15939, 53–55, 127
- ISO/IEC 19579 (SWEBOK), 1, 28–31, 64, 127
- ISO/IEC 24748-1, 98, 103
- ISO/IEC 25000, 134
- ISO/IEC 25000 SQuaRE series, 50, 55–57, 71, 77, 80, 83, 91, 98, 115, 126, 134, 143, 148
- ISO/IEC 25001, 135
- ISO/IEC 25010, 12, 18, 41, 50–52, 55, 60, 66, 67, 75, 92, 99, 118, 119, 130, 140, 141, 147–148, 168
- ISO/IEC 25022, 55, 60, 62, 91, 130, 133, 147
- ISO/IEC 25023, 55, 60–62, 131–133, 147
- ISO/IEC 25030, 74
- ISO/IEC 25040, 57, 61, 107, 109, 147, 165
- ISO/IEC JTC1 SC7, 50, 53, 57, 127

- Maturity, 3, 4, 24–28, 31, 46, 47, 52, 74, 96, 183, 185
- MOQARE, 76, 77

- Needs
 - implied, 5, 12, 47, 64, 120
 - stated, 5, 47, 51, 64,
 - unaware, 5, 12, 120
- Nonrepudiation, 140, 141

- Off-the-shelf software products (OTS), 9, 10, 38, 99, 131, 154, 157
- On-demand system, 11, 12, 155
- Operability, 11, 12, 24, 42, 47, 52, 141, 142, 182
- Outsourcing, 7

- Personalized (software) quality
 - implementation map, 89, 94, 95, 107, 108, 132
- Prototyping model, applying SQIM, 122, 125

- Quality engineering, economic
 - ramifications, 13, 16
- Quality impact analysis, 16, 17, 20, 22
- Quality measurement, 9, 30, 53–59, 61–63, 88, 89, 102–107, 123, 127, 131–135, 143, 148, 168
- Quality model(s)
 - Boehm, 12, 41, 43, 71, 147
 - Dromey, 41, 44–46, 71
 - ISO/IEC 25010, 12, 18, 41, 50–52, 55, 60, 66, 67, 75, 92, 99, 118, 119, 130, 140, 141, 147–148, 168
 - ISO/IEC 9126, 39, 47, 55, 60, 99, 130
 - McCall, 41–44, 71, 147
- Quality in use model, 48, 50
- Quality traceability model (QTM), 116

- Recoverability, 18, 19, 20, 23, 47, 52, 70, 91, 148, 185
- Reliability, 4, 6, 18, 22, 23, 42, 43, 45, 47, 49, 52, 63, 70, 75, 85, 98, 144, 146, 148, 152, 156, 177, 188
- Requirement(s)
 - external/dynamic, 5, 12, 68–70, 73, 75, 99, 107, 130
 - functional, 5, 7, 60, 62, 64, 66, 67, 71, 74, 77, 80–84, 87, 99, 100–102, 112, 114, 115, 123, 130–132, 159, 161, 163, 165

- internal/static, 4, 5, 12, 68–70, 73, 75, 99, 101, 130
- nonfunctional, 60, 62, 65, 67, 71, 76, 79, 84, 86, 99, 100, 101, 123, 130–132
- in use, 5, 48, 49, 50, 51, 60–68, 73, 75, 99, 103
- Restorability, 146
- Risk, 6, 15, 17, 19–21, 26, 27, 50, 105, 145, 147
- Risk (criticality) levels, 18
- Rollback, 22

- Security, 12, 23, 24, 41, 47, 52, 70, 76, 105, 106, 140, 145, 148, 154, 183, 184
- Service-oriented architecture (SOA), 155–157
- Software engineering, definition, 36
- Software life cycle, 30, 31, 46, 60, 77, 90, 98, 104, 115, 124–125
- Software quality
 - external, 12, 39, 47–49, 56, 58, 64, 66, 67, 69, 70, 72, 85, 87, 93, 100, 101, 102, 106–110, 123, 128–134, 143, 166–186
 - internal, 4, 5, 12, 39, 47–51, 56, 58, 60–62, 64, 66–70, 72, 87, 88, 93, 100–104, 107–109, 111, 118, 119, 123, 124, 125, 128, 131–134, 143, 167, 173
 - quality in use, 5, 48, 49, 50, 51, 56, 60–69, 72, 73, 75, 103
- Software quality design, 83–96
- Software quality engineer, 120
- Software quality engineering
 - conflict identification and resolution, 112
 - definition, 37
- Software quality evaluation process
 - for acquirers, 63, 128, 129, 132, 169, 170, 173
 - for developers, 61, 128, 129, 132, 166
 - for evaluators, 61, 128, 129, 132, 171–173
- Software quality implementation model (SQIM), 115, 117–120, 122, 124, 125, 131, 148
- Software quality life cycle, 56, 63, 115
- Software quality verification, 106
- SOQUAREM, 76–83
- Spice, 25, 27, 28
- Spiral model, applying SQIM, 122, 124
- SQIM. *See* Software quality implementation model
- Stabilization, of quality requirements, 71–74
- SWEBOK (ISO/IEC 19579), 1, 28–31, 64, 127
- Synchronization, of engineering processes, 121–123

- TL9000, 76, 71, 85, 118, 128, 129, 131, 134
- Traceability, 41, 42, 76–78, 82, 95, 96, 101, 112, 115–117, 131
- Trust, 50, 151–171
- TRUSTIE, 158
- Trustworthiness, 151–171, 173
- Trustworthiness certification, 157, 159, 161, 164, 165, 166, 168, 171

- Unified modeling language (UML), 77, 80, 160, 161, 164
- V-model, applying SQIM, 94, 122, 124

- White box, 142