Index

| 1-methylcyclopropene (1-MCP), 289 | adhesion, 124, 158, 162, 177*, 199 |
|---|--|
| 1,1,1-trifluoroethane (R-134a), 77 | role of surface chemistry, 175 |
| vapor-compression chart, 75 | failure, 182 |
| 2K aerosol systems see multicomponent (2k) | adhesives, 175 |
| aerosol systems, 186 | adiabatic processes, 27 |
| | adiabatic systems, 23 |
| abbreviations and units, 20 | adiabatic humidity changes in drying process |
| archival units, 22 | air, 84 |
| derived units, 21 | aerosol flammability tests see aerosols, hazards |
| dimensional correctness, 20 | aerosols, 185 |
| fundamental units, 21 | system types, 186 |
| types of units, 21 | air powered and compressed gas (single |
| absolute humidity, 83 | phase) systems, 187 |
| absolute pressure, 29 | alternative propellant systems, 187 |
| gauge pressure conversion, 30 | chlorofluorocarbons (CFC), 186 |
| absorbents and dispersants, 282 | co-solvency effect, 185 |
| absorption coefficient, radiation heat transfer | flashback tests, 189 |
| see emissivity coefficient, 60 | HCFC propellants, 188 |
| absorption refrigeration, 78 | heptafluoropropane, 186 |
| accumulators and conveyors, packaging | hydrofluorinated alkanes, 186 |
| machinery, 304 | immiscible aerosol systems, 186 |
| accuracy, 305 | metered dose inhalers (MDI), propellants, |
| acoustic energy, 33 | 186 |
| acoustic refrigeration, 79 | miscible aerosol systems, 186 |
| acoustic testing of packages, 124*, 305 | multicomponent (2k) aerosol systems, |
| activation energy, 257 | 186 |
| active packaging, 281 | nozzle design, 189 |
| absorbents and dispersants, 282 | propellants – types, 188 |
| pitfalls, 282 | respiratory inhalers and propellants, 186 |
| processing of product by package materials, | separated aerosol systems, 186 |
| 283 | trifluormonofluoroethane, 186 |
| additive synthesis, 143 | aerosols, hazards, 188*, 190 |
| additives to polymers, 156 | aerosols, propellants, 185, 187, 188* |
| | |

| air see also drying, dehydration and | antimicrobial compounds, regulation, 389, |
|--|---|
| psychrometry | 390* |
| properties – description, 82 | antimicrobial packaging, 279 |
| properties - psychrometric chart, SI and AE | Appert, Nicholas, 253 |
| units, 93–95 | archival units, 21 |
| psychrometric chart description, 82 | Army Meat Scandal, 380 |
| psychrometric chart, process paths, 85 | Arrhenius equations, 213, 256* |
| air blast freezers, 225 | aseptic packaging |
| air conditioning processes <i>see</i> refrigeration air drying, 82 | energy use relative to traditional methods, 219 |
| air shipment, 345*, 350 | materials, 169 |
| hazardous materials, 389 | processing, 69, 219*, 222 |
| seafood, 286 | aseptic processing, 219*, 254 |
| airflow separation of recycled materials, 410 | processing line layout, 220 |
| Alger, Russell, 380 | equipment concerns, 221 |
| al-Razi, Muhammad ibn Zakariya, 244 | packaging material sterilization, 220 |
| alternative food processing technologies, 221 | product sterilization, 220 |
| high pressure, 69*, 223 | asymmetric warfare, 394, 398* |
| light based, 221 | atactic, 150 |
| microwave, 72 | attenuation, vibration, 365 |
| nonthermal, 221 | attenuation, shock, 368 |
| pulsed and oscillating EMF field, 222 | authentication, 399 |
| thermal, 68 | A _w (water activity) see water activity, 271 |
| ultrasonic, 223 | ** |
| aluminum, 100, 135*, 142, 162, 409, 411 | B. stearothermophilus and related spoilage |
| general production, 101 | bacteria, 210 |
| alloy compositions, 136 | Baekeland, Leo, 142 |
| bottle cans, 137 | bag-in-box packaging, 352 |
| cans, 137 | bacon, 285 |
| foils, 138 | Bakelite, 142 |
| grades, 135 | bakery products, preservation and shelf life, |
| production methods, 135 | 291 |
| resource outlook, 101 | gas mixtures used for preservation, 292 |
| thermal conductivity, 62 | Ball's Formula Method, thermal processing, |
| American Cereal Company, 380 | 215 |
| ammonia | balance sheet, 10 |
| refrigerant, 77 | current liabilities, 11 |
| compost emissions, 424 | property, plant and equipment, 11 |
| Ampere, 21, 33* | protection, packaging function, 11 |
| amplification factor, 364 | stockholder equity, 11 |
| amylase, 177 | bar codes, 204*, 346, 348 |
| amylopectin, 147 | Barnum, P.T., 379 |
| amylose, 147 | base rate fallacy, 306 |
| anelastic, 50 | basics of engineering, 17 |
| anelastic materials, 50 | batch systems, 24 |
| anilox roll, 196 | beer and wine spoilage, 292 |
| ANSI/ASQC Z1.4 sampling plan, 327 | Beveridge Bill, Pure Food and Drug Act of |
| antimicrobial compounds, 276 | 1906, 380 |
| table, 277 | biaxial orientation, 155 |

| Bingham fluids, 56 | Cape Systems [®] , 318 |
|---|--|
| biomass fuels, energy content, 423 | caps, 165, 174*, 292 |
| biopolymers, 145 | liners, 174 |
| bioterrorism, 398 | thread profile, 174 |
| Department of Homeland Security, 390 | caps, end see end cap |
| Bioterrorism Act of 2002, 398 | capillary condensation, 228, 250* |
| Birdseye, Clarence, 224 | caramelization, 218, 261* |
| bisphenol-A, 130, 193, 279* | carbon dioxide, 104 |
| Black, Dr. Joseph, 36 | as a preservative, 226, 292 |
| blanching, 208*, 260 | as a solvent, 247 |
| blocking, 181 | emissions, produce, 287 |
| blown film, 161 | carbon monoxide, use in meat preservation, |
| boiling point, defined, 41 | 284 |
| Boltzmann, radiation heat transfer, 60 | cardboard see corrugated board, 117 |
| bonding agents, other non-glue, 182 | carpal tunnel syndrome, 337 |
| bone glue, 179 | carton blank, 118 |
| bottle bills, 405, 407* | casein glue, 175, 179* |
| bottle cans, 137 | casein, flocculant, 250 |
| bottom line, 9 | catalysts, role in polymerization and branching |
| boundary, system, 23 | behavior, 148 |
| boundary layers, heat transfer, 65 | cavitation in fluid flow systems, 55*, 223 |
| Boyle's Law, 188 | cellulose, 108*, 114, 142 |
| branching and crosslinking in polymers, | cellulose acetate, 283 |
| 148 | Celsius, 34 |
| break bulk, 346 | centrifugation, 241 |
| breaking point, 44, 45* | ceramic materials, 99 |
| brittle failure, 46 | glass production, 100 |
| brittle fracture, 46 | resource outlook, 100 |
| brittle fracture, glass, 125 | change and chaos, 434 |
| brittle material, 45 | cheese <i>see</i> dairy products, preservation and |
| brittle response, security, 397, 401* | shelf life, 289 |
| browning reactions, 260 | chemical chillers, 78 |
| BS 5750 quality system, 335 | chemical degradation reactions in food, 255 |
| buckling stress of cylinders, 130 | chemical degradation reactions In food – |
| bully beef, 379 | specific examples, 260 |
| Bureau of Alcohol, Tobacco, Firearms and | Cheryan, Munir, 239 |
| Explosives (ATF), 388 | child resistant packaging, 12, 141, 175*, 392 |
| burner efficiencies, 31 | chill roll casting, 160 |
| butter see dairy products, preservation and | chill roll, metallization, 162 |
| shelf life, 289 | chlorofluorocarbons (CFC) and alternatives for |
| butterfly effect, 435 | aerosols, 185 |
| , | closed systems, 23 |
| C. botulinim, 69, 209*, 210, 238, 276, 286 | closures, 173*, 303 |
| C. burnetti, 208 | CMYK (color system), 196 |
| C. sporanges and related spoilage bacteria, | coding, scanning and identification methods, |
| 210 | 204 |
| candela, 21 | bar codes, 204 |
| calculation of thermal process times, 208 | coding methods, 204 |
| cap-and-trade, 429 | cut codes, 204 |

| machine readable codes, 204 | contact angle, 176 |
|--|--|
| RFID codes, 205 | containerized transport, 349 |
| coefficient of performance (COP), 77 | continuous flow and batch systems, 24 |
| cohesion failure, 182 | control chart, 333 |
| cold-drawing | control volume, 18, 23*, 59 |
| at failure, 45 | convection heat transfer, 61 |
| fabricating plastics, 156 | convective heat transfer coefficient |
| perform "stretch-blow" bottle blowing, | determination, 63 |
| 163 | laminar sublayer formation, 65 |
| cold-seal adhesives, 181 | cooking, 207 |
| color addition and subtraction, 196 | cooling, evaporative, 85 |
| color standards, 197 | cooling, refrigeration see refrigeration |
| color temperature, 197 | cooling load, refrigeration, 76 |
| combustion, 31 | cooling towers, 86 |
| commercial sterilization, 211, 213*, 215 | coordinated packaging lines, 312 |
| communication, packaging function, 12 | copyrights see United States Patent and |
| composite cans, 170 | Trademark Office (USPTO), 392 |
| composite-layer heat transfer, 61 | copyrights - registration see Library of |
| composting, 214, 424* | Congress, 392 |
| costs and revenue sources | corrosion in steel cans, 133 |
| odor control, 426 | corrugated board, 107, 117* |
| optimization, 425 | corrugated containers – strength, 118 |
| processing methods, 425 | co-solvency effect, 185 |
| compression damage, 355 | cost analysis, 9 |
| compressors, hydraulic and pneumatic, 32 | counterfeit goods, 399 |
| compressors, refrigeration, 72, 76* | Country of Origin Labeling (COOL), 383 |
| efficiency considerations, 76 | critical damping, 362 |
| concentration and separation of food products, | critical element analysis, 255, 369* |
| 239 | critical point, 38, 232*, 247 |
| cyclone and hydrocyclone, 243 | criticality, 38 |
| crystallization, 246 | cross-docking, 346 |
| density differential, 240 | crystallinity and density in polymers, 152 |
| diffusivity, 248 | current, electrical, 21, |
| size differential, 239 | current liabilities, 11, 33* |
| size differential, 240 | current assets, 10 |
| solubility differential, 247 | cushion curves, 376 |
| supercritical fluid extraction (SFE), 248 | cushion design see packaging design for the |
| surface activity, 250 | dynamic environment |
| vapor pressure, 245 | cut codes, 204 |
| condensation and evaporation, heats of, 40 | cyanoacrylate (CA) adhesives, 180 |
| condenser, refrigeration, 73, 76* | cyclone and hydrocyclone separation, 243 |
| conductive heat transfer, 60 | cylinder, buckling stress, 130 |
| thermal conductivities, table, 62 | cylinder machine, papermaking, 112 |
| conservation of mass, energy and momentum, | cyphertext, 400 |
| 22 | |
| consistency index, 56 | dairy products, preservation and shelf life, 289 |
| constant rate drying, 228 | D value, 211 |
| Consumer Product Safety Commission | D and z value for bacteria and food |
| (CPSC), 12, 392* | components, 218 |

| Dalton's Law of partial pressures, 42 | diffusivity calculation in permeation, 265 |
|---|---|
| damage boundary curve, 371, 373* | Digital Millennium Copyright Act (DMCA), |
| damping, 360 | 392 |
| damping – ratio, 361 | dilatant materials, 57 |
| Darcy-Weisbach friction factor, 53 | dimensional analysis, use in deriving Nusselt |
| debossing, laser, 202 | numbers, 64 |
| decimal reduction time (D), 211 | dimensional correctness, 20 |
| deformation energy in fluids, 49 | dip freezing, 225 |
| deformation of solids, 44 | dipole rotation, microwave heating, 70 |
| deformation, plastic, 45 | dipole rotation, in magnetic refrigeration, 79 |
| degradation of product during thermal | direct contact freezing, 225 |
| processing, 217 | direct printing, 194 |
| degradation of products and oxygen level | discoloration reactions, other, 262 |
| metabolizing (vegetable), 289 | dispersants see absorbants and dispersants, 282 |
| non-metabolizing, 281 | displacement |
| degradation reactions in foods, chemical, 255, | initial, in vibrating systems, 358 |
| 260* | in fluid power, 32 |
| degradation reactions in foods, moisture | of indigenous populations, 99 |
| related, 271 | disposal and landfills, 413 |
| DEHP see di(2-ethylhexyl)phthalate | composting, 424 |
| dehumidification, 85 | durable and non-durable goods, 414 |
| dehydration, 82 | economics of waste handling, 426 |
| Deming, W. Edward, 328 | food scraps, 414 |
| Demo3D [®] , 317–318 | incineration, 422 |
| denial of service attack, 401 | landfill construction, 414 |
| density, fluid, 51 | landfill tipping fees, 417 |
| density, molecular weight and properties in | number of landfills in operation, 415 |
| polymers, 153 | other disposal methods, 416 |
| density, power in microwave systems, 71 | U.S. waste production, 413 |
| Department of Defense (DOD), 391 | yard waste, 414 |
| Department of Homeland Security (DHS), 391 | disposal, re-use, recycling, and the |
| | |
| Department of Transportation (DOT), 388 | environment, 405 |
| derived units, 21 | distillation, 244 |
| desalination, distillation, 245 | distribution and inventory economics, 346 |
| desalination, reverse osmosis, 248 | distribution and warehousing, 345 |
| Design For Quality (DFQ), 326 | data from information systems, 347 |
| deterioration of food products, 254 | data tagging and data acquisition methods, |
| developed flow, 51 | 348 |
| dew point, 85 | distribution and inventory economics, 346 |
| di(2-ethylhexyl)phthalate (DEHP), 279 | information cycle, 346 |
| diathermic systems, 23 | limitations on data, 349 |
| dielectric loss factor, 71 | role of packaging in logistics and inventory |
| dielectric properties of materials, microwave | management, 348 |
| heating, 71 | distribution data, 349 |
| dielectric sealers, 184 | distribution packaging, 349*, 355 |
| diffusion, 79, 80*, 228 | bag-in-box packaging, 352 |
| through packaging materials, 263 | Flexible Intermediate Bulk Containers |
| diffusivity based separation, 248 | (FIBC), 351 |
| diffusivity coefficient, in fluid mass transfer, 81 | fluid tanks, 350 |

| institutional packaging, 351 | process paths, 84 |
|---|--|
| Intermediate Bulk Containers (IBC), 351 | psychrometry, 82 |
| Int'l. Std. for Phytosanitary Measures | relative humidity, 83 |
| (ISPM 15), pallets, 353 | specific volume of dry air, 83 |
| jugs, 352 | wet bulb temperature, 83 |
| new Panamax, 350 | drying time estimation, generalized air drying, |
| pallets, 353 | 228 |
| post-Panamax, 350 | drying time estimation, freeze drying, 234 |
| shipping fixtures, 354 | Duales System Deutschland (DSD) see Green |
| shipping sacks, 352 | Dot System, German recycling, 419 |
| slip sheets, 354 | ductile failure, 48 |
| Twenty Foot Equivalent Unit (TEU), 350 | ductile materials, 45 |
| Unit Load Devices (ULD), 350 | D-value, 211 |
| unitized air shipments, 350 | dynamic considerations in packaging, 355 |
| wood crates and boxes, 354 | amplification factor, 364 |
| doctor blade, 195*, 229 | attenuation, 365 |
| dot matrix printing, 202 | critical damping, 362 |
| drop height versus weight and transport | damped systems, 360 |
| method, 374 | forced vibration, 363 |
| drum drying, 229 | harmonics, 359 |
| drums, steel, plastic and fiber, 130, 139* | natural frequency (f _n), 356 |
| dry bulb temperature, 82 | overdamped systems, 362 |
| drying curve, 227 | package design and testing, 371 |
| drying mechanisms, 227 | phase shift and damping in vibrating |
| drying of foods, 227 | systems, 366 |
| constant rate drying, 228 | phase lag, 362 |
| drum drying, 229 | repetitive shock, 365 |
| drying – geothermal, solar and microwave, | resonance, 357 |
| 231 | response of simple spring-mass systems, 358 |
| drying curve, 227 | shock, resonance and shock amplification, |
| drying mechanisms, 230 | 367 |
| falling rate drying, 228 | simple spring-mass repsonse to forced vibration, 363 |
| freeze drying, 232 freeze drying process time calculation, 234 | the soft cushion paradox, 367 |
| geothermal, solar and microwave, 231 | underdamped systems, 361 |
| spray drying, 230 | underdamped systems, 501 |
| tray, belt and tunnel drying, 231 | E. coli, 0157:h7 217 |
| drying, dehydration and psychrometry, 82 | eddy current separator, 410 |
| absolute humidity, 83 | efficiency |
| assumptions of evaporating and drying, 84 | combustion, 31 |
| dehumidification by cooling, 85 | distribution and warehousing, 345 |
| dew point, 85 | energy, in transportation, 343 |
| dry bulb temperature, 82 | fluid pumps, 54 |
| enthalpy, 83 | microwave energy conversion, 70 |
| enthalpy correction terms, 83 | refrigeration compressors, 76 |
| evaporative cooling as an indicator of | Einstein, Albert, 203 |
| process control, 88 | elastic limit, 44, 45* |
| evaporative cooling effect, 85 | elastic materials, 49 |
| other types of drying, 88 | elastic modulus, 44, 50*, 59, 131 |
| • | |

| elastoviscous materials, 49*, 57 | energy terms, 28 |
|--|--|
| electrical energy, 33 | absolute pressure, 29 |
| electrical power, generation from waste, 423 | force, 28 |
| electrical resistance and heating, 31, 33* | gauge pressure, 29 |
| electrodialysis, 249 | power, 30 |
| electromagnetic energy in radiation heat | pressure, 29 |
| transfer, 60 | vacuum, 30 |
| Electronic Point Of Sale (EPOS), 205 | work, 30 |
| electrophoresis, 240 | engineering basics <i>see</i> basics of engineering, |
| emergent properties of complex systems, 398 | 17 |
| EMF field | engineering design, 36 |
| microwave heating, 70*, 191 | versus trial and error, 14 |
| microwave packaging, 190 | engineering analysis method, 18 |
| RFID systems, 348 | enthalpy, 36–42, 74 |
| EMF food processing, 222 | enthalpy, air, 83–86 |
| emissivity coefficient, 60 | enthalpy, air – psychrometric charts, 93–95 |
| table of selected values, 61 | enthalpy, air/water mixtures (table of values), |
| emulsion, 179*, 241, 291 | 90–91 |
| EN 29000 see ISO 9000 and 22000 Series | enthalpy, refrigerant (R-134a pressure-enthalpy |
| Quality Standards, 335 | diagrams), 92, 93 |
| encryption and decryption, 400 | entrance length number (El), 52 |
| end cap, 375*, 116 | |
| | Environmental Protection Agency (EPA), 389 enzymatic browning, 260 |
| endocrine disruptors, 279 | • |
| energy, 104 | equivalent length of pipes and fittings, 53 |
| balances, 26*, 28, 65, 358 | ergonomics, 307, 336* |
| conservation, 17, 22*, 34, 191 | environmental adjustment, 340 |
| electrical, 33*, 71, 77, 424 | examples, 339 |
| Hubbert Curve, 104 | methods of ergonomic analysis, 337 |
| kinetic, 34*, 52, 243, 358 | movement assistance, 339 |
| mechanical, 22, 33* | positional fixtures and work height |
| potential, 34*, 52, 358 | adjustment, 340 |
| resource outlook, 105 | proper lighting, 340 |
| supply, 22, 105* | sales multiplier method, 340 |
| thermal, 22, 31*, 34, 40, 154, 192, 213, 262 | task rotation, 340 |
| energy balances and thermodynamics, 28 | error amplification in shelf life estimation, 260 |
| energy and work sign conventions, 31 | ESL (Extended Shelf Life) processing of milk, |
| energy terms, 28 | 290 |
| isenthalpic processes, 28 | ethylene |
| isentropic processes, 28 | role in preservation of fruits and vegetables, |
| isobaric processes, 28 | 287 |
| isochoric processes, 28 | interruption of biosynthetic pathway with, |
| laws of thermodynamics, 27 | 1-MCP, 289 |
| process types, 27 | sensitivity of various produce products, |
| types of energy in energy balances, 28 | 293–296 |
| energy efficiency in transportation systems, 243 | evaporation, 87 |
| energy equation, fluid flow systems, 52 | evaporation, concentration by, 244 |
| energy generation from municipal solid waste, | evaporative cooling effect, 85 |
| 424 | cooling towers, 41, 82* |
| energy losses in fluid flow systems, 53 | use as a process control indicator, 86 |

| expansion valve, refrigeration, 74 | flash boiling, accidental, 191 |
|---|--|
| Extended Shelf Life (ESL) processing of milk, | flash cooling, in milk processing, 290 |
| 290 | flashback tests, aerosol containers, 189 |
| extending shelf life <i>see</i> food preservation and shelf life, 253 | Flexible Intermediate Bulk Containers (FIBC) 351 |
| extension of shelf life by packaging see shelf | flexible manufacturing, 311*, 323, 437 |
| life extension by preservative agents, 277 | flexographic printing, 195 |
| externalities in sustainability, 429 | flocculation, 250 |
| extraterrestrial shipment, 345 | flow behavior index, 56 |
| extrusion, 159*, 164 | fluid flow systems, 50 |
| extrusion blow molding, 163 | developed flow in pipes, tubes and ducts, 52 |
| F-value, 212 | energy equation, 52 |
| fabrication of paper-based packages, 117 | energy equation, misuse of, 55 |
| facilities and personnel management, | flow regimes, 51 |
| scheduling, 310 | pipe equivalent lengths, 53 |
| Fahrenheit scale, 34 | pressure and safety, 54 |
| failure point, 45 | power law, 57 |
| falling rate drying, 228 | pump efficiencies, 54 |
| false positives see base rate fallacy, 306 | Reynolds number, 51 |
| Fanning friction factor (E _f), 53 | rheology, 55 |
| FCN see Food Contact Notification, 387 | work, 54 |
| Federal Aviation Administration, 389 | fluidized bed combustion, 31 |
| Federal Food Drug and Cosmetic Act (1938), | fluidized bed drying, 82, 230* |
| 384 | fluids, compressible and incompressible, 50 |
| Federal Food Drug and Cosmetics Act | fluids, heat transfer see heat transfer, |
| (FFDCA), 383 | convection, 61 |
| Federal Maritime Commission (DOC), 388 | fluid power, hydraulics and pneumatics, 32 |
| Federal Trade Commission (FTC), 382 | fluorination, 164 |
| fiber drums, 140 | foil, aluminum, 138 |
| Fick, Adolf, 79 | Food Additive Petition (FAP), 386 |
| Fick's law of diffusion, 79 | Food and Drug Administration Modernization |
| for gasses through packaging films, 264 | Act of 1997 (FDAMA), 385 |
| reverse osmosis, 249 | food demand increase in China, 436 |
| fill weight distributions, 305 | food engineering see basics of engineering, 17 |
| fillers, feeders, metering, and measuring | and process calculations and their |
| machinery, 300 | application, 207 |
| film blowing, 155*, 160 | food and packaging laws and their related |
| film metallization, 161 | agencies, U.S., 381 |
| first law of thermodynamics, 27 | air shipment, hazardous materials, 389 |
| first order reactions, 256 | Bureau of Alcohol, Tobacco, Firearms and |
| fish glue, 179 | Explosives (ATF), 388 |
| fishbone diagram and cause chart see Ishikawa | Consumer Product Safety Commission |
| diagram, 330 | (CPSC), 392 |
| flammability | Department of Defense (DOD), 390 |
| in aerosol propellants, 185 | Department of Homeland Security (DHS), |
| of refrigerants, 77 | 390 |
| testing and labeling required for aerosols, 189–190 | Department of Transportation (DOT), 388 Digital Millennium Copyright Act, 392 |

| food and packaging laws and their related agencies, U.S. (Continued) | amplification of errors in shelf life testing, 259 |
|--|--|
| Environmental Protection Agency (EPA), | antimicrobial packaging, 279 |
| 389 | bakery products, 291 |
| Federal Aviation Administration, 389 | beer and wine, 292 |
| Federal Food Drug and Cosmetic Act | browning reactions, 260 |
| (1938), 384 | chemical degradation examples, 260 |
| Federal Food Drug and Cosmetics Act | chemical degradation reactions, 255 |
| (FFDCA), 383 | dairy products, 289 |
| Federal Maritime Commission (DOC), 388 | degradation reactions in foods, moisture |
| Federal Trade Commission (FTC), 382 | related, 271 |
| Food Contact Notification (FCN), 387 | deterioration of food products, 254 |
| Library of Congress, 392 | diffusion through packaging materials, |
| Maritime Administration (DOT), 388 | 263 |
| National Institutes of Standards and | enzymatic browning, 260 |
| Technology (NIST), 382 | fresh fruit and vegetables, 286 |
| National Labeling and Education Act | gas permeation, 263 |
| (NLEA), 384 | lipid peroxidation, 262 |
| National Marine Fisheries Service (NMFS), | meat and poultry products, 283 |
| 387 | microbial growth curve, 275 |
| National Motor Freight Classification | microbial product changes, 274 |
| (NMFC), 393 | moisture sorption, 268 |
| NLEA and health claims, 385 | other discoloration reactions, 262 |
| Occupational Safety and Health | oxidation in oils, 262 |
| Administration (OSHA), 393 | permeation factors, 267 |
| patents, 391 | photooxidation, 263 |
| Private Carriers, 393 | potato chip and crisp snacks, preservation |
| Rule 222, 393 | and shelf life, 292 |
| Rule 41, 393 | Q10 Estimation, 258 |
| structure-function claims, 386 | rancidity, 262 |
| Surface Transportation Board (STB), 388 | seafood, 286 |
| The FDA Modernization Act of 1997 | shelf life extension by preservative agents, |
| (FDAMA), 385 | 277 |
| Threshold of Regulation (TOR), 387 | shelf life testing, 257 |
| Uniform Freight Classification (UFC), 393 | shelf life testing follow up, 259 |
| United States Department of Agriculture | water activity and water mobility, 271 |
| (USDA), 383 | water mobility, 273 |
| United States Food and Drug Administration | water vapor permeation, 268 |
| (FDA), 383 | food processing 5, see also engineering basics, |
| United States Patent and Trademark Office | 17, and process calculations and their |
| (USPTO), 391 | application, 207 |
| United States Post Office (USPS), 391 | food regulation, safety systems and security, |
| food production laws and standards of selected | 379 |
| countries, 382 | food and package regulation history, 381 |
| food antimicrobial compounds, 277 | food safety and security systems, 381 |
| Food Contact Notification (FCN), 387 | packaging laws and their related agencies, |
| food preservation and shelf life, 253 | 394 |
| activation energy, 257 | Pure Food and Drug Act of 1906, 394 |
| active packaging, 281 | food stimulants for extractability studies, 386 |
| | • |

| food safety and security systems, 380 | friction welding, plastic, 183 |
|---|---|
| authentication, 399 | frozen food, 224*, 254, 260 |
| Bioterrorism Act of 2002, 398 | fuel consumption, freight handling modes, 344 |
| counterfeit goods, 399 | fuels (biomass), heat content, 423 |
| denial of service attack, 401 | fuels (common), heat content, 31 |
| emergent properties, 398 | fundamental packaging functions, 11 |
| encryption and decryption, 400 | fundamental units, 21 |
| food safety and security systems token, | future developments and technologies, 433 |
| security, 399 | butterfly effect, 435 |
| food security, 395 | chaos theory, 434 |
| Hazard Analysis and Critical Control Points | garage biology, 439 |
| (HACCP), 395 | Gartner Hype Cycle, 433 |
| hourglass effect, 394 | Lorentz Attractors, 435 |
| information-based security systems, 400 | Moore's Law, 437 |
| lifting (identification token theft), 401 | QR codes, 438 |
| product recalls, 395 | resource scarcity, 439 |
| public key systems, 400 | |
| response to threats, 401 | gauge pressure, 29 |
| Role of Identification and Information | conversion to absolute pressure, 30 |
| Technologies, 399 | garage biology, 439 |
| security concepts, 397 | garbage archaeology, 415 |
| Tylenol® poisoning incident, 398 | Gartner Hype Cycle, 433 |
| validation, security, 400 | gas permeation, 263 |
| vector, bioterrorism, 398 | Generally Recognized As Safe (GRAS), 157, |
| food security, 397*, 398 | 279, 384* |
| force (units), 28 | German Green Dot System, recycling, 419 |
| forced convection, 63 | glass, 119 |
| Form-Fill-Seal (FFS), 302 | characteristic fracture features, 128 |
| Formosa termite, 353 | chemical ingredients, 122 |
| Fourdrinier, 111 | decoration, labeling and shipping, 124 |
| Fourier, Joseph, 60 | design considerations, 129 |
| Fourier's law, 60*, 80, 274 | failure, 125 |
| fractional distillation, 245 | formulation, 121 |
| free convection see natural convection, 63 | general description, 119, see also ceramic |
| free volume, 267 | materials |
| freeze drying, 232*, 261 | general production, 100 |
| freezer burn, 225*, 273 | history, 119 |
| freezing systems, 225 | hydrodynamic failure, 128 |
| frequencies | impact fracture, 126 |
| microwave, 70 | ingredients, 122 |
| forcing, in transportation dynamics, | inspection and cartoning, 124 |
| 359 | manufacturing flowchart, 122 |
| natural, in transportation dynamics, 356 | manufacturing methods, 121 |
| resonant, in transportation dynamics, | resource outlook, 100 |
| 358 | surface treatment of finished containers, 123 |
| RFID, 205 | thermal conductivity, 62 |
| fresh fruit and vegetables | thermal failure, 126 |
| preservation and shelf life, 286 | types of molding systems, 123 |
| ethylene sensitivity, table, 293–296 | water hammer failure, 128 |
| | |

| glass transition temperature (Tg), 152, 154*, | heat exchangers, 63, 65*, 216 |
|---|--|
| 181, 225, 259, 268 | heat of combustion, 31 |
| in foods, 273 | heat sealing, 169, 181, 184*, 352 |
| in synthetic polymers, 175 | heat transfer, 59 |
| glues and adhesives, 175 | conduction, 60 |
| jelly gum, 178 | convection, 61 |
| solvent-based adhesives, 180 | convective heat transfer coefficient, 62 |
| bone, hide and fish glues, 179 | during freeze drying, 232 |
| casein ("white") glues, 179 | forced convection, 63 |
| cold seal, 181 | Fourier's Law, 60 |
| contact angle, 176 | thermal conductivity, 62 |
| cure, adhesive, 177 | heat exchanger calculations, 66 |
| cyanoacrylate ("CA", "Super Glue"), 180 | laminar sublayers, 65 |
| failure, 182 | log mean temperature differential (LMTD) |
| hot melt, 180 | 66 |
| hot melt blends and additives, 180 | natural convection, 63 |
| other bonding agents, 182 | other types of heat exchangers, 68 |
| other gum, 178 | radiation, 60 |
| polyurethane, 180 | shell and tube heat exchangers, 67 |
| PVA (polyvinyl acetate), 180 | thermal conductivity, 62 |
| role of surface chemistry, 175 | heat transfer characteristics, thermal |
| solvent based, 180 | processing, 210 |
| starch and dextrin based, 177 | hemicellulose, 108 |
| surface chemistry in adhesion and printing, | hemoglobin, 283 |
| 175 | heptafluoropropane, 186 |
| synthetic, 179 | Herschel-Bulkley fluid model, 57 |
| synthetic adhesives, 179 | HFC R-134a properties charts, 91, 92 |
| terminology, 176 | refrigeration cycle, 75 |
| types, 177 | hide glue, 179 |
| waterborne synthetic adhesives, 179 | High Density Polyethylene (HDPE), 148 |
| wetting, 176 | high pressure processing, 69, 223* |
| gravure, 194 | High Temperature Short Time (HTST) |
| Green Dot System, German recycling, 419 | processing, 216, 217*, 254 |
| Griffith Equation, 46 | histogram, production, 332 |
| Guggenheim – Anderson – de Boeur (GAB) | Hoff-Stevens kegs <i>see</i> kegs, beer and syrup, |
| equation, 271 | 140 |
| gum adhesives, 177 | holding tube, 216 |
| gummed tapes, 183 | holographic printing, 201 |
| 8 | homogenization, 216, 243* |
| halftones and shading, 197 | horsepower, 30 |
| harmonics, 359 | hot fill processes, 217 |
| Hazard Analysis and Critical Control Points | hot melt adhesives, 180 |
| (HACCP), 395 | hot stamp labeling, 194, 201* |
| HCFC propellants, 188 | hot tack, 177 |
| heat capacity | hourglass effect, 394 |
| of selected nonfood and food materials, 88 | Hubbert Curve, 104 |
| see also specific heat | Hubbert, Marion King, 103 |
| heat content, biomass fuels, 423 | humidity, absolute, 83*, 84, 85 |
| heat content, common fuels, 31 | humidity, absorate, 65, 64, 65 humidity, relative, 83*, 229, 268, 272 |
| | |

| humping damage, 367 | intermodal containers and transport, 343 |
|---|---|
| hurdle (staircase) preservation, 278 | internal energy, 36 |
| hydraulic and pneumatic energy, 32 | Int'l. Std. for Phytosanitary Measures |
| hydraulic damping see viscous damping, 360 | (ISPM 15), pallets, 353 |
| hydraulic power see fluid power, 32 | Interstate Commerce Commission (ICC) see |
| hydrochlorofluorocarbons (HCFC), 104, 188* | Surface Transportation Board (STB), 388 |
| hydrocyclone, 243*, 411 | inventory economics, 321 |
| hydrodynamic (water hammer) failure in | inventory management, 320, 322*, 348 |
| containers, 126 | delivery time, cumulative probability, 324 |
| hydrogen peroxide | demand and delivery time optimized |
| in paper bleaching, 111 | ordering, 326 |
| as package sterilant, 169, 220*, | Economic Order Quantity (EOQ), 322 |
| hydrofluorinated alkanes, 186 | grocery purchase example, 322 |
| hypothesis testing, 334 | Just In Time (JIT), 323 |
| J1 | kanban systems, 324 |
| ice | opportunity costs, 321 |
| crystals, role in frozen food quality, 224 | ordering costs, inventory management, 321 |
| heats of crystallization and fusion, 37 | out-of-stock costs, inventory management, |
| iced "reefers", refrigerated railcars, 224 | 321 |
| refrigeration capacity equivalent, 76 | reduction techniques, 320 |
| thermal conductivity, 62 | storage costs, inventory management, 321 |
| ideal gas constant, 42*, 249, 257 | techniques, 322 |
| ideal gas constant (R), values, 90 | transportation costs, inventory management, |
| ideal gas equation, 42 | 321 |
| Ideal-X (commercial shipping vessel), 349 | ionic heating in microwave systems, 70 |
| IEC-61131-3 PLC standards, 312*, 437 | ionic charge, separation systems <i>see</i> reverse |
| immiscible aerosol systems, 186 | osmosis, 248 |
| impact fracture, in glass, 126 | irradiation, 234 |
| impedance, 33, 192* | approved levels for foods, U.S., 237 |
| incineration, 422 | approved materials for packages, U.S., 237 |
| incompressible fluids, 50 | background, 235 |
| induction damping, 360 | effects on packaging materials, 235 |
| information cycle, 6*, 204, 317, 346, | food safety, quality and irradiation, 238 |
| information-based security systems, 400 | Ishikawa ("fishbone") diagram and cause chart |
| inhalers, respiratory, and their propellants, 186 | 330 |
| injection blow molding, 163 | Ishikawa, Kaoru, 330 |
| injection molding, 159, 164*, 171 | ISO 9000 and 22000 Series Quality Standards, |
| ink jet printing, 202 | 335 |
| inks, 113, 198*, 381, 389, | isobutane (R-600a) – refrigerant, 77 |
| inks, failure of, 181 | isolated systems, 24 |
| insulation | isotactic, 150 |
| during freeze drying, 233 | isothermal processes, 27 |
| see also table of thermal conductivities, 62 | isotherms, moisture, 269 |
| institutional packaging, 351 | isotherms, moisture sorption/desorption, 271 |
| intaglio printing, 194 | ISPM 15 restrictions, 353 |
| integration, packaging function, 13 | 151 11 15 1660160016, 555 |
| Intermediate Bulk Containers (IBC), 351 | jelly gum adhesives, 178 |
| intermittent and continuous packaging | Joule, 30 |
| machinery, 299 | jugs, 352 |
| | J=0=,= |

| Juran, Joseph, 329*, 336 | for inspection tasks, 340 |
|--|--|
| Just In Time (JIT), 323 | speed of, 22 |
| | lignin, 109 |
| kabaris, 421 | limit of linear elasticity, 45 |
| kanban, 324 | Linear Low Density Polyethylene (LLDPE), |
| kegs, beer and syrup, 140 | 148 |
| Kelvin, 34 | linear orientation in materials, 155 |
| Kelvin-Voigt viscoelastic model, 58 | lipid oxidation byproducts, 263 |
| kinetic energy, 34 | lipid peroxidation, 262 |
| kinematic viscosity, 81 | liquids see fluid flow systems, 50 |
| Kraft, James, 253 | liquid/vapor tables (steam tables), 40 |
| | lithography, 194 |
| lag | log mean temperature differential (LMTD), 66 |
| heating and cooling, 215 | Lorentz attractors, 435 |
| permeation, 265 | Lorentz, Robert, 435 |
| phase, 362 | loss tangent, 71 |
| lag time in permeation calculations, 265 | lossy materials, 71 |
| laminar flow, 51 | Low Density Polyethylene (LDPE), 148 |
| Reynolds number, 52 | lyophilization, 145, 232* |
| laminar sublayers in convective heat transfer, | |
| 65 | M. tuberculosis, 208 |
| laminates and multiple material packages, | machine direction, 114*, 119, 155, 160 |
| 167 | machinery modifications and upgrades, 310 |
| composite squeeze tubes, 170 | magnetic and acoustic refrigeration, 79 |
| laminate and composite cans, 170 | magnetohydrodynamic effect, 222 |
| laminates for aseptic processing, 169 | magnetron, microwave, 70 |
| lamination processes, 167 | magnetron, metallic packaging, 191 |
| materials structure, 168 | Maillard reaction (Maillard browning), 261 |
| multiple morphology laminates, 169 | Manufacturing Execution Systems (MES), 316 |
| rigid composite tubes, 170 | Maritime Administration (DOT), 388 |
| landfills, 406, 410, 416* | mass |
| laser debossing, 202 | conservation, 22 |
| laser printing, 203 | conversion to energy, 22 |
| laws and regulations see Food Regulation, | fundamental unit, 21 |
| Safety Systems, and Security | mass balances, 24*, 42 |
| laws of conservation of mass and energy, 22 | blending and separation processes, 26 |
| laws of thermodynamics, 27 | multistage processes, 26 |
| latent heat, 36, 40* | recycle streams, mass balance, 26 |
| Legionnaires disease, 86 | mass transfer, 79*, 228, 232 |
| lethal rate curve, 213, 215* | diffusion processes, 79 |
| lethal rate curve example, 213 | mass transfer into moving fluids, 81 |
| letterpress, 195 | mass transfer through polymer films, 80 |
| Library of Congress (LOC), 392 | variability in kinetics, 80 |
| lifting (identification token theft), 401 | materials |
| light | balances see mass balances |
| based processing, 221 | raw, 3, 97* |
| degradation of products, 262, 285* | mechanics of <i>see</i> mechanics of materials |
| degradation of printing, 158 | primary conversion of, 107 |
| effect on printing appearance, 197 | recycling and disposal, 11 |

| Materials Requirement Planning (MRP), 325 | microbial growth curve, 275 |
|--|--|
| Maxwell viscoelastic model, 58 | microbial |
| McCabe-Thiele diagram, 246 | decimal reduction time (D), 211 |
| McKee formula, 119 | growth curve, 275 |
| meat and poultry products, preservation and | product changes and preservation, 276 |
| shelf life, 283 | spore forming species and growth |
| mechanical adhesion, 177 | conditions, 210 |
| mechanical energy, 33 | microcoatings, 164 |
| kinetic energy, 34 | microembossing, film, 201 |
| potential energy, 34 | microperforation, film, 162 |
| mechanics of materials, 43 | microwave heating and processing principles, |
| brittle failure, 46 | 70 |
| brittle fracture, 46 | dielectric properties of materials, 71 |
| brittle material, 45 | heating mechanisms, 72 |
| deformation of solids, 44 | interaction with packaging materials, 70 |
| ductile materials, 45 | loss tangent, 71 |
| elastic limit/yield point, 45 | lossy materials, 71 |
| elastic modulus, 44 | permittivity, 71 |
| failure in ductile materials, 48 | power density, 71 |
| failure point, 45 | runaway heating, 190 |
| fluid flow systems, 50 | microwave susceptors, 190 |
| limit of linear elasticity, 45 | formulation, 192 |
| plastic deformation, 45 | heating effects and toxicological concerns, |
| rheology, 55 | 193 |
| solid mechanics, 43 | patterned susceptors and reflectors, 193 |
| strain, 43 | types, 192 |
| stress, 43 | Miles, General Nelson, 380 |
| stress concentration and failure in brittle | military packaging see Department of Defense |
| materials, 46 | (DOD), 391 |
| types of materials, 46 | MIL-STD-105 sampling plan see ANSI/ASQC |
| ultimate stress, 45 | Z1.4 sampling plan, 327 |
| yield point, 45 | MIL-STD-2073-1E see Department of Defense |
| meat and poultry products | (DOD), 391 |
| packaging and shelf life, 283 | miscible aerosol systems, 186 |
| membrane separation processes, 248 | mixed transportation modes, 345 |
| mesophilic bacteria, 210 | moisture sorption, 268 |
| metals, general production, 100 | moisture sorption/desorption isotherms, 269, |
| metal containers, 129 | 271* |
| aluminum, 135 | mold release agents, 158 |
| drums, 139 | molded pulp packaging, 116 |
| general structural considerations, 130 | pallets, 353 |
| kegs, 140 | molecular weight distribution, 151 |
| steel, 131 | Mollier chart, 73, 75 |
| tubes, 141 | Montreal Protocol, CFC ban, 188 |
| metallization, film, 162 | Moody, friction estimate for laminar flow, 53 Moore, Gordon E., 437 |
| metallocene catalysts, 149 meter (m) and fraudulent calibration, 21 | Moore's Law, 437 |
| Metered Dose Inhalers (MDI), propellants, | Morse Equation, 248 |
| 186 | multicolor printing, 196 |
| 100 | manacolor printing, 170 |

| multicomponent (2k) aerosol systems, 186 multiple-effect evaporators, 244 | NLEA and health claims, 385 No Observed Adverse Effect Level (NOAEL), |
|--|--|
| multiple-hurdle preservation, 221*, 223, 226, | 387 |
| 286, <i>see also</i> staircase preservation | NOMLI – Not On My Line Item, 10 |
| municipal solid waste see also disposal and | non-Newtonian fluids see rheology |
| landfills, 413 | Nusselt number, 63*, 81 |
| energy content, 423 | nylon, 6,6 147 |
| generation and composition, 413 | • , , |
| generation rates, 428 | Occupational Safety and Health |
| energy production in U.S., 424 | Administration (OSHA), 393 |
| recovery and recycling, 408 | offset printing, 194 |
| myoglobin, 283 | Ohmic heating, 68 |
| bacterial discoloration, 285 | Ohm's Law, 33 |
| coloration, 284 | Ohno, Taichi, 323 |
| cycle, 284 | open systems, 23 |
| | open time, 177 |
| naringase, 283 | opportunity costs, 321 |
| National Food Irradiation Program, 235 | optimization |
| National Institute of Occupational Health and | production, 313 |
| Safety (NIOSH), 336, 393* | composting, 437 |
| National Institutes of Standards and | orientation in materials, 155 |
| Technology (NIST), 382 | osmosis, 248 |
| National Labeling and Education Act (NLEA), | osmotic pressure, 249 |
| 384 | pressures, table, 250 |
| National Marine Fisheries Service (NMFS), | van't Hoff factors, 249 |
| 387 | oxidation in oils, 262 |
| National Motor Freight Classification | oxidation-reduction potential, 208, 276* |
| (NMFC), 393 | oxygen |
| natural convection, 63 | levels and degradation for non-metabolizing |
| natural frequency (f _n), 356*, 374 | products, 281 |
| natural gas | permeation assumption, 80 |
| general production, 103 | scavengers and absorbents, 174, 169, 226, |
| glassmaking furnaces, 120 | 282* |
| heat of combustion, 31 | oxygen permeability of plastic films, table, |
| polymer feedstock, 143 | 293 |
| natural period (Π_n), 359*, 367 | |
| Nernst equation, 277 | package erection and assembly, 300 |
| new Panamax, 350 | package inspection, 124, 304*, |
| Newton, Sir Isaac, 27 | package re-use, 5, 405, 419, 427 |
| Newton, unit of force, 29 | package-product interaction, 278 |
| Newtonian fluids, 56 | active packaging, 281 |
| NIOSH lifting equation, 337 | antimicrobial packaging, 279 |
| nitrocellulose, 142 | endocrine disruptors, 279 |
| nitrogen | extraction of packaging materials into |
| liquid, freezing media, 72 | product, 276 |
| package pressurization, 137 | extraction of product into package, 280 |
| propellant, 188 | packaging and shelf life of specific food |
| nitrous oxide, propellant, 188 | products, 283 |
| nitpicking, 495 | packaging cycle, 1, 4*, 405 |
| r | r |

| packaging design for the dynamic | production scheduling, 309 |
|--|--|
| environment, 369 | quality assurance and quality control, 325 |
| additional design factors, 376 | packaging scavenger compounds, 282 |
| critical element analysis, 369 | packaging sustainability, 429 |
| cushion requirements calculations, 375 | packaging waste |
| damage boundary curves, 371 | general, 405 |
| dynamic environment of distribution, 370 | United States, 413 |
| environmental condition determination, 373 | packaging waste programs outside the United |
| frequency and resonance effects, 377 | States, 417 |
| package design and testing, 371 | Canada, 420 |
| performance monitoring, 377 | Developing Countries, 421 |
| prototype construction, 376 | EEU, 417 |
| repeated shock and shock amplification, | Germany (DSD Green Dot System), 419 |
| 372 | India, 421 |
| Shock and Vibration Indicators and | Japan, 420 |
| Recorders, 373 | Mexico, 422 |
| vibration and repetitive shock, 370 | People's Republic of China, 421 |
| packaging functions, 11 | Taiwan (Republic of China), 422 |
| communication, 12 | pails, metal, 140 |
| integration, 13 | pails, plastic, 141 |
| protection, 11 | pallets, 353 |
| utilization, 13 | paper, 107 |
| packaging machinery, 299*, 393, 428 | lignin, 109 |
| accumulators and conveyors, packaging | bleaching, 111 |
| machinery, 304 | carton blank, 118 |
| case packers, 307 | cellulose chemistry, 108 |
| checkweighing, inspection, and | coatings and additives, 113*, 118 |
| measurement, 304 | corrugated board, 117 |
| controls and displays, 309 | cylinder machine, 112 |
| delta robots, 303 | fabrication of paper-based packages, 117 |
| fillers, feeders, metering, and measuring, 301 | Fourdrinier machine, 111 |
| for specialty products, 299 | hemicellulose, 108 |
| Form-Fill-Seal (FFS), 302 | manufacturing, 109 |
| inspection system failure, 306 | McKee formula, 119 |
| Intermittent and Continuous, 299 | molded pulp, 116 |
| machinery acquisition, 307 | paperboard, 115 |
| machinery layout, 308 | papermaking, 111 |
| package erection and assembly, 300 | process types, 110 |
| powder handling, 301 | properties, 113 |
| pre-closure treatment and closure | pulp manufacturing, 110 |
| application, packaging lines, 303 | strength of cartons and containers, 118 |
| product inspection, 305 | synthetic, 115, 166* |
| robotic operation, packaging lines, 302 | Pareto charts, 331 |
| palletizers, 307 | Pareto optimal, 168, 171* |
| packaging machinery, filling and plant | parting agents see mold release agents, 158 |
| operations, 299 | Pascal, unit of pressure, 29 |
| ergonomics, 336 | Pasteur, Louis, 253 |
| inventory management, 321 | pasteurization, 208*, 216, 223 |
| packaging machinery, 299 | pasteurization time and temperature table, 217 |

| pasteurizer flow diagram, 216 | branching in LDPE, 145 |
|--|--|
| patent breaking, 391 | branching and crosslinking in polymers, 148 |
| patents see United States Patent and Trademark | chain addition thermoplastics, 144 |
| Office (USPTO), 391 | colorants, 157 |
| peanut butter contamination, 397 | crystallinity and density, 152 |
| Peltier effect refrigeration, 78 | crystallinity and density, 152*, 153 |
| penetration | extrusion, 163 |
| ionizing radiation, 235 | extrusion, 159 |
| heat, 215 | factors that affect behavior, 148 |
| microwave, 232 | fermentation biopolymers, 145 |
| pepenadores, 421, 422* | fillers, 157 |
| permeant, effect on permeation, 267 | film metallization and microperforation, 161 |
| permeation | film production, 160 |
| calculation of solubility and diffusion | glass transition temperature (Tg) in |
| coefficients, 265 | polymers, 154 |
| gas, 263 | glassy, 154 |
| influential factors, 267 | injection blow molding, 163 injection molding, 164 |
| multilayer, 266 permeation cell, 265 | manufacturing additives, 158 |
| rate determination for gas, 264 | melt, 154 |
| rate determination for gas, 204 | microcoatings, 164 |
| permittivity, 71 | mold release agents, 158 |
| permutivity, 71 pervaporation concentration, 249 | molecular weight and distribution, 151 |
| petrochemicals (oil and natural gas), 103 | monomer, 143 |
| production, 103 | naturally derived polymers, others, 147 |
| resource outlook, 103 | odorants, 158 |
| phase and pressure relationship, 38 | orientation, 155 |
| phase change | orientation effects, 156 |
| water, 36–38 | papers, 166 |
| refrigeration, 73 | permeability to oxygen and water, table, 293 |
| freeze drying, 232 | plant based biopolymers, 147 |
| photoelectric effect, use in laser printing, 203 | plasticizers and additives, 156 |
| photooxidation, 263 | repeat units, 143 |
| pipe fittings and bends, L'/D for friction | role of catalysts in polymerization and |
| calculation, 54 | branching behavior, 148 |
| pipe, fluid flow, 51–54 | rotational molding, 165 |
| plaintext, 400 | rubbery, 154 |
| plant operations, 309 | stabilizers, 158 |
| plastic deformation, 45 | structural additives, 158 |
| plastic welding, 183 | tacticity and conformation, 149 |
| plastics and synthetic polymers, 142 | thermal characteristics, 154 |
| additive synthesis, 143 | thermoforming, 165 |
| additives, 156 | thermosetting, 154 |
| antioxidants, 157 | UV inhibitors, 157 |
| basic synthesis, 143 | plastics separation for recycling, 410 |
| biaxial orientation in molded bottles, 155 | plate freezers, 225 |
| biopolymers, 145 | pneumatic power see fluid power, 32 |
| blow molded container surface treatments, | poise, 51 |
| 164 | polybutylene terpthalate (PBT), 146 |

| polyethylene (PE), 144 | Color Theory and Multicolor Printing, 196 |
|--|--|
| polyethylene naphtalate (PEN), 144 | direct, 194 |
| Polyhydroxyalcanoate (PHA), 145 | dot matrix, 202 |
| Polyhydroxybutyrates (PHB, PHBV), 145 | graphic design, 199 |
| Polylactic Acid (PLA), 145 | gravure, 195 |
| polypropylene (PP), 144 | halftones and shading, 197 |
| polystyrene (PS), 144 | history, 194 |
| polyurethane (PU) adhesives, 180 | holographic printing, 201 |
| polyvinyl acetate (PVA) adhesives, 180 | ink jet, 202 |
| polyvinyl alcohol (PVOH), 144 | inks, 198 |
| polyvinyl chloride (PVC), 144 | laser debossing, 202 |
| polyvinylidene chloride (PVDC), 144 | laser printing, 203 |
| post-Panamax, 350 | lithographic, 195 |
| pot life, 176 | microembossing, 201 |
| potato chip and crisp snacks, preservation and | offset, 194 |
| shelf life, 292 | other types, 201 |
| potential energy, 34 | package printing versus labeling, 203 |
| poultry and meat, preservation and shelf life, | plate making, 199 |
| 283 | print production, 199 |
| powder and granular material handling, | process type selection, 200 |
| 301 | raised, 195 |
| power, 30* | screen printing, 201 |
| electrical, 33 | subsurface, 194 |
| fossil fuels – outlook, 103 | surface, 195 |
| generation from MSW incineration, 423 | surface choices, 199 |
| pumping, 56 | Therimage [®] , 202 |
| refrigeration compressor, 76 | thermal printing, 202 |
| Watt, definition, 30 | transfer printing and labeling, 201 |
| power density, 71 | types of substrates, 198 |
| power law fluids, 56 | private carriers, rules and regulations, 393 |
| power requirements | process types, thermodynamic, 27 |
| fluid flow, 52 | produce, 286 |
| refrigeration, 76 | degradation and oxygen concentration, 289 |
| Prandtl number, 64 | ethylene sensitivity, 293–296 |
| precipitation of moisture by cooling, 85 | gas tolerance, 288 |
| precision, 305 | product development, 8 |
| pressure | product fragility, 371*, 376 |
| absolute, 29*, 30 | product line scheduling, 310 |
| gauge, 29 | product recalls, 383, 395* |
| phase and criticality, 37 | production flowchart, 329 |
| units, 29 | production line changeover and flexible |
| pressure-enthalpy chart for general | manufacturing, 311 |
| refrigeration cycle, 71 | production optimization, 313 |
| pressure-enthalpy charts for R-134a, 91, 92 | advanced methods, 314 |
| printing and coding processes, 193 | basic types, 314 |
| color addition and subtraction, 196 | integration of manufacturing processes, 316 |
| color standards, 197 | model types, 315 |
| color temperature, 197 | real-time optimization, 315 |
| color theory, 196 | software tools, 315 |

| production scheduling, 309 | history, 327 |
|--|--|
| coordinated packaging lines, 312 | hypothesis testing, 334 |
| machinery modifications and upgrades, 310 | importance and magnitude: Pareto charts, |
| Mass Customization Manufacture (MCM), | 331 |
| 312 product scheduling, 310 | Ishikawa ("Fishbone") diagrams & cause chart, 330 |
| production line changeover and flexible | quality assurance and quality improvement |
| manufacturing, 311 | 327 |
| raw material and component ordering, acceptance, and tracking, 309 | run charts, control charts, and time-based data, 332 |
| scheduling facilities and personnel management, 310 | sampling, testing, and remediation, 327 Six Sigma TM , 336 |
| storage levels of materials and components, | WECO Process Control Rules, 334 |
| 309 | ISO 9000 Series Standards, ISO 22000 and |
| propellants, 104, 185* | Six Sigma TM Processes, 335 |
| property, plant and equipment, 11 | process flow and contributory factors, 329 |
| protection, packaging function, 11 | |
| pseudoplastic fluids, 57 | R-134a refrigerant, 77 |
| psychrometry, 82 | radiation |
| absolute humidity, 83 | developing printing plates, 195 |
| assumptions of evaporation and drying, 84 | heat transfer, 60 |
| correction terms, 83 | food irradiation, 234 |
| dew point, 85 | Radura symbol for irradiated food, 238 |
| dry bulb temperature, 82 | rail transportation, 344 |
| enthalpy of dry air, 83 | rancidity, 262 |
| evaporative cooling, 85 | Rand, John, 141 |
| psychrometric charts, 93–95 | Rankine, 34 |
| psychrometric chart example, 84 | rate constant |
| relative humidity, 83 | heating, 215 |
| specific volume of dry air, 83 | reaction, 257 |
| wet bulb temperature, 83 | Ranz-Marshall equation, 81 |
| psycrotrophic species, 210 | rate-dependent materials, 50 |
| public key systems, 400 | raw material and component ordering, |
| pulsed electric field (PEF) processing, 223 | acceptance, and tracking, 309 |
| pump efficiencies, 54 | raw materials, 3, 97*, 107 |
| Pure Food and Drug Act of 1906, American, | ceramic materials, 99 |
| 380 | energy, 105 |
| Pure Food and Drugs Act of 1875, British, | metals (aluminum, steel and tin), 100 |
| 381 | other gases (propellants and industrial gases), 104 |
| Q fever, 208 | petrochemicals (oil and natural gas), 103 |
| Q10 Estimation, 258 | wood and fiber, 97 |
| QR codes, 438 | Razis (Muhammad ibn Zakariya al-Razi), 244 |
| Quaker Oats, 380 | rebaudioside A, 384 |
| quality assurance and quality control, 325 | recyling, 408 |
| determining importance, magnitude, and | materials processing, 411 |
| correlation, 330 | non-US, regulations and systems, 417 |
| diagnostic tools for quality management, 329 | regulations, 412 |
| frequency histograms and correlation, 331 | segregation, 410 |

| symbols for plastics, 412 | constitutive models, 58 |
|--|---|
| volume reduction, 411 | dynamic properties of viscoelastic materials |
| reefers (refrigerated railcars), 224 | 59 |
| refrigerant types, 77 | elastoviscous materials, 57 |
| refrigerated food, 190, 226* | flow behavior index, 56 |
| refrigeration, 72 | power law fluids, 56 |
| absorption, 78 | static properties of viscoelastic materials, 57 |
| calculation of refrigeration parameters, 74 | viscoelastic materials, 57 |
| chemical chillers, 78 | viscosity, 55 |
| coefficient of performance (COP), 77 | robotic packaging lines, 302 |
| compressor types, 77 | rotational molding, 139, 165* |
| heat of compression, 76 | rotogravure see printing, gravure, 194 |
| heat of condensation, 76 | rotomolding see plastics, rotational molding, |
| heat of evaporation and cooling capacity, 74 | 165 |
| magnetic and acousic, 79 | Rule 222, 393 |
| non vapor-compression systems, 78 | Rule 41, 393 |
| Peltier effect, 78 | run chart, 333 |
| refrigerant types, 77 | runaway heating, 72 |
| refrigeration cycle diagram, 75 | |
| Stirling cycle, 79 | S-adenosylmethionine, 289 |
| vortex coolers, 78 | sales multiplier method, 341 |
| refrigeration and freezing of foods, 224 | saturated water vapor, 41 |
| air blast freezers, 225 | moisture isotherm and permeation testing, |
| dip freezing, 225 | 269 |
| direct contact freezing, 225 | saturated salt solutions to generate, 270 |
| freezing systems, 225 | saturated steam – table of properties, 89 |
| frozen food properties and processes, 225 | saturated salt solutions and relative humidity, |
| plate freezers, 225 | 268, 270* |
| reefers (refrigerated railcars), 224 | scavengers, active packaging, 174, 280* |
| refrigerated foods, 226 | scavenging, 280*, 282 |
| spray freezing, 225 | Schmidt number, 81 |
| temperature loggers, 226 | Schumacher, Ferdinand, 380 |
| refrigeration cycle, 74 | scraped surface heat exchangers, 65, 68* |
| relative humidity, 83 | screen printing, 201 |
| repetitive shock, 365 | screen sizing of materials, 240 |
| resistance, electrical, 33 | seafood, preservation and shelf life, 286 |
| resolution, 305 | second and higher order reaction curves, 256 |
| resonance, 357 | second law of thermodynamics, 27 |
| resource scarcity, 439 | secondary package components, 173 |
| response to security threats, 401 | aerosols, 185 |
| retrogradation, 178 | child-resistant packaging, 175 |
| reuse of containers, 406 | closures, 173 |
| reverse osmosis, 248 | coding, scanning and identification methods |
| Reynolds number, 51 | 203 |
| RFID coding, 208 | failure of adhesives, inks and coatings, 181 |
| RGB (color system), 196 | glues and adhesives, 175 |
| rheology, 55 | microwave packaging, 190 |
| Bingham fluids, 56 | other bonding agents, 182 |
| consistency index, 56 | printing and coding processes, 193 |

| security concepts, 397 | soda process, 110 |
|--|---|
| sensible heat, 36 | soft cushion paradox, 367 |
| sensitivity, 305 | soldering, 132 |
| separated aerosol systems, 186 | solid mechanics, 43 |
| separation – size differential, 239 | deformation of solids, 44 |
| shear | elastic modulus, 44 |
| force, 50–51 | strain, 43 |
| pipe flow, 54 | stress, 43 |
| rate, 56 | solubility coefficient in polymers, 264–265 |
| thinning and thickening fluids, 56 | solvent welding, plastic, 183 |
| service marks see United States Patent and | source reduction, 427 |
| Trademark Office (USPTO), 391 | space shuttle "Atlantis" – fuel economy, 344 |
| Sheffield, Dr. Washington Wentworth & Dr. | space, regulation of shipment in launch |
| Lucius Tracey, 141 | vehicles, 389 |
| shelf life, 3, 11, 69, 157, 216, 226, 235, 253*, | specific heat, 38 |
| 257 | calculation of heat flow, 39 |
| shelf life extension by preservative agents, 277 | of complex food compounds, 38 |
| antimicrobial compounds, 277 | of selected nonfood and food materials, 88 |
| packaging, 277 | specific volume, dry air, 83 |
| shelf life testing and estimation, 257 | Spencer, Percy |
| amplification of errors, 259 | spin welding, plastic, 183 |
| follow up, 259 | spores |
| Q10 estimation, 258 | bacterial, 69 |
| shell and tube heat exchangers, 67 | growth and pH conditions, 209 |
| Sherwood number, 81 | high pressure processing, 223 |
| Shewhart cycle, 336 | radiation treatment, 238 |
| Shewhart, Walter, 328 | spray drying, 230 |
| ship transportation, 344 | spray freezing, 225 |
| shipping container see corrugated board, 107 | spoilage bacteria, 209 |
| intermodal see intermodal containers and | staircase (hurdle) preservation, 278 |
| transport, 343 | standard atmosphere, 29 |
| shipping fixtures, 354 | standard linear solid viscoelastic model, 58 |
| shipping modes, 343 | star screens, 410 |
| shipping sacks, 352 | states of systems, 24 |
| shock absorber, automotive, 360 | static compression damage, 355 |
| shock amplification, 367 | statistical quality control (SQC), 328 |
| shock and vibration see dynamic | steady state processes, 27 |
| considerations in packaging | steady state systems, 24 |
| shock and vibration indicators and recorders, | steam distillation, 245 |
| 372 | steam quality, 42 |
| shock machine, 371 | steam tables <i>see</i> liquid/vapor tables, 40 |
| Siebel equations, 38 | steel, 131 |
| sign conventions, energy and work, 31 | can corrosion, 133 |
| Sinclair, Upton, 380 | can steel composition, 131 |
| single minute change of die, single touch | cans, 131 |
| change of die, 311 | corrosion accelerators, 135 |
| Six Sigma TM , 336 | composition of can steels, 131 |
| slip sheets, 354 | general production, 101 |

| grades, 131 | surface chemistry in filtration, 240 |
|---|--|
| package production methods, 131 | surface energy, 176 |
| resource outlook, 102 | surface printing, 195 |
| thermal conductivity, 62 | Surface Transportation Board (STB), 388 |
| three piece cans, 132 | surface treatments, plastic containers, 164 |
| two piece cans, 133 | surface treatments, glass containers, 123 |
| welding and soldering, 132 | susceptor, 191 |
| Stefan-Boltzmann constant, 60 | susceptors, microwave, 72, 191* |
| sterilization, 208 | sustainability, 427 |
| stevia extract, 384 | externalities, 429 |
| "stuff" balances, 17 | packaging sustainability, 429 |
| Stirling cycle refrigeration, 79 | source reduction, 427 |
| stockholder equity, 11 | SVK/Sankey kegs see kegs, beer and syrup, |
| Stokes equation, 241 | 140 |
| storage levels of materials and components, | syndiotactic, 150, 151* |
| 309 | synthetic adhesives, 179 |
| strain, 43, see also solid mechanics | synthetic papers, 166 |
| stress, 43 | system states, 24 |
| ultimate, 45 | continuous flow and batch systems, 24 |
| concentration and failure in brittle materials, | steady state, 24 |
| 46 | transient state, 24 |
| stress-strain diagram, 44 | unsteady state, 24 |
| comparison of brittle and ductile materials, | system types, 23 |
| 46 | adiabatic, 23 |
| | · · · · · · · · · · · · · · · · · · · |
| stretch-blow molding, 163 structure-function claims, 386 | diathermic, 23 closed, 23 |
| suction | isolated, 23 |
| | |
| dewatering pulp in papermaking, 112 | open, 23 |
| low pressure side of refrigeration | tools 177 |
| compressors, 73 | tack, 177 |
| Suction Blow glassmaking machinery (Owens | tacticity, 149 |
| Libby), 120 | tapes, 182 |
| subsurface printing, 194 | backing type, 183 |
| sulfate process, 110 sulfite process, 110 | gummed, 183 |
| | pressure sensitive, 182 |
| Super Glue [®] <i>see</i> glues and adhesives, cyanoacrylate (CA), 180 | temperature, 21 and thermal energy, 34 |
| supercritical fluid & supercritical fluid extraction (SFE), 247 | units, 34 temperature abuse, 226*, 286, 292 |
| superheated | temperature indicators and loggers, 226 |
| vapors or gasses, 38 | teratogens, 130, 280* |
| water in "puffing" processes, 41 | TEU see Twenty Foot Equivalent Unit (TEU), |
| flash boiling in microwave heating, 191 | 350 |
| supply chain management, 317 | Therimage [®] , 202 |
| inventory reduction, 320 | thermal conductivity, 60 |
| value chain analysis, 319 | table of thermal conductivities, 62 |
| surface chemistry in adhesion and printing, | thermal death time (TDT)(F), 211 |
| 175 | thermal energy, 31 |
| 1 / J | mermar energy, 51 |

| thermal energy and temperature, 34 | transportation energy efficiency, 343 |
|--|--|
| enthalpy, 36 | transportation, distribution and product |
| latent heat, 36 | damage, 343 |
| sensible heat, 36 | air, 344 |
| thermal printing, 202 | distribution and warehousing, 345 |
| thermal process calculations, 213 | distribution packaging, 349 |
| Ball's method, 215 | mixed mode, 345 |
| commercial sterilization, 213 | package design and testing, 371 |
| formula method, 215 | packaging design for the dynamic |
| hot fill processes, 217 | environment, 369 |
| product degradation, 217 | rail, 344 |
| Weibull frequency distribution models, 213 | response of packages to shipping and |
| thermal process times, 208 | handling, 355 |
| heat transfer characteristics, 210 | transportation energy efficiency, 343 |
| microbe type, age, and number, 209 | truck, 344 |
| microbial destruction, thermal death time, D, | water, 344 |
| and z values, 211 | tray, belt and tunnel drying, 231 |
| product type, 209 | trichloroanisole (TCA), 293 |
| thermal processing, 207 | trifluormonofluoroethane, 186 |
| blanching, 208 | trommel screens, 410 |
| cooking, 207 | truck transportation, 344 |
| pasteurization, 208 | tubes, metal and composite, 141 |
| process time calculation, 208 | tubes, rigid, 170 |
| sterilization, 208 | tubular heat exchangers, 65 |
| thermocouple, 213 | tubular film production see blown film, 161 |
| thermodynamics, 26 | tunnel, carpal, 337 |
| laws, 27 | turbulent flow, 51 |
| thermoforming, 165 | Nusselt number estimation, 64 |
| thermometers in relative humidity | Reynolds number, 52 |
| measurement, 82 | Twenty Foot Equivalent Unit (TEU), 350 |
| thermophilic bacteria, 210 | Tylenol [®] poisoning incident, 398 |
| thermolabile components in food products, 217 | types of materials, 49 |
| third law of thermodynamics, 27 | anelastic, 50 |
| three piece cans, 132 | elastic, 49 |
| Threshold of Regulation, 387 | elastoviscous, 49 |
| time, basic unit, 21 | rate dependent, 50 |
| time delay buffer, 304 | viscoelastic, 49 |
| tin, 102 | viscous, 49 |
| production, 102 | Tyvek [®] , 115, 166* |
| resource outlook, 102 | |
| token, security, 399 | UHT processing, 215*, 290 |
| "ton" of refrigeration, 76 | ULD see Unit Load Devices, 350 |
| Toyota, 311, 323* | ultimate stress, 44, 45* |
| transient state system, 24 | ultra high temperature (UHT) processing, |
| transient, pressure in water hammer failure, 128 | 217*, 254 |
| turbulent flow, 51 | ultrasonic processing of foods, 223 |
| trademarks, 391 | ultrasonic welding, plastic, 183 |
| transfer printing, 201 | Uniform Freight Classification (UFC), 393 |
| transient state systems, 24 | uniform product code, 12, 204* |

| universal gas constant see ideal gas constant, | vibration see dynamic considerations in |
|---|---|
| 42 | packaging, 255 |
| Unit Load Devices (ULD), 350 | viscoelastic materials, 49 |
| United States Department of Agriculture | viscosity, 55 |
| (USDA), 383 | bulk and wall, in Nusselt number |
| United States Food and Drug Administration | calculations, 64 |
| (FDA), 383 | effect in water hammer failure, 128 |
| United States Patent and Trademark Office | glass, 123 |
| (USPTO), 391 | increase in starch adhesive retrogradation, |
| United States Post Office (USPS), 391 | 178 |
| units, 20, see also abbreviations and units | interstitial liquid dynamic viscosity, 250 |
| archival, 21 | kinematic, 81 |
| derived, 21 | viscous damping, 360 |
| fundamental, 21 | viscous materials, 49 |
| types of units, 21 | volts, 33 |
| unsteady state systems, 24 | volume |
| in Fickian diffusion | control, 23 |
| upc (uniform product code), 12, 204* | free, 268 |
| utilization, packaging function, 13 | ideal gas, 42 |
| | reduction, in recycling materials, 411 |
| vacuum, 30 | saturated steam, table, 89 |
| validation of thermal processes, 213 | specific, dry air, 83 |
| validation, security, 395*, 400 | volumetric airflow rate, 86 |
| value chain analysis, 320 | vortex coolers, 78 |
| van't Hoff factor, 248 | |
| vapor-compression refrigeration see | waste, energy generation, 424 |
| refrigeration | waste processing see disposal and landfills |
| vapor pressure, 37 | water |
| aerosols, 185 | phase diagram in foods, 274 |
| aerosols, table, 188 | water activity and water mobility, 271 |
| cavitation, 55 | water activity and spoilage mechanisms, |
| material state, 38 | 272 |
| refrigerant, 73 | water hammer effect, 128 |
| separation, 244 | water mobility, 273 |
| vaporization and condensation, 41 | water vapor permeation, 268 |
| vaporization and condensation, 41 | moisture-related degradation reactions, 271 |
| other liquid-vapor systems, 42 | predictive models of moisture sorption, |
| quality of steam, 41 | · · · · · · · · · · · · · · · · · · · |
| | 271 |
| variables, use in calculations, 18 | 271 water vapor transmission rate (WVTR), 268 |
| vector, bioterrorism, 398 | 271 water vapor transmission rate (WVTR), 268 of plastic films, table, 293 |
| vector, bioterrorism, 398 velocity | water vapor transmission rate (WVTR), 268 of plastic films, table, 293 Watt, James, 36 |
| vector, bioterrorism, 398 velocity change, damage boundary determination, | water vapor transmission rate (WVTR), 268 of plastic films, table, 293 Watt, James, 36 WECO Process Control Rules, 334 |
| vector, bioterrorism, 398 velocity change, damage boundary determination, 372 | water vapor transmission rate (WVTR), 268 of plastic films, table, 293 Watt, James, 36 WECO Process Control Rules, 334 Weibull frequency distribution models, 213 |
| vector, bioterrorism, 398 velocity change, damage boundary determination, 372 damped systems, 360 | water vapor transmission rate (WVTR), 268 of plastic films, table, 293 Watt, James, 36 WECO Process Control Rules, 334 Weibull frequency distribution models, 213 welding and soldering, 132 |
| vector, bioterrorism, 398 velocity change, damage boundary determination, 372 damped systems, 360 gas-liquid mixes in foams, 250 | water vapor transmission rate (WVTR), 268 of plastic films, table, 293 Watt, James, 36 WECO Process Control Rules, 334 Weibull frequency distribution models, 213 welding and soldering, 132 wet bulb temperature, 83 |
| vector, bioterrorism, 398 velocity change, damage boundary determination, 372 damped systems, 360 gas-liquid mixes in foams, 250 gradient in fluid flow, 51 | water vapor transmission rate (WVTR), 268 of plastic films, table, 293 Watt, James, 36 WECO Process Control Rules, 334 Weibull frequency distribution models, 213 welding and soldering, 132 wet bulb temperature, 83 wetting, 176 |
| vector, bioterrorism, 398 velocity change, damage boundary determination, 372 damped systems, 360 gas-liquid mixes in foams, 250 gradient in fluid flow, 51 in viscoelastic systems, 59 | water vapor transmission rate (WVTR), 268 of plastic films, table, 293 Watt, James, 36 WECO Process Control Rules, 334 Weibull frequency distribution models, 213 welding and soldering, 132 wet bulb temperature, 83 wetting, 176 wood and fiber, 97 |
| vector, bioterrorism, 398 velocity change, damage boundary determination, 372 damped systems, 360 gas-liquid mixes in foams, 250 gradient in fluid flow, 51 | water vapor transmission rate (WVTR), 268 of plastic films, table, 293 Watt, James, 36 WECO Process Control Rules, 334 Weibull frequency distribution models, 213 welding and soldering, 132 wet bulb temperature, 83 wetting, 176 |

466 *Index*

wood crates and boxes, 354
work
definition, 30
thermodynamic sign conventions, 31
workplace injuries *see* ergonomics
workplace injuries, cost estimation,
341
WVTR, 268
of plastic films, 293

yield point, 45 yogurt *see* dairy products, preservation and shelf life, 289

Zeigler-Natta catalysts, 148 zero-order reactions, 256 z-value, 211 z and D values for bacteria and food components, 218